Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST

TREES, SHRUBS
EVERGREENS
HERBACEOUS PERENNIALS
ROSES



FALL, 1942 SPRING, 1943

HENRY KOHANKIE & SON

PAINESVILLE, OHIO
30 Miles East of Cleveland on Route 20
Telephone 4380



PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20

One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines5-158
Herbaceous Material (including Rock and Alpine Plants)159-197
Fruit Garden Material198
Large Specimen Material208
Plants for Special Purposes208-210
Schedule of B&B Charges211
PLANT CLASSIFICATIONS
Coniferous Evergreens199-200
Broad-leaved Evergreens200
Deciduous Shade Trees200-201
Deciduous Small Trees202-203
Deciduous Shrubs203-207
Vines207-208

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

Abelia grandiflora. Glossy Abelia. S' 12 to 15 in., 3 in. pots65 .55 .50 15 to 18 in., 3 in. pots 1.00 .75 .65 18 to 24 in., 4 in. pots 1.25 1.00 .90 2 to 3 ft B&B 1.50 1.35 1.25 schumanni. 5' 12 to 18 in., 4 in. pots 1.50 1.25 Abies balsamea. Balsam Fir. 50' 2 ft B&B 3.00 2.50 2.00 3 ft B&B 4.00 3.50 3.00 4 ft B&B 5.00 4.50 4.00 5 ft B&B 10.00 7.50 6.00 7 ft B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. concolor. White Fir. 70' 18 in B&B 5.00 4.00 3.50 3 ft. B&B 7.50 6.50 5.00 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 15.00 12.50 8 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 18.00 15.00				
Abelia grandiflora. Glossy Abelia. 3' 12 to 15 in., 3 in. pots				
15 to 18 in., 3 in. pots	Abelia grandiflora. Glossy Abelia. 3'	Lucii	Lucii	Lucii
18 to 24 in., 4 in. pots	12 to 15 in., 3 in. pots	.65	.55	.50
2 to 3 ft. B&B 1.50 1.35 1.25 schumanni. 5' 12 to 18 in., 4 in. pots 1.50 1.25 Abies balsamea. Balsam Fir. 50' 2 ft. B&B 3.00 2.50 2.00 3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 5.00 4.50 4.00 5 ft. B&B 7.50 6.00 5.00 6 ft. B&B 10.00 7.50 6.00 7 ft. B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. concolor. White Fir. 70' 18 in. B&B 3.50 2.50 2.00 1.50 2 ft. B&B 3.50 2.50 2.00 3 ft. B&B 5.00 4.00 3.50 4 ft. B&B 5.00 4.00 3.50 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00	15 to 18 in., 3 in. pots	1.00	.75	.65
2 to 3 ft. B&B 1.50 1.35 1.25 schumanni. 5' 12 to 18 in., 4 in. pots 1.50 1.25 Abies balsamea. Balsam Fir. 50' 2 ft. B&B 3.00 2.50 2.00 3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 5.00 4.50 4.00 5 ft. B&B 7.50 6.00 5.00 6 ft. B&B 10.00 7.50 6.00 7 ft. B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. concolor. White Fir. 70' 18 in. B&B 3.50 2.50 2.00 1.50 2 ft. B&B 3.50 2.50 2.00 3 ft. B&B 5.00 4.00 3.50 4 ft. B&B 5.00 4.00 3.50 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00	18 to 24 in., 4 in. pots	1.25	1.00	.90
12 to 18 in., 4 in. pots 1.50 1.25 Abies balsamea. Balsam Fir. 50' 50' 2 ft. B&B 3.00 2.50 2.00 3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 5.00 4.50 4.00 5 ft. B&B 7.50 6.00 5.00 6 ft. B&B 10.00 7.50 6.00 7 ft. B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. Concolor. White Fir. 70' 18 in. B&B 2.50 2.00 1.50 2 ft. B&B 3.50 2.50 2.00 3 ft. B&B 5.00 4.00 3.50 4 ft. B&B 5.00 4.00 3.50 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00		1.50	1.35	1.25
12 to 18 in., 4 in. pots 1.50 1.25 Abies balsamea. Balsam Fir. 50' 50' 2 ft. B&B 3.00 2.50 2.00 3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 5.00 4.50 4.00 5 ft. B&B 7.50 6.00 5.00 6 ft. B&B 10.00 7.50 6.00 7 ft. B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. Concolor. White Fir. 70' 18 in. B&B 2.50 2.00 1.50 2 ft. B&B 3.50 2.50 2.00 3 ft. B&B 5.00 4.00 3.50 4 ft. B&B 5.00 4.00 3.50 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00	schumanni 5'			
Abies balsamea. Balsam Fir. 50'. 2 ft.		1.50	1 95	
2 ft. B&B 3.00 2.50 2.00 3 ft. B&B 4.00 3.50 3.00 4 ft. B&B 5.00 4.50 4.00 5 ft. B&B 7.50 6.00 5.00 6 ft. B&B 10.00 7.50 6.00 7 ft. B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. concolor. White Fir. 70' 18 in. B&B 2.50 2.00 1.50 2 ft. B&B 3.50 2.50 2.00 3 ft. B&B 5.00 4.00 3.50 4 ft. B&B 7.50 6.50 5.00 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00	12 to 18 III., 4 III. pots	1.50	1.20	
3 ft.	Abies balsamea. Balsam Fir. 50'.			
4 ft	2 ftB&B	3.00	2.50	2.00
5 ft. .B&B 7.50 6.00 5.00 6 ft. .B&B 10.00 7.50 6.00 7 ft. .B&B 12.50 10.00 For larger sizes to 15 ft., add \$5.00 per foot. Concolor. White Fir. 70' 18 in. .B&B 2.50 2.00 1.50 2 ft. .B&B 3.50 2.50 2.00 3 ft. .B&B 5.00 4.00 3.50 4 ft. .B&B 7.50 6.50 5.00 5 ft. .B&B 10.00 8.50 7.50 6 ft. .B&B 12.50 10.00 8.50 7 ft. .B&B 15.00 12.50 8 ft. .B&B 18.00 15.00 9 ft. .B&B 20.00 18.00	3 ftB&B	4.00	3.50	3.00
6 ft	4 ftB&B	5.00	4.50	4.00
7 ft	5 ftB&B	7.50	6.00	5.00
For larger sizes to 15 ft., add \$5.00 per foot. concolor. White Fir. 70' 18 in	6 ftB&B	10.00	7.50	6.00
concolor. White Fir. 70' 18 in. B&B 2.50 2.00 1.50 2 ft. B&B 3.50 2.50 2.00 3 ft. B&B 5.00 4.00 3.50 4 ft. B&B 7.50 6.50 5.00 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00	7 ftB&B	12.50	10.00	
18 in. .B&B 2.50 2.00 1.50 2 ft. .B&B 3.50 2.50 2.00 3 ft. .B&B 5.00 4.00 3.50 4 ft. .B&B 7.50 6.50 5.00 5 ft. .B&B 10.00 8.50 7.50 6 ft. .B&B 12.50 10.00 8.50 7 ft. .B&B 15.00 12.50 8 ft. .B&B 18.00 15.00 9 ft. .B&B 20.00 18.00	For larger sizes to 15 ft., add \$5.	00 per	foot.	
18 in. .B&B 2.50 2.00 1.50 2 ft. .B&B 3.50 2.50 2.00 3 ft. .B&B 5.00 4.00 3.50 4 ft. .B&B 7.50 6.50 5.00 5 ft. .B&B 10.00 8.50 7.50 6 ft. .B&B 12.50 10.00 8.50 7 ft. .B&B 15.00 12.50 8 ft. .B&B 18.00 15.00 9 ft. .B&B 20.00 18.00	concolor White Fig. 70'			
2 ft. .B&B 3.50 2.50 2.00 3 ft. .B&B 5.00 4.00 3.50 4 ft. .B&B 7.50 6.50 5.00 5 ft. .B&B 10.00 8.50 7.50 6 ft. .B&B 12.50 10.00 8.50 7 ft. .B&B 15.00 12.50 8 ft. .B&B 18.00 15.00 9 ft. .B&B 20.00 18.00		2.50	2.00	1.50
3 ft. .B&B 5.00 4.00 3.50 4 ft. .B&B 7.50 6.50 5.00 5 ft. .B&B 10.00 8.50 7.50 6 ft. .B&B 12.50 10.00 8.50 7 ft. .B&B 15.00 12.50 8 ft. .B&B 18.00 15.00 9 ft. .B&B 20.00 18.00				
4 ft. B&B 7.50 6.50 5.00 5 ft. B&B 10.00 8.50 7.50 6 ft. B&B 12.50 10.00 8.50 7 ft. B&B 15.00 12.50 8 ft. B&B 18.00 15.00 9 ft. B&B 20.00 18.00				
5 ft. .B&B 10.00 8.50 7.50 6 ft. .B&B 12.50 10.00 8.50 7 ft. .B&B 15.00 12.50 8 ft. .B&B 13.00 15.00 9 ft. .B&B 20.00 18.00				
6 ft				
7 ft				
8 ft				
9 ft				
2 201 111111111111111111111111111111111				
10 ft			20.00	

For larger sizes to 25 ft., add \$10.00 per foot.

A

SPECIAL RES. CHILDREN	1-4 Each	5-24 Each	25 & up Each
bies.	Lucii	Lucii	
concolor violacea. Purplecone White	Fir. 70	U*	
2 ft	5.00	4.50	4.00
3 ft	6.50	5.50	5.00
4 ft		7.50	
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
For larger sizes to 10 ft., add \$1	0.00 pe	er foot	
firma. Momi Fir. 50'			
3 ftB&B			
4 ftB&B	7.50		
fraseri. Fraser Fir. 50'			
3 ftB&B	5.00	4.75	
4 ftB&B		6.00	
5 ftB&B		7.00	
6 ft	10.00	8.50	
7 ft	12.50	10.00	
For larger sizes to 12 ft., add \$5.	00 per	foot.	
homolepis. Nikko Fir. 60'			
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00	8.00	
6 ftB&B		10.00	9.00
nobilis glauca. Blueleaf Noble Fir.	20'		
18 inB&B	6.00		
2 ft	7.50		
nordmanniana. Nordmann Fir. 75'			•
3 ft	5.00		
4 ftB&B	6.00		
5 ft	7.50		
pectinata. Silver Fir. 50'			
2 ft	4.00	3.50	
3 ft	5.00	4.50	
pectinata pyramidalis. Sentinel Fir.			
18 inB&B	4.00		
2 ftB&B	5.00		
3 ftB&B	7.50		
veitchi. Veitch Fir. 80'			
3 ftB&B	5.00	4.50	
4 ftB&B		5.50	5.00
5 ftB&B		8.50	
6 ftB&B			
For larger sizes to 12 ft., add \$5.0	00 per	foot.	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Acanthopanax pentaphyllum. Five-leave	1-4 Each	5-24 Each ia. 10'	25 & up Each
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
	1.00	.75	.00
ricinifolium. Castor Aralia. 25'			
6 to 8 ft	6.50	6.00	
8 to 10 ft	8.00	7.50	
10 to 12 ft	10.00	9.00	
12 to 14 ft	15.00	12.50	
14 to 16 ft	20.00	15.00	
ricinifolium maximowiczi. 25'			
8 ft	15.00		
10 ft	20.00		
12 ft	25.00		
Acer buergerianum. Trident Maple. 40'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50	5.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
10 to 12 ft	10.00	8.50	
12 to 14 ft	15.00	12.50	
14 to 16 ft	20.00	15.00	
cappadocicum. Coliseum Maple. 40'			
14 to 16 ft	20.00		
dasycarpum Silver Maple. 75'			
8 to 10 ft	1.50	1.25	1.10
1½ to 1½ in.	2.00	1.60	1.35
1½ to 1¾ in	2.50	1.90	1.65
13/4 to 2 in	3.00	2.25	2.00
2 to 2½ in	3.50	2.75	2.50
2½ to 3 in	4.50	3.50	3.00
3 to 3½ in	6.00	5.00	0.00
3½ to 4 in	7.50	6.50	

	1-4 Each	5-24 Each	25 & up Each
Acer	Euch	Lucii	Lucii
dasycarpum pyramidale. Pyramidal	Silver	Maple.	75'
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
1½ to 1¾ in	2.75	2.25	
dasycarpum wieri. Wier Maple. 75'			
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
1½ to 1¾ in	3.00	2.25	
1¾ to 2 in	3.50	2.75	
2 to 2½ in	5.00	3.50	
ginnala. Amur Maple. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
griseum. Paperbark Maple. 25'			
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft	10.00	7.50	
12 to 14 ft	15.00	12.50	
japonicum aureum. Goldenmoon Mo	ple. 1	5'	
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	15.00		
mandshuricum. Manchurian Maple.	<i>30</i> ′		
6 to 8 ft	3.00	2.75	
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft	7.50	6.00	
1½ to 1¾ in	10.00	8.00	
2 to 2½ in	15.00	12.50	
negundo. Box Elder. 60'			
6 to 8 ft	1.00	.85	.75
8 to 10 ft		1.25	
1¼ to 1½ in	1.75	1.50	
1½ to 1¾ in	2.25	2.00	
13/4 to 2 in	3.00	2.50)
nigrum. Islack Maple. 80'			
8 to 10 ft	4.50	4.00)
nikoense. Nikko Maple. 40'			
6 to 8 ft	7.50		

1-4 5-24 25 & up

	1-4 Each	5-24 Each	25 & up Each
cer	20011	20011	
palmatum. Japanese Maple. 15'			
2 to 3 ft	2.25	1.75	1.50
3 to 4 ft	3.00	2.50	2.00
4 to 5 ft	3.50	3.00	2.50
5 to 6 ft	5.00	4.50	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ft	10.00	7.50	
palmatum atropurpureum. Bloodleaf J	ananes	se Man	le. 10'
2 to 3 ft	4.50	4.00	3.50
3 to 4 ft	6.00	5.50	5.00
4 to 5 ft		8.50	7.50
5 to 6 ft., heavyB&B		12.50	
6 to 8 ft., heavyB&B		15.00	
8 to 10 ft., heavy		10.00	
palmatum dissectum atropurpureum.			
Purple Threadleaf Japanese		6'	
18 to 24 in		7.50	
2 to 3 ft		8.50	
3 to 4 ft		0.50	
palmatum filicifolium. Fernleaf Maple			
2 to 3 ft	7.50	6.00	
3 to 4 ft		7.50	
4 to 5 ft		1.50	
5 to 6 ft			
6 to 8 ft			
palmatum roseo-marginatum. Pinke		anla :	101
2 to 3 ft	7.50	apie. 1	.0
	10.00		
pennsylvanicum. Striped Maple, 25'	10.00		
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.50	2.25	
	3.00	2.50	
6 to 8 ft	3.00	2.30	
platanoides. Norway Maple. 75' 6 to 8 ft	2.00	1.85	1.75
		2.50	2.25
	2.75	3.00	2.75
1½ to 1½ in	3.50		
1½ to 1¾ in	4.00	3.50	3.25
13/4 to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	
2½ to 3 in	7.50	6.50	6.00
3 to 3½ in	12.50	10.00	7.50
3½ to 4 in	15.00	12.50	
4 to 5 in. spec	35.00		

									1-4 Each	5-24 Each	25 & uj Each	Þ
Ace												
	platanoi	des	glob	osu	m.	Glo	be N	Torre	ay Mapl	e.		
	4 ye	ear,	6 ft	. sta	ind	ards		• • • •	. 10.00			
	platanoi	des	schv	vedl	eri.	So	hwe	dler	Maple.	<i>60</i> ′		
	1 1/4	to	11/2	in.					. 4.50	3.75		
	11/2	to	13/4	in.					. 5.00	4.25		
	1 3/4	to								5.00		
	2	to								7.50		
	21/2	to	3							10.00		
	3	to	3 1/2	in.					. 17.50	15.00		
	3 1/2	to	4									
	pseudop	lat	anus.	S	Suca	more	Ma	nle.	60'			
	8				3					2.50		
	11/4									3.00		
	11/2									4.25		
	1 3/4		2							5.50		
	2	to								6.50		
	21/2		3							8.50		
	472	ιο	ð	111.					. 10.00	0.00		
	rubrum	. <i>F</i>	Red M	apl	e. 'i	75'						
	6	to	8	ft.					. 2.50			
	8	to	10	ft.					. 3.00	2.50		
	11/4	to	11/2	in.					. 3.75	3.00		
	11/2	to	13/4	in.					. 5.00	4.00		
	13/4	to	2	in.					. 6.50			
	2	to	21/2	in.					. 9.00	7.50		
	21/2	to	3	in.					. 12.50	10.00		
	3	to	31/2	in.					. 15.00	12.50	10.0	00
	31/2	to	4	in.			• • •		20.00			
	sacchar	um	Sı	ıaar	Ma	ıple.	75'					
	8		10	-					3.00	2.50	2.2	25
		to									2.	75
		to									3.2	25
		to								4.50	3.	75
	2	to									4.	50
	-	to									6.0	00
	3	to									7.	50
	_	to									-	
	4	to										
		to										
	5	to				• • • • •						
	9	ÇÜ	0 72	111.				, ,				

1- Ea		5-24 Each	25 & up Each
Acer			
spicatum. Mountain Maple. 20'			
3 to 4 ft 1.		.75	
4 to 5 ft 1.5		1.00	
5 to 6 ft 1.	75	1.25	
tataricum. Tatarian Maple. 20'			
4 to 5 ft 1.		1.00	.75
5 to 6 ft 1.5		1.25	1.00
6 to 8 ft 2.5	-	1.75	1.50
8 to 10 ft 3.		2.50	2.00
10 to 12 ft 5.0	00	4.50	
Actinidia arguta. Bower Actinidia. 20'			
· · · · · · · · · · · · · · · · · · ·	60	.45	.35
Aesculus carnea. Red Horsechestnut. 40'			
8 to 10 ft 15.0	00		
4 to 5 in 60.0	00		
5 to 6 in	00		
glabra. Ohio Buckeye. 25'			
6 to 8 ft 3.0	00	2.50	
8 to 10 ft 4.0		3.00	
1¼ to 1½ in 5.0	00		
1½ to 2 in 6.0			
2 to 2½ in 7.5	50		
2½ to 3 in 10.0	00		
3 to 3½ in	00		
3½ to 4 in	00		
hippocastanum. Horsechestnut. 70'			
6 to 8 ft 2.5	50	2.25	2.00
8 to 10 ft 3.	50	3.00	2.75
1½ to 1½ in 4.0	00	3.50	3.00
1½ to 1¾ in 4.		4.00	3.50
1¾ to 2 in 5.0	00	4.50	
2 to 2½ in 6.0	00	5.00	
2½ to 3 in 9.0	00	7.50	
3 to 3½ in	00	12.50	
3½ to 4 in			
4 to 5 in 25.0	00		
hippocastanum baumanni.			
Double White Horsechestnut. 5			
5 to 6 ft 7.			
6 to 8 ft 10.			
8 to 10 ft 12.5			
2½ to 3 in 25.0			
3 to 3½ in	00		

	1-4 Each	5-24 Each	25 & up Each
Aesculus	Edch	Eden	Lucii
octandra. Yellow Buckeye. 60'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.75	3.00	2.75
1 ¹ / ₄ to 1 ¹ / ₂ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.00	3.50
13/4 to 2 in	5.50	4.50	4.00
2 to 2½ in	7.50	6.00	5.00
2½ to 3 in	10.00	7.50	6.00
3 to 3½ in	15.00	12.50	10.00
3½ to 4 in	18.00	15.00	
4 to 5 in	25.00	20.00	
parviflora. Dwf. Horsechestnut. 12'			
15 to 18 inB&B	2.50		
18 to 24 in	3.75		
turbinata. Japanese Horsechestnut.			
4 to 5 in			
5 to 6 in	35.00		
Ailanthus glandulosa. Tree of Heaven.	50°		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	2.75	2.50	
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
	~ot		
sutchuenensis. Szechwan Ailanthus.	7.50		
2 to $2\frac{1}{2}$ in	10.00		
2½ to 3 in	10.00		
vilmoriniana. 50'			
10 to 12 ft	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
13/4 to 2 in	3.50	3.00	
2 to 2½ in	4.50	3.50	
2½ to 3 in	6.00	5.00	
3 to 3½ in	7.50		
Akebia lobata. Threeleaf Akebia. 15'			
2 year	.75	.60	.50
3 year from pots	1.00	.75	
quinata. Fiveleaf Akebia. 15'			
2 year	.45	.35	.25
3 year		.40	
d year	.00	1.00	100

1-4 Each	5-24 Each	25 & up Each
1.50	1.25	
5.00		
6.00		
	,	
2.50	2.00	
3.50	3.00	
5.00	4.00	
7.50	6.00	
10.00	7.50	
1.50	1.25	
1.75	1.50	
2.00	1.75	
2.75	2.50	
4.00	3.50	
5.00	4.50	
7.50	6.00	
10.00	7.50	
0"		
5.00		
2.00	1.75	1.50
2.50	2.00	1.75
3.00	2.50	2.00
3.75	3.50	3.00
5.00	4.50	4.00
7.50	6.00	5.00
10.00	8.50	7.50
2.25	2.00	
5.00		
1.00	.75	
1.25	1.00	
1.50	1.25	
1.75	1.50	
2.50	2.00	
4.00	3.00	
1.50		
2.00		
	1.50 5.00 6.00 2.50 3.50 5.00 7.50 10.00 1.50 1.75 2.00 2.75 4.00 5.00 7.50 10.00 2.50 3.00 3.75 5.00 7.50 10.00 2.25 5.00 1.00 1.25 1.50 1.75 2.50 4.00 1.50	Each Each 1.50

Amelanchier alnifolia. Saskatoon. 7'	1-4 Each	5-24 2 Each	5 & up Each
3 to 4 ft			
4 to 5 ft	1.75		
5 to 6 ft	2.50		
asiatica. 35'			
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
6 to 8 ft	2.50		
canadensis. Downy Shadblow. 30'			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	
8 to 10 ft	7.50	6.00	
10 to 12 ft	12.50		
6 to 8 ft. standards	3.50	3.00	
8 to 10 ft. standards	5.00	4.00	
laevis. Allegheny Serviceberry. 35'			
3 to 4 ft	. 1.00	.75	.60
4 to 5 ft	. 1.25	1.00	.75
5 to 6 ft	. 1.75	1.50	1.25
6 to 8 ft	. 3.00	2.50	2.00
8 to 10 ft	. 4.00	3.50	3.00
6 to 8 ft. standards	. 3.50	3.00	
8 to 10 ft. standards	. 5.00	4.00	
10 to 12 ft. standards	. 7.50		
laevis rosea. 35'			
3 to 4 ft. standards	. 2.00	1.75	
4 to 5 ft. "	. 2.50	2.00	
5 to 6 ft. "	. 3.50	3.00	
6 to 8 ft. "	. 5.00	4.00	
8 to 10 ft. "		6.50	
10 to 12 ft. "	. 10.00		
oblongifolia. Thicket Shadblow. 25			
2 to 3 ft		.55	.50
3 to 4 ft		.65	.60
4 to 5 ft		1.00	.75
5 to 6 ft		1.50	1.25
6 to 8 ft		2.50	2.00
8 to 10 ft		3.50	3.00
6 to 8 ft. clumpsB&I			
8 to 10 ft. clumpsB&I			
10 to 12 ft. clumpsB&I	3 20.00		

	1-4 Each	5-24 Each	25 & up Each
Amelanchier.			
rotundifolia, syn. vulgaris. European			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.00	3.50	3.00
	3.50	3.00	
0 10 10 11.	5.00	4.00	
8 to 10 ft. clumpsB&B 10 to 12 ft. "B&B	15.00 20.00		
10 to 12 tt	20.00		
sanguinea. Roundleaf Shadblow. 8'			
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	3.50	
stolonifera. Running Shadblow. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	
Amorpha brachycarpa. 3'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.00
canescens. Lead Plant. 2'	1.00	.,,	
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
	.00	.10	.10
fruticosa. Indigobush. 10'	40		0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
Ampelopsis aconitifolia. Monkshood Vine	3. 15°		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
henryana. Silvervein Creeper. 15'			
from 4-inch pots	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis.			
heterophylla. Porcelain Ampelopsis.	25'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
heterophylla amurensis. Amur Amp	elopsi	s. 25'	
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi.	15'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
quinquefolia. Virginia Creeper. 35'			
2 year	.35	.25	.18
3 year	.40	.30	.25
4 year	.50	.40	.35
quinquefolia englemanni. Englemann	Creen	er. 35'	
2 year	.35	.25	.18
3 year	.40	.30	.25
4 year	.50	.40	.35
quinquefolia murorum. Wall Creeper			
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul Cree	per.	35'	
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy. 40'			
2 year	.40	.30	.25
3 year	.50	.40	.30
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy. 8'			
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild Peac	h. 25	,	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	

	1-4 Each	5-24 Each	25 & up Each
Amygdalus	Eddii	Edeii	Lucii
nana georgica. Russian Almond. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
persica. Double Flowering Peach. 10'			
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50		
6 to 8 ft	2.25		
Alboplena—Double White.			
Clara Meyer—Double Pink.			
Rosea Plena—Double Pink.			
Rubroplena—Double Red.			
Andromeda. (See Pieris).			
Aralia japonica. Angelica Tree. 25'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
pentaphllum. (See Acanthopanax).			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	2.00	1.50	1.00
8 to 10 ft	2.75	2.25	2.00
10 to 12 ft	4.00	3.50	3.00
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	.60	.50	.45
Aristolochia sipho. Dutchman's Pipe. 30'			
2 year	1.25	1.00	.75
tomentosa. 30'			
2 year	.75	.60	.50
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft.	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
atropurpurea. Purple Chokeberry, 8'			
2 to 3 ft.	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft.	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Aronia	Eucii	Lucii	Edeil
melanocarpa. Black Chokeberry. 6'			5.
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
melanocarpa elata. Glossy Chokeberry	. 10'		
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
Artemesia abrotanum. Southernwood. 5'			
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.35	.30
5 to 6 ft	.60	,45	.40
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	
Azalea amoena. Amoena Azalea. 4'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
15 to 18 inB&B	2.50		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	3.00	2.75
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	3.50	2.75	2.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 inB&B	1.75		
12 to 15 inB&B	2.25		
kaempferi. Torch Azalea, 5'			
15 to 18 inB&B	2.75	2.50	
18 to 24 inB&B	3.75	3.50	3.00
24 to 30 inB&B	4.50	4.00	3.50
30 to 36 inB&B	6.00	5.00	
ledifolia. Snow Azalea. E'			
15 to 18 in	3.00	2.75	
18 to 24 inB&B	3.50		
lutea. 10'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
3 to 4 ft	5.00	4.50	4.00
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.75	2.75	2.50
24 to 30 inB&B	4.50	3.50	

	1-4 Each	5-24 Each	25 & up Each
Azalea	Edell	Edeli	Lucii
mucronulatum. Dahurian Azalea. 6'			
2 to 3 ftB&B	5.00	4.00	
3 to 4 ftB&B	6.00	5.00	
4 to 5 ft	7.50		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	3.50	2.75	2.50
3 to 4 ftB&B	4.00	3.50	
poukhanensis. Korean Azalea. 4'			
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	4.00	3.50	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	2.75	2.50	
24 to 30 inB&B	3.50	2.75	2.50
yodogawa. Yodogawa Azalea. 4'			
18 to 24 in	3.50	3.00	
24 to 30 in	4.00	3.50	
3 to 4 ft	5.00		
Baccharis halimifolia. Groundselbush. 1		40	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	.60
*Benzoin aestivale. Spice Bush. 12'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumpsB&B	15.00		
Berberis circumserrata. Cutleaf Barberry	5'		
18 to 24 in	2.50		
julianae. Wintergreen Barberry. 5'			
15 to 18 in	1.75	1.50	1.25
18 to 24 in	2.25	2.00	
24 to 30 in	2.75	2.50	
30 to 36 in	3.50	3.00	
koreana. Korean Barberry. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
	1.00		

	1-4 Each	5-24 Each	25 G up
Berberis	20011	Lucii	20011
sargentiana. Sargent Barberry. 5'			
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.25	2.00	1.75
24 to 30 inB&B	2.75	2.50	2.25
thunbergi. Japanese Barberry. 4'			
15 to 18 in	.20	.15	.12
18 to 24 in	.25	.20	.15
24 to 30 in	.35	.25	.20
30 to 36 in	.50	.35	.30
2 to 2½ ft. spec	.85	.75	
2½ to 3 ft. spec	1.25	1.00	
3 to 3½ ft. spec	1.75	1.50	
thunbergi atropurpurea. Redleaf Jap	anese	Barber	ry. 5'
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.40	.35
30 to 36 in	.60	.50	.45
36 to 42 in	1.00	.75	.60
thunbergi minor. Box Barberry. 2'			
12 to 15 in	.35	.25	.20
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.40	.35
24 to 30 in	.60	.50	.45
thunbergi pluriflora. 5			
18 to 24 in	.35	.25	.20
24 to 30 in	.45	.35	.25
30 to 36 in	.50	.40	.30
thunbergi pluriflora erecta. Truehedg	e Col	umnberi	ru.
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.35	.30
18 to 24 in	.55	.40	.35
24 to 30 in	.60	.50	.40
triacanthophora. Threespine Barberry.	5 '		
15 to 18 inB&B	1.35	1.25	1.00
18 to 24 inB&B	1.50	1.35	1.25
verruculosa. Warty Barberry. 3'			
8 to 10 in	1.50	1.25	
12 to 15 inB&B	1.75	1.50	
18 to 24 inB&B	2.50	2.25	
Danilla de la companya della companya della companya de la companya de la companya della company			
Berchemia racemosa. Japanese Supplejack			
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50

							1-4 Each	5-24 Each	25 & up
*Betula alba.	E	rope	an	Whit	e Bir	ch. 5	0'	Lucii	Edeli
6	to 8	ft.					1.75	1.50	1.25
8 1	to 10							1.75	1.50
11/4	to 11	in.					2.50	2.25	2.00
11/2 1	to 13	4 in.					3.00	2.75	2.50
13/4								3.25	3.00
2	to 21	in.					5.00	4.00	3.50
21/2								5.00	
3	to 31,	in.		• • • •			. 10.00	7.50	
*alba fas	tigiat	a. P	yre	amide	ıl W	hite E	Birch. 50) '	
6 to	8 ft.							3.50	
8 to	10 ft.						. 5.00	4.00	
10 to	12 ft.						. 7.50	6.00	
*alba la	oiniat		+7.	ant H	I. aani	na D	inah 05	,	
	to 8				_	ny B		2.25	
	to 10							2.75	
11/4								3.50	
11/2		_						4.00	
13/4		_						5.00	
- /-								6.00	
21/2		_						7.50	
- /2									
*lenta.	Stee	t Bin	ch.	10'					
6	to 8	ft.					. 1.75	1.50	1.25
8	to 10	ft.					. 2.50	2.25	1.75
11/4	to 11	½ in.					. 3.00	2.75	2.25
11/2	to 13	¼ in.					. 3.50	3.00	2.75
1 3/4	to 2	in.					. 4.00	3.50	3.00
2	to 21	⁄2 in.					. 5.00	4.50	4.00
2 1/2	to 3	in.					. 7.50	6.00	5.00
3	to 31	2 in.			• • • •		. 10.00	7.50	
*lutea.	Yello	ro Bi	rch	. 50'					
6	to 8	ft.					. 2.00	1.75	
8	to 10	ft.					. 2.50	2.25	
11/4	to 1	/2 in.					. 3.00	2.75	
11/2	to 13	¼ in.					. 3.50	3.00	
13/4	to 2	in.					. 4.00	3.50	
2	to 21/	in.					. 5.00	4.50	
21/2	to 3	in.					. 7.50	6.00	
		/2 in.					. 10.00	7.50	
31/2	to 4	in.					. 12.50	10.00	

Th = 4 = 3					1-4 Each	5-24 Each	25 & up Each
Betula							
*maxim	ow	iczia	na.	Monarch Birch.	50'		
6	to	8	ft.		2.75	2.50	
8	to	10			3.50	3.00	
11/2	to	13/4			4.50	4.00	
13/4	to	2			6.00	5.00	
2	to	21/2			7.50	6.00	
*nigra.	R			ch. 50'			
6	to	8	ft.		1.75	1.50	1.25
8		10			2.50	2.25	2.00
2	to				6.00	5.00	2.00
6	to			clumpsB&B	7.50	7.00	
8		10		clumpsB&B		9.00	
· ·	•	10	10.	crampsDeeD	10.00	0.00	
*papyri	fer	a. C	ano	e Birch. 40'			
6	to	8	ft.		2.00	1.75	1.50
8	to	10			2.50	2.25	2.00
11/4	to	11/2			3.00	2.75	2.50
11/2					3.50	3.25	3.00
13/4		2			4.00	3.75	3.25
2	to				5.00	4.50	4.00
21/2		3			7.50	6.00	5.00
3	to				10.00	7.50	0.00
31/2		4			12.50	10.00	
6	to	8		clumpsB&B	7.50	7.00	
8		10		clumpsB&B	10.00	9.00	
	00		200	OrdingsDod	10.00	0.00	
*papyri	fer	a cor	dif	olia. 40'			
11/2	to	13/4	in.		5.00		
2	to	21/2	in.		7.50		
*populi	foli	a.	Gra	y Birch. 40'			
6	to	8	ft.	• • • • • • • • • • • • • • • • • • • •	1.75	1.50	1.25
8	to	10	ft.		2.50	2.25	2.00
11/4	to	11/2	in.		3.00	2.75	2.50
11/2	to	13/4	in.		3.50	3.00	2.75
13/4	to	2	in.		4.00	3.50	3.00
2	to	21/2	in.		5.00	4.50	4.00
21/2	to	3	in.		7.50	6.00	5.00
3	to	3 1/2	in.		10.00	7.50	6.50
4	to	4 1/2			15.00	12.50	
6	to	8	ft.	clumpsB&B	7.50	7.00	
8	to	10	ft.	clumpsB&B	10.00	9.00	

Bignonia grandiflora. Chinese Trumpetere	1-4 Each	5-24 Each 20'	25 & up Each
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00	.75	.60
grandiflora Mad. Gallen. 20'			
2 year	1.00	.75	.60
radicans. Trumpetcreeper. 30'			
2 year	.30	.25	.18
3 year	.40	.30	.22
speciosa. Painted Trumpetcreeper. 3	20'		
2 year	.75	.60	.50
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50	2.25	
Broussonetia papyrifera. Paper Mulberry	y. 40'		
5 to 6 ft	3.00	2.50	
Bruckenthalia spiculifolia. Spikeheath.	1'		
6 in., 3 inch pots	1.50	1.25	1.00
Buddleia alternifolia. 12'			
2 to 3 ft	.40	.35	
3 to 4 ft	.50	.45	
Charming. Pink Butterfly Bush. 5'			
2 to 3 ft	.50	.40	.30
davidi. Orange-eye Butterfly Bush.	5 '		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.22
davidi superba. 5'			
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	
4 to 5 ft	.50	.35	.30
davidi veitchi. Veitch Butterfly Bus			
2 to 3 ft	.30	.25	
3 to 4 ft	.40	.30	
4 to 5 ft	.50	.35	.30
Dubonnet. 5'			
2 to 3 ft	.50	.40	
farquhari. 5'			
2 to 3 ft	.30	.25	
3 to 4 ft	.40	.30	
4 to 5 ft	.50	.35	
5 to 6 ft	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Buddleia	Eden	Eden	Edeli
Ile de France. 4'			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.40	.30
intermedia. Wisteria Butterfly Bush.	5 '		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.25
lindleyana. Lindley Butterfly Bush.	5 '		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.25
paniculata.			
3 to 4 ft	.40	.35	.25
4 to 5 ft	.50	.40	.35
Buxus microphylla.			
12 to 15 inB&B	1.00	.75	.60
15 to 18 inB&B	1.25	1.00	.75
18 to 24 inB&B	1.50	1.25	1.00
microphylla koreana.			
6 to 8 inB&B	.65	.55	.50
12 to 15 inB&B	1.00	.75	.60
15 to 18 inB&B	1.25	1.00	.75
sempervirens handsworthi.			
8 to 10 inB&B	1.00	.75	.60
10 to 12 inB&B	1.25	1.00	.75
sempervirens suffruticosa. Dwarf Box	xwood.	4'	
12 to 15 inB&B	1.25	1.00	.75
15 to 18 inB&B	1.50	1.25	1.00
Callicarpa americana. American Beautyl	berry.	6'	
2 to 3 ft	.75	.65	
giraldiana. 6'			
2 to 3 ft	.75	.65	.60
giraldiana subincanescens. 6'			
3 to 3½ ft	1.50		
japonica. Japanese Beautyberry. 4'			
18 to 24 in	.40	.30	.20
2 to 3 ft	.45	.35	.25
purpurea. Chinese Beautyberry. 4'			
18 to 24 in	.40	.30	.22
2 to 3 ft	.45	.35	.28

Calluna vulgaris. Heather. 2'	1-4 Each	5-24 Each	25 & up Each
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	.00
vulgaris alba. White Heather. 2'	1120	2.00	
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris alporti. Alport Heather. 2'			
4 inch pots	.75	.60	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris carnea. Flesh Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
Calycanthus floridus. Sweet Shrub. 5'			
18 to 24 in	.35	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
occidentalis. California Sweetshrub.	12'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
Caragana arborescens. Siberian Peatree.	<i>15</i> ′		
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
boisi. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
lorbergi 4'	1 = 0	1.0-	
2 to 3 ft	1.50	1.25	
sophoraefolia. Sophoraleaf Peashrub.	10'		
2 to 3 ft	1.50		

			F 24	
		1-4 Each	5-24 Z Each	25 & up Each
Carpinus betulus.	European Hornbeam. 6	o'		
3 to 4 ft.	B&B	5.00	4.50	4.00
4 to 5 ft.	B&B	6.00	5.50	5.00
5 to 6 ft.	B&B	9.00	8.00	7.50
6 to 8 ft.	B&B	12.00	11.00	10.00
8 to 10 ft.	B&B	15.00	13.00	12.00
10 to 12 ft.	B&B	20.00	18.00	15.00
Sheared plants	s, 4 to 10 ft. quoted on re	equest.		
betulus fastigi	ata. Pyramid Hornbe	am. 4	0'	
2 to 3 ft.	B&B	7.50		
	American Hornbeam. 40'			
2 to 3 ft.	B&B	2.00	1.75	1.50
	B&B	2.50	2.25	2.00
	B&B	3.50	3.25	3.00
5 to 6 ft.	В&В	5.00	4.50	4.00
	В&В	7.50	6.00	5.50
8 to 10 ft.	B&B	10.00	8.00	7.50
10 to 12 ft.	B&B	18.00	15.00	12.50
Sheared plant	s, 4 to 10 ft., quoted on	reque	st.	
cordata. 40'	,			
4 to 5 ft	B&B	5.00		
5 to 6 ft	B&B	6.50		
japonica. 40'				
	bushyB&B	4.00	3.50	3.00
1 to 5 ft	bushyB&B	5.00	4.50	4.00
5 to 6 ft	B&B	6.50	5.50	
E to 8 ft	B&B		7.50	
	B&B	4.00	3.50	3.00
1 to 5 ft	B&B	6.00	5.00	4.50
5 to 6 ft	B&B	7.50	6.50	6.00
B to 8 ft	B&B	10.00	8.00)
Caryopteris incan	a. Bluebeard. 4	.45	.35	.30
	1	.55		
	1	.00	.70	, .10
tangutica. 6'		1.00	.80	.75
10 to 12 in	., 4 inch pots	1.00	.00	
Catalpa bignonio	ides nana syn. bungei.			
Um	brella Catalpa. 12'			
2 yr. hea	ds,			
5 to 6 ft.		1.75		
			2.0	0

	1-4	5-24	25 & up
Catalpa	Each	Each	Each
kaempferi. Japanese Catalpa. 20'			
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.25	2.00	
1½ to 1¾ in	3.00	2.50	
13/4 to 2 in	4.00	3.50	
speciosa. Western Catalpa. 30'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	1.75	1.50	1.25
1¾ to 2 in	2.00	1.75	1.50
Ceanothus americanus. Jersey Tea. 3'			
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
Cedrela sinensis. Chinese Cedrela. 50'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
Cedrus deodara Deodar. 50'			
2 ft	3.50	3.00	
3 ft	5.00	4.50	
libani. Cedar of Lebanon. 50'			
2 ftB&B	3.50	3.00	
3 ft	5.00	4.50	
Celastrus gemmata. Chinese Bittersweet.	20'		
2 year	1.00	.75	
orbiculatus. Oriental Bittersweet. 20	,		
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.40
scandens. Native Bittersweet. 25'			
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.40
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
8 to 10 ft	2.75	2.50	
1¼ to 1½ in	3.00	2.75	
1½ to 1¾ in	3.50	3.25	
2½ to 3 in	7.50	5.00	
3 to 3½ in	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Celtis	Lucii	Lucii	Lucii
sinensis. Chinese Hackberry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Cephalanthus occidentalis. Button Bush.	6'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
Cercidiphyllum japonicum. Katsura Tree	. 30'		
4 to 5 ftB&B	3.00	2.75	2.50
5 to 6 ft	4.50	4.00	3.75
6 to 8 ft	6.00	5.00	4.50
8 to 10 ft	8.50	7.50	6.50
10 to 12 ft	12.50	10.00	9.00
8 to 10 ft. spec	15.00		
10 to 12 ft. spec	20.00		
12 to 14 ft. specB&B	25.00		
14 to 16 ft. spec	35.00		
japonicum sinense. Chinese Katsura		50'	
3 to 4 ft	5.00		
4 to 5 ftB&B	7.50		
*Cercis canadensis. American Redbud.	<i>15</i> ′		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
8 to 10 ft	3.00	2.75	2.50
6 to 8 ft. spec	7.50		
8 to 10 ft. spec	10.00		
10 to 12 ft. spec	15.00		
canadensis alba. Whitebud. 15'	5.00	4.50	4.00
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
*chinensis. Chinese Redbud. 10'	1.00	0.00	
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	
4 to 5 ft	3.00	2.50	
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	6.00	5.50
8 to 10 ft	10.00	7.50	
Cercocarpus parvifolius. Valley Mahogan	y. 6'		

2 to 3 ft.B&B 5.00

			1-4 Each	5-24 2	25 & up Each
Chamaecypa	aris lawsoniana. Lawso	n Cyp	ress. 10	Each 20'	Edch
	t		3.00	2.50	
3 f	t		4.00	3.50	
4 f	t	B&B	6.00	5.00	
5 f	t		9.00	7.50	
6 f	t	B&B	12.50	10.00	
For larg	ger sizes to 12 ft., add \$5	.00 pe	r foot.		
lawsoni	ana alumi. Scarab Cypr	ess. //	:0'		
2 f			5.00		
3 f			6.00		
	ana glauca. Blue Lawson			'	
6 f					
· -	t				
8 ft	t	B&B	25.00		
lawconi	ana Triomphe de Bosko	on	40'		
4 f		_	6.00	5.00	4.00
	t		9.00	7.50	1.00
6 f				1.00	
_			12.00		
nootkat	ensis. Nootka Cypress.	75'			
2 f			3.00	2.50	2.25
	t		4.00	3.00	2.75
	t		5.00	4.50	
	t		7.50	6.00	
6 f	t	В&В	9.00	7.50	
nootkat	ensis pendula. Weeping	Noot	ka Cup	ress. 1	5 '
	t		7.50	6.00	
4 f	it	В&В	10.00	8.00	
5 f	t				
6 f	it	B&B	15.00		
obtuca	compacts Comment II		Y	10'	
	compacta. Compact Hi		3.00	2.50	2.25
	[t		4.00	3.50	3.25
,	it		5.50	5.00	4.50
	ft		7.50	6.00	1.00
	ft			7.50	
	ft			10.00	
		لانەت	12.00	20.00	
obtusa	crippsi. Yellow Hinoki				
	ft				
4 1	ft	В&В	6.00		

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis			
obtusa gracilis. Slender Hinoki Cypre	ss. 15	,	
2 ftB&B	4.00	3.50	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	20.00		
obtusa nana. Dwarf Hinoki Cypress.	10'		
15 inB&B	4.00	3.50	3.00
18 in	6.00	5.00	4.00
24 inB&B	8.00	7.00	6.00
30 inB&B	10.00		
obtusa nana compacta. 3'			
15 inB&B	5.00	4.50	
18 in	7.50	6.50	
pisifera. Sawara Cypress. 30'			
T 0 D	2.50	2.00	1.75
2 ftB&B 3 ftB&B	3.75	3.00	
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.00	4.50
6 ft. specB&B	9.00	7.50	
7 ft. spec	12.50	10.00	
8 ft. specB&B	15.00	12.50	1
9 ft. specB&B	18.00	15.00	
10 ft. specB&B	20.00	18.00	
For larger sizes to 18 ft., add \$5.00 per foot.			
p. aurea. Golden Sawara Cypress. 30	•		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.00)
6 ft. specB&B	10.00		
7 ft. specB&B	12.50		
8 ft. specB&B	15.00		
9 ft. specB&B			
10 ft. spec	20.00		

		1-4 Each	5-24 Each	25 & up Each
Chamaecyparis		Eden	Eden	Edcii
0.110				
p. filifera. Thread-branched Ja	panese	Cypres	s. 15'	
2 ft	.B&B	3.50	3.00	2.50
3 ft	.B&B	4.00	3.50	3.00
4 ft	. B&B	6.00	5.00	4.00
4 ft. spec	.B&B	12.00	10.00	
5 ft. spec	.B&B	15.00	12.50	
6 ft. spec	.B&B	18.00	15.00	
7 ft. spec	.B&B	20.00	18.00	
8 ft. spec	.B&B	25.00	22.50	
9 ft. spec	.B&B	35.00		
p. filifera aurea.				
Golden Thread-branch	ed Jan	anese (Yunress	. 10'
to the second se				. 10
		3.50	2.75	
24 in. spd		4.50	3.75	
or and spantition		6.00	5.00	
36x36 in. spec				
48x48 in. spec				
54x54 in. spec				
60x60 in. spec	awa.	25.00		
p. filifera aurea nova.				
Variegated Thread-brane	ched Ja	panese	Cypres	ss. 10'
18 to 24 in. spd	R&B	3.00		
24 to 30 in. spd		4.00		
30 to 36 in. spd		5.00		
36 to 42 in. spd		7.50		
42 to 48 in. spd				
48 to 54 in. spd				
		10.00		
p. plumosa. Plume Cypress.				
2 ft. sheared		2.50	2.00	1.75
3 ft. sheared		3.75	3.00	2.50
4 ft. sheared		5.00	4.00	3.75
5 ft. sheared		6.00	5.00	4.50
6 ft. sheared		8.00	7.00	6.50
7 ft. sheared	.B&B	10.00	9.00	8.00
8 ft. sheared	.B&B	15.00	12.50	
9 ft. sheared	B&B	18.00	15.00	
10 ft. sheared	B&B	20.00	18.00	
For larger sizes to 18 ft., add	\$5.00 p	er foo	t.	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4	5-24 Each	25 & up
Chamaecyparis p. plumosa	Each	EUCH	Eden
3 ft. high x 4 ft. spread ex.			
specB&B	7.50		
4 ft. high x 5 ft. spread ex.	1.00		
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa aurea. Goldenplume Cype	ress. 2	5 '	
2 ft. shearedB&B	2.50	2.00	
3 ft. shearedB&B	3.75	3.00	2.50
4 ft. shearedB&B		4.00	
5 ft. shearedB&B	6.00	5.00	
6 ft. shearedB&B	8.00	7.00	
7 ft. shearedB&B	10.00	8.50	7.50
8 ft. shearedB&B	15.00	12.50	10.00
9 ft. shearedB&B	18.00	15.00	
10 ft. shearedB&B	20.00	18.00	
For larger sizes to 20 ft, add \$5.00 p 2 ft. high x 3 ft. spread ex.	er foo	t.	
specB&B	5.00		
3 ft. high x 4 ft. spread ex.			
specB&B	7.50		
4 ft. high x 5 ft. spread ex.			
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa lutescens. (Globe form)	51		
p. plumosa lutescens. (Globe form)	. 0		
18 inB&B	2.50	2.00	
24 inB&B	3.00	2.50	
p. plumosa sulphurea. Sulphurplum	e Cypr	ess. 25°	,
4 ftB&B	5.00	4.50	
5 ftB&B			
6 ftB&B			
7 ftB&B	10.00	8.50)
8 ftB&B	15.00	12.50)

.....B&B 18.00 15.00

9 ft.

	1-4 Each	5-24 Each	25 & up Each		
Chamaecyparis	Each	Eden	Euch		
p. squarrosa. Moss Retinospora. 30'					
2 ft. shearedB&B	3.00	2.50	2.00		
3 ft. shearedB&B	4.00	3.50	3.00		
4 ft. shearedB&B	5.50	4.50	4.00		
5 ft. shearedB&B	6.50	5.50	5.00		
6 ft. shearedB&B	8.50	7.00	6.00		
7 ft. shearedB&B	10.00	9.00			
8 ft. shearedB&B	15.00	12.50			
For larger sizes to 15 ft., add \$5.00 pe	er foot				
Chamaedaphne calyculata. Leatherleaf.	3'				
15 to 18 inB&B	3.00	2.50			
18 to 24 inB&B	3.50	3.00			
24 to 30 inB&B	5.00	4.00			
Chionanthus retusa. 20'					
18 to 24 inB&B	3.50	-			
virginica. White Fringe. 25'					
2 to 3 ft	.75	.60	.50		
3 to 4 ft	1.00	.85	.75		
4 to 5 ft	1.50	1.25	1.15		
5 to 6 ft	2.25	1.75	1.50		
6 to 8 ft	3.00	2.25	2.00		
8 to 10 ft	4.00	3.00			
5 to 6 ft. specB&B	7.50	6.00			
6 to 8 ft. specB&B	10.00	7.50			
8 to 10 ft. specB&B	12.50				
Cladrastis lutea. Yellow Wood. 30'					
	7.50	6.50			
8 to 10 ftB&B	10.00	9.00			
10 to 12 ftB&B		15.00	12.50		
2 to 2½ inB&B	20.00	17.50			
2½ to 3 inB&B		20.00			
Clematis apiifolia. October Clematis. 25'					
2 year	.50	.40	.30		
chrysocoma sericea.	.50				
	1.00	.75	.60		
	1.00	.10	.00		
coccinea. (See texensis).					
crispa. Curly Clematis.					
2 year	1.00	.75			

	ı-4 Each	5-24 2 Each	25 & up Each
Clematis			
fargesi.			
2 year, 3 in. pots	1.00	.75	
flammula. Plume Clematis. 15'			
2 year	1.00	.75	
hybrids. Large Flowering Clematis.			
2 year	.75	.60	
Jackmanni, Mad. Ed. Andre, Henry	i,		
Duchess of Edinburg.			
ligusticifolia. Western Virgins-bower.	15'		
2 year	.75	.60	.50
montana rubens.			
3 inch pots	1.00	.75	.65
montana undulata.			
3½ inch pots	1.00		
montana wilsoni.			
3 inch pots	1.00	.75	
paniculata. Sweet Autumn Clematis.	25'		or
2 year	.35	.30	.25
3 year	.45	.35	.50
serratifolia. Korean Clematis.	1.00	.75	.60
2 year	1.00	.10	.00
tangutica. Golden Clematis. 12'	.60	.50	.40
2 year			.10
texensis syn. coccinea. Scarlet Clema 2 year	.60	.50	.40
veitchi. 10'	.00	.00	
3 inch pots	1.00	.75	
viorna. Leatherflower	2.00		
2 year	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year	.35	.25	.20
3 year	.45	.35	.25
vitalba. Travelers-joy. 25'			
2 year	.60	.50	.40
viticella. Italian Clematis. 10'			
2 year	.75	.60)
Clerodendron trichotomum. Harlequin Gl	orybor	ver. 6'	
3 to 4 ft	1.75		
4 to 5 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Clethra alnifolia. Sweet Pepper Bush. 5'			
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.45	.40
2½ to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	
paniculata. 5'			
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	1.00	.75
Colutea arborescens. Bladder Senna. 10'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
media. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
Comptonia asplenifolia. Sweetfern. 3'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.50	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
alba elegantissima. Silverblotch Dogr	wood.	8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.70
5 to 6 ft	1.00	.90	
alba sibirica. Coral Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.90	

	1-4 Each	5-24 Each	25 & up Each
Cornus	20011		
alba spaethi. Golden variegated Dogu	ood.	8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
alternifolia . Pagoda Dogwood. 20'			
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	
amomum syn. sericea. Silky Dogwood	d. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	.90
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	
florida. White Flowering Dogwood.	25'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	4.50	3.75	3.50
6 to 8 ft	6.50	5.50	5.00
8 to 10 ft	9.00	8.00	
5 to 14 ft., heavy spec.,			
B&B at \$1.50 per foot.			
florida plena. Dbl. White Flg. Dogw	ood.	25'	
3 to 4 ftB&B	4.50	4.00	3.50
4 to 5 ftB&B	6.00	5.00	4.50
5 to 6 ft. spec	12.50	10.00	
0 00 0 200 200 000	15.00		
8 to 10 ft. spec	20.00		

C

	1-4 Each	5-24 Each	25 G up
ornus	Lucri	Lucii	Ederi
florida rubra. Red Flowering Dogwo	od. 20'	•	
3 to 4 ftB&B	3.75	3.00	2.50
4 to 5 ftB&B	5.50	4.50	3.75
5 to 6 ftB&B	7.50	6.50	5.00
6 to 8 ftB&B	10.00	8.50	7.50
8 to 10 ftB&B	12.50	10.00	9.00
	12.50		
6 ft., heavy specB&B	15.00		
For larger sizes to 12 ft., add \$5.00 p			
florida welchi. Variegated-leaved Do			
2 to 3 ftB&B	3.50		
3 to 4 ftB&B	4.50		
4 to 5 ftB&B	6.00		
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ftB&B	4.00	3.50	3.00
4 to 5 ft. heavyB&B	5.00	4.50	
5 to 6 ft. heavyB&B	7.50	6.50	
6 to 8 ft. heavyB&B	10.00	8.50	
	12.50	10.00	
kousa chinensis. Chinese Dogwood.	25'		
3 ftB&B	5.00	4.50	
4 ftB&B	6.00	5.00	
mas. Cornelian Cherry. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	4.50	4.25	4.00
10 to 12 ft	7.50	6.50	6.00
officinalis. Japanese Cornelian Cherr	y. 15'		
3 to 4 ft	2.00		
4 to 5 ft	3.00		
paniculata. Gray Dogwood. 15'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	
6 to 8 ft	1.25	1.00	.90
paucinervis. Littleleaf Dogwood. 6'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft,	2.25	2.00	

	1-4 Each	5-24 Each	25 & up Each
Cornus	Edeii	Lacii	20011
pubescens. 15'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
sanguinea. Bloodtwig Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
sanguinea viridissima. Greentwig Do	gwood.	10'	
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.55
stolonifera. Red Osier Dogwood. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
stolonifera flaviramea. Goldentwig De			
2 to 3 ft	.50	.35	
3 to 4 ft	.60	.45	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	.60
Corylopsis sinensis. Chinese Winterhazel.	8'	4.50	
2 to 3 ftB&B	5.00	4.50	
3 to 4 ftB&B	7.50		
Corylus americana. American Hazelnut.	10'	45	40
2 to 3 ft	.50	.45	
3 to 4 ft	.60	.55	
4 to 5 ft	.75	.65 .80	
5 to 6 ft	1.00	1.25	
6 to 8 ft	1.50	1.20	1.00
avellana. Filbert. 16'	.60	.50	.45
3 to 4 ft	.70	.60	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.75	1.50	
0 00 0 10 11111111111111111111111111111	4110	1.00	4.810

	1-4	5-24	25 & up
Corylus	Each	Each	Each
avellana atropurpurea. Purple Filbe	rt. 15	,	
2 to 3 ft	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
avellana aurea. Golden Filbert. 15'			
3 to 4 ft	4.00		
5 to 6 ft	5.00		
heterophylla setchuenensis. Chinese	Hazeln	ut. 12	
4 to 5 ft	4.00		
rostrata. Beaked Hazelnut. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Cotoneast	er. 12	,	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
adpressa. Creeping Cotoneaster. 2'			
6 to 8 in. from pots	1.25	1.00	.75
ambigua. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
apiculata. 6'			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'		4 80	
6 to 8 in. from pots	1.75	1.50	
dielsiana. Diels Cotoneaster. 6'	1 77	1 50	1.05
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75

~	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
divaricata. Spreading Cotoneaster. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
12 to 18 in., 4 in. pots	1.25	1.00	.75
foveolata. 10'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.00	2.00
	5.50	3.00	
francheti. Franchet Cotoneaster. 10'			
18 to 24 inB&B	1.75	1.50	
2 to 3 ftB&B	2.00	1.75	
12 to 18 in., 4 in. pots	1.25	1.00	.75
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.25	1.00	.75
	1.20	1.00	
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	1.50	1.25	1.00
15 to 18 in. spd. from pots	1.75	1.50	1.25
18 to 24 in. spdB&B	2.50	2.00	1.75
24 to 30 in. spdB&B	3.00	2.75	2.50
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
· · · ·			
hupehensis. Hupen Cotoneaster. 5'	0.00	4 85	
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
15 to 18 in., 3 in pots	1.25	1.00	
integerrima. European Cotoneaster. 6			
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
*lucida. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
melanocarpa. 6'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.25	2.00	
microphylla. Rockspray. 6'	2.20	2.00	
	1.50	1.05	1.00
10 to 12 in., 4 in. pots	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up
Cotoneaster	Edell	Eden	Lucii
moupinensis. Mupin Cotoneaster. 10			
15 to 18 in., 4 in. pots	1.50	1.25	1.00
multiflora. 6'			
2 to 3 ft	2.00	1.75	1.50
3 to 4 ftB&B	2.25	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
obscura. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
racemiflora soongarica. 6'			
2 to 3 ftB&B	2.50	2.00	1.75
3 to 4 ftB&B	3.00	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
rotundifolia. Roundleaf Cotoneaster.	2'		
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25
rosea. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	3.50	3.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75	1.50	
simonsi. Simons Cotoneaster. 8'			
2 to 3 ft	2.25	2.00	
3 to 4 ft	2.50	2.25	
12 to 18 in., 4 in. pots	1.25	1.00	.75
tenuipes. 6'			
8 to 12 in. from pots	1.25	1.00	.75
12 to 15 in. from pots	1.50	1.25	1.00
tomentosa. 6'			
18 to 24 in. from pots	2.50		

	1-4 Each	5-24 Each	25 & up
Cotoneaster	Edcii	Eden	Eddi
wilsoni. Wilson Cotoneaster. 5'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
15 to 18 in., 4 in. pots	1.25	1.00	.75
zabeli. 6'			
15 to 18 in., from pots	1.50	1.25	1.00
*Crataegus aprica. 20'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
*arkansana. Arkansas Hawthorn. 30'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
*arnoldiana. Arnold Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*carrierei. Carriere Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
6 to 8 ft. standards, quoted on re	quest.		
*coccinea. Thicket Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*coccinioides. 20'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up
Crataegus	Eden	Eden	Each
*cordata. Washington Hawthorn. 20'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	5.00
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
8 to 10 ft	6.00	5.00	4.50
10 ft. spec	18.00	15.00	
*cuneata. Nippon Hawthorn. 20'			
3 to 4 ft	2.50		
0 00 1 10 11 11 11 11 11 11 11 11 11 11	2.00		
*hupehensis. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.25	2.75	
5 to 6 ft	3.75	3.25	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
*macracantha. Spike Hawthorn. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	2.50	
*mollis Downy Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*monogyna. English Hawthorn. 20'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
monogyna stricta. Pyramidal English	Harest	horn	20 '
3 to 4 ft.	3.50		
4 to 5 ft	4.50		
	-100		

		1-4 Feeb	5-24 Each	25 & up Each
Cr	ataegus.	Each	Eden	Euch
	*nitida. Glossy Hawthorn, 15'			
	3 to 4 ft	2.00	1.75	
	4 to 5 ft	2.50	2.25	
	5 to 6 ft	3.00	2.50	
	6 to 8 ft	4.00	3.00	
	8 to 10 ft	6.00	5.00	
	*oxyacantha. English Hawthorn. 20'			
	5 to 6 ft	2.50	2.00	
	6 to 8 ft	3.50	3.00	
	8 to 10 ft	4.50	4.00	
	10 to 12 ft	7.50	6.00	
	8 to 10 ft. specB&B	12.50		
	*oxyacantha plena. Dbl. White Thorn.	15'		
	5 to 6 ft	3.00	2.75	2.50
	6 to 8 ft	3.50	3.25	3.00
	8 to 10 ft	5.00	4.50	
	10 to 12 ft	7.50		-
	*oxyacantha pauli. Paul's Scarlet Tho		5'	
	4 to 5 ft	2.50	2.25	2.00
	5 to 6 ft	3.00	2.75	2.50
	6 to 8 ft	3.50	3.25	3.00
	8 to 10 ft	5.00	4.50	
	10 to 12 ft	7.50		
	*oxyacantha punicea. Sgl. Red Thorn			
	4 to 5 ft	2.50	2.25	2.00
	5 to 6 ft	3.00	2.75	2.50
	6 to 8 ft	3.50	3.25	3.00
	8 to 10 ft	5.00	4.50	4.00
	10 to 12 ft	7.50		
	*oxyacantha rosea plena. Dbl. Pink		15'	0.00
	4 to 5 ft	4.00	3.50	3.00
	5 to 6 ft	4.50 5.00	4.00	3.50
	6 to 8 ft	5.00	4.50	
	3 to 4 ft	2.50	2.00	
	4 to 5 ft	3.00	2.50	
	5 to 6 ft	3.50	3.00	
	6 to 8 ft	5.00	4.00	
	8 to 10 ft	7.50	6.00	
	*persistens. 15'	1.00	0.00	
	3 to 4 ft	2.00	1.75	1.50
	4 to 5 ft	2.50	2.25	2.00
	5 to 6 ft.	3.00	2.75	2.50
				2.00

C

	1-4 Each	5-24 Each	25 & up Each
Crataegus.			
*pinnatifida major. Peking Hawthorn	. 20'		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	2.75	2.50	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 18'			
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn. 25'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*punctata. Dotted Hawthorn. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.00
8 to 10 ft	5.00	4.00	
		1.00	
pyracantha coccinea. Scarlet Firethors 15 to 18 in., 4 in. pots	n. 10'	1.25	
		1.20	
pyracantha lalandi. Laland Firethorn.	10'	2.00	2.75
18 to 24 in. bushy B&B	3.50	3.00	3.25
2 to 3 ft. bushy B&B	4.00	3.50	3.43
3 x 3½ ft. spec B&B	8.50	7.50	
3½ x 4 ft. spec		10.00	
4 x 5 ft. spec			
5 x 6 ft. specB&B		1 00	75
12 to 15 in. 4 in. pots	1.25	1.00	.75
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.25	1.00	.75
*succulenta. Fleshy Hawthorn. 20'			0.00
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	
*tomentosa. Pear Hawthorn. 15'	1 75	1 50	1.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus			
*viridis. 35'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	5.00	4.00	
Cryptomeria japonica lobbi. Lobb Crypto	meria.	20'	
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ftB&B	10.00	7.50	6.50
7 ftB&B	12.50	10.00	7.50
1 ftB&B	15.00	12.50	10.00
For larger sizes to 18 ft., add \$5.00 pe	er foot		
Cudrania tricuspidata. 25'			
2 to 3 ft	1.50		
Cydonia cathayensis. 8'			
	1.50		
3 to 4 ft	2.50		
4 to 5 ft	2.00		
japonica. Flowering Quince. 5'	.40	.30	.25
18 to 24 in	.50	.35	.30
2 to 3 ft		.50	.45
3 to 4 ft	.60	.50	64.
japonica alba. White Flg. Quince. 5'		1.05	
15 to 18 in	1.50	1.25	
18 to 24 in	1.75		
japonica alpina. Salmon Flg. Quince.	4'	4.50	1.05
18 to 24 in	1.75	1.50	1.25
2 to 3 ft	2.00	1.75	
japonica Columbia. Deep Rose Flg. (5'	
18 to 24 in	1.75		
japonica Falconet Charlet. White F		nce. 6'	
2 to 3 ft	2.00		
3 to 4 ft	2.50	· .	
4 to 5 ft	3.50		
japonica pygmaea. Dwarf Jap. Quine	e. 3'		
18 to 24 in	.45	.35	
2 to 3 ft	.50	.45	
japonica rosea grandiflora. Pink F	lg. Qui	nce. 6'	
15 to 18 in	1.50	1.25	
18 to 24 in	1.75	1.50	
japonica rosea plena. Dbl. Pink Flora	vering (Quince.	. 5'
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00)

Cydonia

japonica rubra. Red Flowering Quince. 6' 18 to 24 in. 2.00 2 to 3 ft. 2.50 japonica semperflorens. Soft Rose Flg. Quince. 6' 2 to 3 ft. 2.50 japonica umbilicata. Navel Flowering Quince. 8' 2 to 3 ft. 50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. 1.00 .75 .60 4 to 5 ft. heavy B&B 10.00 5 5 to 6 ft. heavy B&B 12.50
2 to 3 ft
japonica semperflorens. Soft Rose Flg. Quince. 6' 2 to 3 ft. 2.50 japonica umbilicata. Navel Flowering Quince. 8' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. 1.00 .75 .60 4 to 5 ft. heavy .B&B 10.00 5 to 6 ft. heavy .B&B 12.50
2 to 3 ft. 2.50 japonica umbilicata. Navel Flowering Quince. 8' 2 to 3 ft
2 to 3 ft. 2.50 japonica umbilicata. Navel Flowering Quince. 8' 2 to 3 ft
japonica umbilicata. Navel Flowering Quince. 8' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. 1.00 .75 .60 4 to 5 ft. heavy .8&B 10.00 5 to 6 ft. heavy .8&B 12.50
2 to 3 ft
3 to 4 ft
4 to 5 ft
4 to 5 ft. heavyB&B 10.00 5 to 6 ft. heavyB&B 12.50
5 to 6 ft. heavyB&B 12.50
japonica Vermilion. Red Flg. Quince. 6'
18 to 24 in 1.75 1.50
kermesiana semi-plena. Rose Pink Flg. Quince. 4'
2 to 3 ft 2.00 1.75
maulei. Lesser Flowering Quince. 5'
18 to 24 in
2 to 3 ft
3 to 4 ft
sinensis. Chinese Quince. 20'
2 to 3 ft 2.50
Cytisus nigricans. Spike Broom. 4'
12 to 15 in
scoparius. Scotch Broom. 10'
18 to 24 in
scoparius andreanus. Paradise Broom. 10'
18 to 24 in
supinus. 3'
10 to 12 in., 4 in. pots
Daphne encorum. Garland Flower. 1'
8 to 10 in. spd
00. U 12 III. SDQ
12 to 15 in. spd

	1-4 Each	5-24 Each	25 & up
Davidia involucrata. Dovetree. 40'	Eden	Eden	Eden
6 to 10 in. from pots	7.50		
Decumaria barbara.			
3 yr. from pots	.50	.45	.40
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
30 to 36 in	.75	.60	.50
lemoinel. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
2½ to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
lemoine avalanche. Avalanche Deutzia.			
2 to 2½ ft	.50	.40	.35
2½ to 3 ft	.60	.50	.40
lemoine compacta. 5'	.00	.00	.10
18 to 24 in	A.E.	25	20
	.45	.35	.30
	.55	.60	.50
	.75		.50
myriantha Boule Rose. Dbl. Pink De		4'	
18 to 24 in	.50	.40	
2 to 3 ft	.60	.50	
ningpoense. 5'	1.50		
2 to 3 ft	1.50		
parviflora. Mongolian Deutzia. 5'	45	0.5	
18 to 24 in	.45	.35	.30
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.60	.50
18 to 24 in	=0	25	.30
	.50	.35	.40
00 00 1111 1111111111111111111111111	.60	.60	
2½ to 3 ft	.75	.60	.50
18 to 24 in.	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia. 4'	.00	CF.	.20
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
0 W T 10	.10	.00	.50

	1-4 Each	5-24 Each	25 & up Each
Deutzia	EUCH	Eden	Euch
rosea eximea. Pink Choice Deutzia. 5'			
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea venusta. White-panicle Deutzia.	5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	
scabra candidissima. Snowflake Deutzi	a. 12'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
scabra Pride of Rochester. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
scabra rosea plena. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
scabra watereri. Waterer's Deutzia. 12	•		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
schneideriana laxiflora. 6'			
3 to 4 ft	2.00		
vilmorinae. Vilmorin Deutzia. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Diervilla sessilifolia. Southern Bush Honey.	suckle.	5'	
2½ to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
trifida. Dwarf Bush Honeysuckle. 4'			
2 to 3 ft	.55	.45	
3 to 4 ft	.65	.50	.40
(See also Weigela)			

Diospyros virginiana. Common Persimmon. 15'		1-4 Each	5-24 Each	25 & up
6 to 8 ft	Diospyros virginiana. Common Persimmon.		Edeii	
8 to 10 ft		3.00	2.50	
Dirca palustris. Leatherwood. 6' 6 to 8 in. B&B 1.50		4.00	3.50	
Dirca palustris. Leatherwood. 6' 6 to 8 in. B&B 1.50	10 to 12 ft	6.00	5.00	
Elaeagnus angustifolia. Russian Olive. 20' 3 to 4 ft				
Elaeagnus angustifolia. Russian Olive. 20' 3 to 4 ft				
3 to 4 ft	6 to 8 inB&B	1.50		
3 to 4 ft				
4 to 5 ft				
5 to 6 ft				
6 to 8 ft.	4 to 5 ft			
8 to 10 ft. 2.00 1.75 1.50 10 to 12 ft. 3.50 3.00 argentea. Silverberry. 12' 3 to 4 ft. 80 .70 .60 .4 to 5 ft. 1.00 .85 .75 .5 to 6 ft. 1.50 1.25 1.00 longipes. Cherry Elaeagnus. 6' 2 to 3 ft75 .60 .3 to 4 ft. 1.00 .75 .60 .3 to 4 ft. 1.25 1.00 .75 .4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft. 60 .50 .40 .3 to 4 ft. 1.25 1.00 .75 .65 .5 to 6 ft. 1.25 1.00 .50 .50 .50 .50 .50 .50 .50 .50 .50	5 to 6 ft			
argentea. Silverberry. 12' 3 to 4 ft	6 to 8 ft			
argentea. Silverberry. 12' 3 to 4 ft	8 to 10 ft			
3 to 4 ft	10 to 12 ft	3.50	3.00	
3 to 4 ft	amounted a Cilwan banna 10'			
4 to 5 ft. 1.00 .85 .75 5 to 6 ft. 1.50 1.25 1.00 longipes. Cherry Elaeagnus. 6' 2 to 3 ft. .75 .60 3 to 4 ft. 1.00 .75 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in. .60 .50 .45 2 to 3 ft. .75 .60		80	.70	.60
5 to 6 ft. 1.50 1.25 1.00 longipes. Cherry Elaeagnus. 6' 2 to 3 ft. .75 .60 3 to 4 ft. 1.00 .75 parvifolia. Chinese Elaeagnus. 15' 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in. .60 .50 .45 2 to 3 ft. .75 .60				
longipes. Cherry Elaeagnus. 6' 2 to 3 ft				
2 to 3 ft	5 to 6 It	1.00	1,20	2.00
3 to 4 ft. 1.00 .75 parvifolia. Chinese Elaeagnus. 15' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft60 .50 .40 3 to 4 ft75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in60 .50 .45 2 to 3 ft60 .50 .45 Enkianthus campanulatus. Redvein Enkianthus. 16'				
parvifolia. Chinese Elaeagnus. 15' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft60 .50 .40 3 to 4 ft75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.25 1.00 Elsholtzia stauntoni. 4' 18 to 24 in60 .50 .45 2 to 3 ft60 .50 Enkianthus campanulatus. Redvein Enkianthus. 15'	2 to 3 ft			
2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft60 .50 .40 3 to 4 ft75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in60 .50 .45 2 to 3 ft75 .60 Enkianthus campanulatus. Redvein Enkianthus. 16'	3 to 4 ft	1.00	.75	
2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft60 .50 .40 3 to 4 ft75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in60 .50 .45 2 to 3 ft75 .60 Enkianthus campanulatus. Redvein Enkianthus. 16'	parvifolia. Chinese Elacagnus. 15'			
3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft		1.00	.75	
4 to 5 ft. 1.50 1.25 1.00 umbellata. Autumn Elaeagnus. 12' 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 .65 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in. .60 .50 .45 2 to 3 ft. .75 .60 Enkianthus campanulatus. Redvein Enkianthus. 16'		1.25	1.00	.75
umbellata. Autumn Elaeagnus. 12' 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in. .60 .50 .45 2 to 3 ft. .75 .60 Enkianthus campanulatus. Redvein Enkianthus. 16'		1.50	1.25	1.00
2 to 3 ft				
3 to 4 ft		60	5.0	1 40
4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in60 .50 .45 2 to 3 ft75 .60 Enkianthus campanulatus. Redvein Enkianthus. 16'				
5 to 6 ft. 1.25 1.00 6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in. 60 .50 .45 2 to 3 ft75 .60 Enkianthus campanulatus. Redvein Enkianthus. 15'				
6 to 8 ft. 1.50 1.25 Elsholtzia stauntoni. 4' 18 to 24 in				
Elsholtzia stauntoni. 4' 18 to 24 in				
18 to 24 in	6 to 8 ft	1.50	1,2	0
18 to 24 in	Elsholtzia stauntoni. 4'			
2 to 3 ft		.60	.50	0 .45
Enkianthus campanulatus. Redvein Enkianthus. 15'		.75	.60	0
	Enkianthus campanulatus, Rednein Enkia	nthus.	15'	
	12 to 18 in		1.2	5

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Erica carnea. Spring Heath. 1'	Euch	Euch	Eucri
6 to 8 in., 4 in pots	1.00	.75	.60
darleyensis.			
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
Eucommia ulmoides. 60'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
Euonymus alatus. Winged Euonymus. 10' 2 to 3 ft	1.00	05	75
2 to 3 ft	1.00	.85 1.10	.75 1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
6 to 8 ft. heavy	7.50	0.10	0.00
8 to 10 ft. heavy			
alatus compacta. Dwarf Winged Euon		6'	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
atropurpureus. Native Wahoo. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
bungeanus. Winterberry Euonymus.	15'	40	0.5
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85 1.10	.75 1.00
	1.25	1.10	1.00
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
europaeus fructu-coccineus. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
latifolius. Broadleaf Burning Bush. 10)* ·		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.75	.60
15 to 18 in	1.25	1.00	
obovatus. Running Euonymus. 1'			
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
patens syn. sieboldianus. 8'			
18 to 24 in	1.75	1.50	1.25
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
madiana Withoward 151			
radicans. Wintercreeper. 15'	.40	.30	.25
8 to 12 in	.50	.35	.30
15 to 18 in	.60	.45	.40
18 to 24 in	.75	.60	.50
			.00
radicans acutus. Sharpleaf Wintercree	.50	.40	.35
12 to 15 in	.65	.50	
15 to 18 in	.00	.50	.10
radicans argenteo-marginatus.			
Silveredge Wintercreeper . 1'	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
10 10 10 111.	.00	. 10	.10

	1-4	5-24	25 & up
Euonymus	Each	Each	Each
radicans carrieri. Glossy Wintercreeper	. 3'		
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.65	.55
radicans colorata. 10'			
12 to 15 in	.40	.30	.25
15 to 18 in	.55	.45	.35
18 to 24 in	.65	.55	.45
radicans kewensis. Prostrate Baby Wi			
8 to 12 in. from pots	.45	.35	.30
radicans minima. Baby Wintercreeper.	1'		
8 to 12 in. from pots	.45	.35	.30
12 to 15 in. from pots	.55	.45	.40
radicans vegetus. Bigleaf Wintercreep	er. 4'		
12 to 15 in	.60	.55	.50
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.80	.75
24 to 30 in	1.50	1.25	
sieboldianus (see patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia hupehensis. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
Exochorda grandiflora. Pearl Bush. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	
	10.00		
	12.50		
giraldi wilsoni. Wilson Pearlbush. 15'	9.00	1 75	1.50
2 to 3 ft	2.00	1.75 2.00	1.50
3 to 4 ft	3.00	2.50	1.73
	3.50	3.00	
5 to 6 ft	0.00	3.00	

1-4 Each	5-24 2 Each	5 & up Each
Fagus americana. American Beech. 60'	4.00	0.75
3 to 4 ft	4.00	3.75
4 to 5 ft	5.00	4.75
5 to 6 ft	7.50	6.50
6 to 8 ft	10.00	8.50
8 to 10 ft	12.50	
10 to 12 ftB&B 25.00		
sylvatica. European Beech. 75'		
3 to 4 ft	3.00	2.50
4 to 5 ftB&B 4.50	4.00	3.50
5 to 6 ft	5.50	5.00
6 to 8 ft	8.00	7.50
8 to 10 ft	10.00	9.00
10 to 12 ft	15.00	12.50
12 to 14 ft	20.00	
14 to 16 ft	30.00	
sylvatica fastigiata. Pyramidal Beech. 25'		
12 to 15 ft		
sylvatica heterophylla. Fernleaf Beech. 25'		
m 0 m 40 m0		
70 T 4F 00		
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
sylvatica pendula. Weeping Beech. 50'		
12 to 14 ftB&B 40.00		
14 to 16 ftB&B 50.00		
Larger sizes quoted on request.		
Harger sizes quoted on request.		
sylvatica purpurea. Purple Beech. 75'		
3 to 4 ftB&B 6.00	5.00	
4 to 5 ftB&B 7.50	6.50	
5 to 6 ftB&B 10.00	7.50	
6 to 8 ftB&B 12.50	10.00	
8 to 10 ftB&B 15.00		
10 to 12 ftB&B 20.00		
sylvatica riversi. River's Beech. 75'		
5 to 6 ftB&B 12.50		
6 to 8 ftB&B 15.00		
8 to 10 ftB&B 20.00		
10 to 12 ft., 1½ in		
Larger sizes quoted on request.		

Fontanesia fortunei. Fortune Fontanesia.	1-4 Each 15'	5-24 Each	25 & up Each
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
Forsythia europea. Albanian Forsythia. 6'	1.00	1.20	1.00
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	
intermedia. Border Forsythia. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
intermedia primulina Primrose Forsy	thia.	10'	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
intermedia spectabilis. Showy Border	Forsy	thia.	3'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
ovata. 8'			
2 to 3 ft	.75	.50	.40
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
suspensa atrocaulis. Purple Stem Fors	•	6'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Forsythia	Eddii	20011	
suspensa fortunei. Golden Bell. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
suspensa sieboldi. Siebold Forsythia.	3 '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
viridissima. Greenstem Forsythia. 8'			0.5
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	
4 to 5 ft	.65	.55	.50
Fothergilla gardeni. Dwarf Fothergilla. 3'			
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	5.00	4.00	
Franklinia (see Gordonia)			
Fraxinus americana. White Ash. 80'			
8 to 10 ft	1.75	1.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
13/4 to 2 in	4.00	3.75	
2 to $2\frac{1}{2}$ in	5.00	4.50	
2½ to 3 in	7.50	6.00	5.00
excelsior. European Ash. 100'		4 = 0	1.05
8 to 10 ft	1.75	1.50	
1¼ to 1½ in	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
13/4 to 2 in	4.00	3.75	
2 to 2½ in	5.00	4.50	
2½ to 3 in	7.50	6.00	
lanceolata. Green Ash. 60'	1.75	1.50	1.25
8 to 10 ft	2.25	2.00	
1¼ to 1½ in	2.75	2.50	
1½ to 1¾ in	4.00	3.75	
13/4 to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
$2\frac{1}{2}$ to 3 in	1.50	0.00	

	1-4 Each	5-24 Each	25 & up Each
Fraxinus	Edeli	Lucii	Lucii
mandshurica. Manchurian Ash. 80'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
nigra. Black Ash. 80'			
8 to 10 ft	2.50	2.00	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	2.50	2.25	2.00
1¼ to 1½ in	3.50	3.00	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
quadrangulata. Blue Ash. 80'			
6 to 8 ft	2.50		
Gaylussacia baccata. Black Huckleberry.			
18 to 24 inB&B		2.50	
24 to 30 inB&B	3.50	3.00	
Genista juncea. 2'			
15 to 18 in. from pots	.60	.50	.40
pilosa. Silky Leaf Broom. 1'			
4 to 6 in	.60	.50	.40
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	.75	.60	.50
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Ginkgo biloba. Maidenhair-tree. 60'			
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
1½ to 1½ in	4.50	4.25	4.00
1½ to 1¾ in	6.00	5.50	5.00
13/4 to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	9.50	9.00
2½ to 3 in	15.00	13.50	12.50
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	

	1-4 Each	5-24 Each	25 & up Each
Gleditsia elegantissima. 20'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
heterophylla. Fernleaf Honeylocust.	20'		
2 to 3 ft	2.50		
japonica. Japanese Honeylocust. 40'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	2.75
6 to 8 ft	5.00	4.00	3.75
8 to 10 ft	6.50	5.00	
sinensis. Chinese Honeylocust. 40'			
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.25	2.00
1¼ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in	4.50	3.50	
13/4 to 2 in	6.50	5.00	
2 to 2½ in	9.00	7.50	
2½ to 3 in	12.50	10.00	
triacanthos inermis. Thornless Honeyl	ocust.	<i>50</i> ′	
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1½ to 1¾ in	5.00	4.00	
13/4 to 2 in	6.50		
2 to 2½ in	9.00		
Gordonia alatamaha. 20'			
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	17.50		
Gymnocladus dioica. Kentucky Coffeetree.	40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.50	5.00	4.50
2 to 3 in	15.00		

1- Ea		5-24 Each	25 & up
Halesia monticola. Mountain Silverbell. 50'		Lacii	Eden
	00		
5 to 6 ft 7.	50		
tetraptera. Great Silverbell. 15'			
	75	.65	.60
5 to 6 ft 1.	00	.85	.75
6 to 8 ft 1.	50	1.25	1.00
8 to 10 ft 2.	50	2.00	1.75
10 to 12 ft 3.	50	3.00	2.75
8 to 10 ft. specB&B 10.	00		
10 to 12 ft. specB&B 15.	00		
Hamamelis japonica. Japanese Witch Hazel.	20'		
2 to 3 ft 1.	50	1.25	1.00
3 to 4 ft 1.	75	1.50	1.25
4 to 5 ft 2.	00	1.75	1.50
5 to 6 ft 2.	25	2.00	1.75
japonica rubra. 20'			
	50	1.25	1.00
	00	1.75	
	25	2.00	
mollis. Chinese Witch Hazel. 20'			
	00	3.50	
	00	3.50	
	00		
vernalis. Vernal Witch Hazel. 6'		1.00	
	25	1.00	.75
	50	1.25	1.00
	00	1.75 2.00	1.50 1.75
6 to 8 ft 2.	50	2.00	1.75
vernalis tomentella. 6'			
3 to 4 ft 1.	25	1.00	.75
	50	1.25	1.00
	00	1.75	1.50
6 to 8 ft 2.	50	2.00	1.75
virginiana. Witch Hazel. 15'			
	55	.45	.40
	75	.60	.50
	25	1.00	.75
	50	1.25	1.00
	75	1.50	1.25
8 to 10 ft 2.	00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Hedera helix. English Ivy. 20'			
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Albany. Albany Ivy			
2 year, 3 in. pots	.40	.30	.25
helix baltica. 15'			
2 year, 3 in. pots	.50	.40	.35
helix conglomerata. 10'			
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Small-leaved English Ivy.	10'		
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Hahn's			
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.60	.45	.40
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	1.00	.75	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties.			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
6 to 8 ft	1.00	.85	.75
	10.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc-White.			
Lady Stanley-White, shaded rose	e.		
Rubra Plena—Red.			
Speciosa Plena—Pink.			
single varieties.			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	.50
Coelestis—Blue.			
Rosea—White, crimson eye.			
Rubis—Red.			

Totus albus-White.

	1-4 Each	5-24 Each	25 & up Each
Hibiscus			1 = 1
variegatus. Variegated leaved Althea.	8'		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
variegatus meehani Meehan's Variega	ted Alt	thea. 6	,
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
Hicoria ovata. Shagbark Hickory. 75'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Hippophae rhamnoides. Sea-buckthorn. 1.	2.		
3 to 4 ft.	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00		
Holodiscus discolor ariaefolius. 4'	1.50		
	1.50		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.50	2.50	2.00
Hydrangea arborescens. Smooth Hydrange	a. 6'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
arborescens grandiflora. Snowhill Hyd	lranged	ı. 6'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
cineria sterilis Ashy Hydrangea. 6'			
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
opuloides Otaksa. 3'			
4 year	.75	.60	.50
	.10	.00	.00
opuloides Thos. Hogg. 3'	27.5	00	
4 year	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Hydrangea	Lucii	Edeli	Lucii
paniculata. Panicle Hydrangea. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
paniculata grandiflora. Peegee Hydran	gea.	10'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
3 to 4 ft., tree form	1.25	1.00	
4 to 5 ft., tree form	1.50	1.25	
paniculata praecox. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
petiolaris. Climbing Hydrangea.			
4 inch pots	1.00	.85	.75
quercifolia. Oakleaf Hydrangea. 4'	1.05	1.00	
2 to 3 ft	1.25	1.25	
3 to 4 ft	1.50	1.20	
radiata Silverleaf Hydrangea. 6'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	.50
Hypericum arnoldianum. 5'			
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort. 4'			
18 to 24 in	.40	.30	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	.40
bucklei. Mountain St. Johnswort. 1'			
6 inches	.75	.60	.50
densiflorum. 5'			
18 to 24 in	.40	.30	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	.40
kalmianum. 4'			
18 to 24 in	.40	.30	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Hypericum			
lobocarpum. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
moserianum. Goldflower. 2'			
15 to 18 in	.50	.40	.35
18 to 24 in	.60	.50	.40
patulum. Japanese Hypericum. 3'			
18 to 24 in	.60	.50	.40
patulum henryi. Henry Hypericum. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.40
prolificum. Shrubby St. Johnswort. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
Idesia polycarpa. 40'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	2.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.50	2.00	1.50
18 inB&B	3.00	2.50	2.00
24 inB&B	3.50	3.00	2.50
30 inB&B	5.00	4.00	3.75
36 inB&B	6.50	6.00	5.50
crenata bullata. 10'			
12 to 15 inB&B	2.50	2.00	1.50
15 to 18 in	3.00	2.50	2.00
18 to 24 inB&B	3.50	3.00	2.50
crenata latifolia. 10'			
18 to 24 in	3.00	2.50	
24 to 30 in	4.00	3.50	
30 to 36 inB&B	5.00	4.50	
crenata microphylla. Lütle Leaf Japan	ese He	ollu. 1	0'
15 in	2.50	2.25	2.00
18 in	3.50	3.00	
24 in	5.00	4.00	3.50
geniculata. 5'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	

		1-4 Each	5-24 Each	25 & up Each
Ilex				
	glabra. Inkberry. 8'			
	12 to 15 inB&B	1.75	1.65	1.50
	15 to 18 inB&B	2.25	2.00	1.85
	18 to 24 inB&B	2.75	2.65	2.50
	24 to 30 inB&B	3.50	3.25	3.00
	30 to 36 inB&B	5.00	4.00	3.75
	36 to 42 inB&B	6.00	5.00	
	laevigata. Smooth Winterberry. 6'			
	2 to 3 ft	.75	.60	.50
	3 to 4 ft	1.00	.75	.60
	monticola. Mountain Winterberry. 10'			
	3 to 4 ft	1.25	1.00	
	opaca. American Holly. 40'			
	3 ft	4.50	3.75	3.25
	4 ft	6.50	5.00	4.50
		10.00	7.50	6.00
		12.50	10.00	7.50
	7 ft		12.50	1.00
	For larger sizes to 12 ft., add \$5.0			
	serrata. syn. sieboldi. Finetooth Holly	_	2000	
	2 to 3 ft	1.25	1.00	.75
	3 to 4 ft	1.50	1.25	1.00
	4 to 5 ft	2.00	1.75	1.50
	5 to 6 ft	2.50	2.00	1.75
	verticillata. Common Winterberry. 6'			2110
	2 to 3 ft	.60	.50	.40
	3 to 4 ft	.75	.60	.50
	4 to 5 ft	.85	.70	.60
	5 to 6 ft	1.00	.85	.75
	6 to 8 ft	1.50	1.25	1.00
	verticillata chrysocarpa Yelloze-fruited			
	2 to 3 ft	1.50	1.25	1.00
	3 to 4 ft	1.75	1.50	1.25
V 3		1.10	1.00	1.40
ina	igofera amblyantha. Pink Indigo. 6'	1.05	1.00	n c
	2 to 3 ft	1.25	1.00	.75
	3 to 4 ft	1.50	1.25	1.00
	kirilowi. Kirilow Indigo. 4'			
	2 ft	2.00	1.75	
	potanini. Potanin Indigo. 5'			
	2 to 3 ft	1.25	1.00	.75
	3 to 4 ft	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Itea virginica. Sweetspire. 3'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
Jasminum nudiflorum. Winter Jasmine. 3'			
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
12 to 15 in., 2½ in. pots	.60	.50	.40
stephanense 3'			
2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra Black Walnut. 80'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1½ to 1¾ in	3.50	3.00	
1¾ to 2 in	4.50	4.00	
regia. English or Persian Walnut. 50'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
sieboldiana. Japanese Walnut. 50'			
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	4.00	3.75	
13/4 to 2 in	5.00	4.75	
Juniperus chinensis Chinese Juniper. 20'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.25
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	7.00	6.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	9.00
8 ftB&B	15.00	13.50	12.50
For larger sizes to 16 ft., add \$5.00 pe	r foot		
chinensis albovariegata. Whiteleaf Chin	iese Ji	iniper.	20'
3 ftB&B	7.50	6.00	5.00
4 ftB&B	8.50	7.50	6.50
5 ftB&B	10.00	9.00	
6 ft	12.50	11.00	
7 ftB&B	15.00		
For larger sizes to 10 ft., add \$5.0	0 per	foot.	

3.00

2.50

	1-4 Each	5-24 2 Each	5 G up Each
Juniperus	20011	20011	20011
chinensis sargenti. Sargent Juniper. 2'			
18 inB&B	3.00	2.75	
24 inB&B	4.00	3.75	
30 inB&B	6.00	5.00	
36 inB&B	7.50		
chinensis smithi. Smith Chinese Junipe	r. 8'		
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
communis. Common Juniper. 25'			
3 ftB&B	3.75	3.00	2.50
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.00	5.50	5.00
7 ftB&B	7.50	6.50	6.00
8 ftB&B	9.00	8.00	7.50
communis dayi. 25'			
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.50	
communis depressa. Prostrate Juniper	. 3'		
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spd	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.50	3.00
3 to 4 ft. spdB&B	5.00	4.50	4.00
4 to 5 ft. spdB&B	7.50	6.00	5.00
communis depressa aurea. Golden Pro	strate	Juniper	. 3'
18 to 24 in. spd B&B	3.00	2.50	
3 to 3½ ft. spdB&B	6.00	5.00	
3½ to 4 ft. spdB&B	7.50	6.00	
4 to 5 ft. spdB&B	10.00	7.50	
	7.0		n.t
communis depressa plumosa Purple Sp			
18 to 24 inB&B	2.75	2.25	1.75
24 to 30 inB&B	3.50	3.00	2.50
2½ to 3 ftB&B	4.50	3.50	3.00
3 to 3½ ftB&B	6.00	5.00	4.50
3½ to 4 ftB&B	7.50	6.50	
4 to 4½ ftB&B	10.00		

	1-4 Each	5-24 Each	25 & up
Juniperus	Eden	Eden	Eden
communis hibernica. Irish Juniper. 1	5'		
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
9 ftB&B	15.00		
communis kraccovica. Polish Juniper.	10'		
2 ftB&B	2.50		
3 ftB&B	3.00		
	25'		
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.25	3.00
4 ft	5.00	4.50	4.00
5 ftB&B	7.50	6.00	1.00
communis suecica nana. Dwarf Swedi			91
2 ftB&B	3.50	3.00	,
3 ftB&B	4.50	4.00	
4 ftB&B	6.00	5.00	
communis vase-shaped. 10'	0.00	0.00	
2 to 2½ ft B&B	3.00	2.75	
2½ to 3 ft	4.00	3.50	
	4.00	3.30	
conferta. Shore Juniper. 5'	4.00	9.50	0.00
18 inB&B	4.00	3.50	3.00
2 ftB&B	5.00	4.50	4.00
2½ ftB&B	6.50	5.50	5.00
excelsa. Greek Juniper. 50'	2 = 0	2.00	
	3.50 4.50	3.00 4.00	
	6.00	5.50	
5 ftB&B 6 ftB&B	7.50	6.50	
7 ft	8.50	7.50	
8 ft	12.50	10.00	
	15.00	12.50	
9 ftB&B 10 ftB&B	18.00	15.00	
	8'	10.00	
18 in	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50
J. L	7.00	2.00	3.30

	1-4	5-24	25 & up
Juniperus excelsa stricta	Each	Each	Each
3½ ftB&B	7.00	6.00	5.00
4 ftB&B	8.50	7.50	6.50
4½ ftB&B	10.00	9.00	8.00
5 ftB&B	12.50	10.00	9.00
5½ ftB&B	15.00	12.50	
6 ftB&B	17.50	15.00	
7 ftB&B	20.00		
For larger sizes to 10 ft., add \$5.00 pe	er foot.		
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	3.50	3.25	3.00
3 to 3½ ft. spdB&B	4.50	4.00	3.50
haringutally Day Washes of			
horizontalis Bar Harbor. 1'	9.50	0.05	
15 to 18 in. spd	2.50 3.00	2.25	
16 (0 24 III. spd	5.00	4.00	
horizontalis glauca. Blue Creeping Jun	iner.	1'	
18 to 24 in. spd B&B	2.50	2.25	2.00
24 to 30 in. spd B&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.75	3.50
3 to 3½ ft. spdB&B	5.00	4.50	
japonica. Japanese Juniper. 8'	0.50	0.05	2.00
18 inB&B 2 ftB&B	2.50 3.50	2.25	2.50
	5.00	4.00	3.50
3 ftB&B 4 ftB&B	7.50	6.00	5.00
5 ft		0.00	5.00
japonica aurea. Golden Japanese Junip	er. 8'		
18 inB&B	3.50	3.00	
2 ftB&B	4.50	4.00	
3 ftB&B	6.00		
recurva. Himalayan Juniper. 30'			
2 ftB&B	3.50		
3 ftB&B	5.00		
rigida. Needle Juniper. 30'		0.00	
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
4 ftB&B	6.00	5.00	

Yestoone	1-4 Each	5-24 Each	25 & up Each
Juniperus			
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B	3.00	2.50	2.25
2½ to 3 ft. spdB&B	3.75	3.00	2.75
3 to 3½ ft. spdB&B	5.00	4.00	3.50
3½ to 4 ft. spdB&B	6.50	5.50	4.50
4 to 4½ ft. spdB&B	9.00	7.50	6.00
4½ to 5 ft. spdB&B	12.50	10.00	
sabina tamariscifolia. Tamarix Savin.	2'		
18 to 24 in. spd B&B	3.00	2.75	2.50
24 to 30 in. spdB&B	4.00	3.50	3.00
2½ to 3 ft. spdB&B	5.00	4.50	4.00
3 to 3½ ft. spdB&B	7.50	6.00	5.50
3½ to 4 ft. spdB&B	12.50	10.00	
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	3 50	3.00	
30 to 36 in. spd		4.00	
36 to 42 in. spdB&B	7.50	6.00	
42 to 48 in. spd		8.00	
*		0.00	
scopulorum. Colorado Juniper. 40'	4 50	4.05	
3 ft		4.25 5.50	
1 10 1111111111111111111111111111111111	7.50	6.50	
5 ft		8.50	
7 ft		10.00	
8 ft		12.50	
For larger sizes to 16 ft., add \$5.00 pe	er foot	•	
sphaerica.			
3 ftB&B	4.50	4.00	
4 ftB&B	6.50	5.00	
5 ftB&B	8.50		
	3'		
2 to 2½ ft. spd B&B	5.00	4.50	
squamata meyeri. Meyer Juniper. 4'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
2½ to 3 ftB&B	5.00	4.50	4.00
3 to 3½ ftB&B	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
virginiana. Red Cedar. 40'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	7.00	6.50
7 ftB&B	10.00	9.00	8.00
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B		18.00	15.00
For larger sizes to 20 ft., add \$5.00	_	oot.	
virginiana burki. Syn. virginiana ve	nusta.		
virginiana cannarti. Cannart Red Cede	ar. 15°		
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.00	7.00	6.50
6 ftB&B	11.00	9.00	8.00
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
10 ftB&B	27.50	22.50	18.00
For larger sizes to 18 ft., add \$5.00 p			
virginiana elegantissima. Goldtip Red	Cedar.	15'	
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.00	4.50	4.00
4 ft	6.50	5.50	
5 ft	7.50		
6 ft	10.00		
For larger sizes to 12 ft., add \$5.00	per fo	ot.	
virginiana glauca. Silver Red Cedar.	25'		
3 ft	5.00	4.50	4.00
4 ft	6.50	5.50	5.00
5 ft	8.50	7.50	6.50
6 ft	12.00	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
For larger sizes to 18 ft., add \$5.00			
virginiana globosa. Globe Red Cedar.	4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.50	4.00
3 to 3½ ftB&B	6.00	5.50	5.00
3½ to 4 ftB&B	7.50	6.50	

72	HENRY KOHANKIE & SON			25.6
		1-4 Each	5-24 Each	25 & up Each
Juniperus				
virginiana ke	teleeri. 15'			
2 ft	B&B	3.50	3.25	3.00
3 ft	B&B	4.50	4.00	3.75
4 ft	B&B	7.50	6.00	
5 ft	B&B	10.00	7.50	
6 ft	B&B	12.50	10.00	
	B&B		12.50	
For large	r sizes to 12 ft., add \$5.0	00 per	foot.	
virginiana kos	steri. Koster Red Cedar.	4'		
2 to 21/2	ft. spd B&B	3.50	3.00	2.75
2½ to 3	•	4.50	4.00	3.50
/ -	ft. spd B&B	6.00	5.00	4.50
3½ to 4	ft. spd B&B	7.50	6.50	6.00
	ft. spdB&B		7.50	7.00
4½ to 5	ft. spdB&B		10.00	,,,,,
5 to 6	ft. spd B&B			
	ndula. Weeping Red Ced			
	B&B			
	B&B			
	r sizes to 12 ft., add \$5.0		foot	
	imosa. Plume Red Cedar	-	1000.	
	B&B			
	notti. Schott Red Cedar.			
_	B&B	5.00	4.50	4.00
	B&B	6.00	5.50	5.00
	B&B	8.50	7.50	6.50
	B&B		10.00	8.00
0 201 1111	B&B		12.50	10.00
	es to 18 ft., add \$5.00 per		14.00	10.00
	partita. Fountain Red C		5 '	
_	B&B	4.50	4.00	
	B&B	5.50	5.00	
	B&B	8.50	7.50	
			9.00	
	B&B		10.00	
virginiana ver		12.00	10.00	
	B&B	5.00	4.50	4.00
	B&B	6.00	4.50 5.50	5.00
	B&B	8.50	7.50	5.00
	B&B		10.00	
			12.50	
,	B&B			
			15.00	
For larger Size	es to 12 ft., add \$5.00 p	er 1001	**	

	1-4 Each	5-24 Each	25 & up Each
Kalmia latifolia. Mountain Laurel. 6'	Lucii	Lucii	Lucii
18 to 24 inB&B	3.00	2.75	2.50
2 to 3 ftB&B	3.50	3.25	3.00
3 to 4 ftB&B	5.00	4.00	3.75
Kerria japonica. Kerria. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
japonica florepleno. Double Kerria. A	,		
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Koelreuteria paniculata. Goldenrain Tree.	25'		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
10 to 12 ft	6.00	5.00	
Kolkwitzia amabilis. Beauty Bush. 8'	00		50
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75 1.00	.65 .85	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.25	
*Laburnum alpinum. Scotch Laburnum. 3			
4 to 5 ft	5.00		
6 to 8 ft. heavy			
8 to 10 ft. heavyB&B			
vossi. 20'	00.00		
8 to 10 ft			
10 to 12 1t	25.00		
*vulgare. Goldenchain. 20'			
4 to 5 ftB&B			
	4.50		
6 to 8 ft. heavy			
8 to 10 ft. heavyB&B			
10 to 12 ft. heavyB&B	20.00		
Lagerstroemia indica rubra. Red Crapen	nyrtle.	12'	
18 to 24 in. from pots	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Larix europea. European Larch. 60'		4.00	
4 to 5 ftB&B	5.00	4.00	
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
laricina. American Larch. 50'	= 00		
3 to 4 ftB&B	5.00		
6 to 8 ftB&B			
8 to 10 ft			
10 to 12 ftB&B	15.00		
leptolepis. Japanese Larch. 50'	= 00	4.00	
4 to 5 ftB&B	5.00	4.00	
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B		7.50	
10 to 12 ftB&B		12.50	
12 to 14 ftB&B	20.00		
Laurocerasus officinalis schipkaensis. 10	,		
12 to 15 in., 4 in pots	1.00	.75	
18 to 24 inB&B	1.50	1.25	1.00
24 to 30 inB&B	2.00	1.50	1
Lespedeza bicolor. Shrub Bushclover. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	
formosa syn. penduliflorum. Purple	Bushel	over.	4"
2 year	.50	.40	
3 year	.60	.50	.40
formosa albiflora. Japanese Bushclor	ver. 5'		
2 year	.60	.50	.40
Leucothoe catesbael. Drooping Leucothoe.	4'		
15 to 18 in	2.50	2.25	2.00
18 to 24 in	3.00	2.50	2.25
24 to 30 in	4.00	.,	-
Libocedrus decurrens. Incense Cedar. 10		9.00	
18 to 24 inB&B	2.25	2.00	
24 to 30 inB&B	3.00	2.50	
3 to 3½ ftB&B		3.50	
4 to 5 ftB&B	6.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Ligustrum acuminatum. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
acuminatum macrocarpum. Bigberry	Privet.	10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40
Shote 71 / Detail 101			
ibota. Ibota Privet. 10'	20	90	15
2 to 3 ft	.30	.20	.15
3 to 4 ft	.35	.25	.20
4 to 5 ft	.50	.40	.35
ibota nanum. Pygmy Privet. 6'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
ibota regelianum. Regel Privet. 6'			
18 to 24 in. spd	.40	.35	.30
24 to 30 in. spd	.50	.40	.35
2½ to 3 ft. spd	.75	.60	.50
3 to 4 ft. spd	1.25	1.00	
4 to 5 ft. spd	1.75	1.50	
lodense. Dwarf Privet. 3'	1.10	2100	
12 to 15 in	.35	.30	.25
15 to 18 in	.45		.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
	.00	.55	.50
ovalifolium. California Privet. 10'	20	40	00
18 to 24 in	.20	.10	.08
24 to 30 in	.25	.12	.10

	1-4 Each	5-24 Each	25 & up Each
Ligustrum	Eden	Lucii	Ederi
ovalifolium variegatum. Golden Priv	et. 10'	,	
15 to 18 in	.40	.30	.25
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
3 to 4 ft	.60	.50	.40
vulgare. European Privet. 12'			10
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
vulgare foliosum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
vulgare leucocarpum. Yellowberry Pr	rinot	12'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	
4 to 5 ft	.65	.50	,
5 to 6 ft	.75	.60	
0 00 0 10	.10	.00	
Lindera benzoin. (See Benzoin aestivale).			
*Liquidambar formosana. Formosa Sweets		50 '	
8 to 10 ft			
10 to 12 ft	15.00		
*styraciflua. Sweetgum. 60'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
1½ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	5.00	4.50	4.00
13/4 to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	6.50	6.00
2½ to 3 in	12.50	10.00	7.50
3 to 3½ in	20.00	15.00	
4 to 5 in	35.00	30.00	
5 to 6 in	50.00		
*styraciflua aurea. Golden Sweetgum.	60'		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
0 10 10 10	20.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4		25 & up
*Li	Fach riodendron chinense. Chinese Tulip Tree. 7	Each Fach	Each
	5 to 6 ft 6.00		
	6 to 8 ft		
	*tulipifera. Tuliptree. 80'		
	6 to 8 ft 2.00	1.75	1.50
	8 to 10 ft 2.50		2.00
	1½ to 1½ in		2.75
	1½ to 1¾ in 4.50		3.50
	1 ³ / ₄ to 2 in 5.00		0.00
	2 to 2½ in 7.50	4.	
	2½ to 3 in 12.50		
	3 to 3½ in 20.00		
	3½ to 4 in		
	4 to 5 in		
	*tulipifera pyramidale. Pyramid Tuliptree. 6 to 8 ft 7.50		
	1½ to 1¾ in		
	2 to 2½ in		
	2½ to 3 in		
	3 to 3½ in 30.00		
Lon	icera alseuosmoides.		
	2 year	.60	. 50
	bella albida. White Belle Honeysuckle. 10) '	
	2 to 3 ft	.30	.25
	3 to 4 ft	.40	.35
	4 to 5 ft	.55	.50
	5 to 6 ft	.65	.60
	6 to 8 ft 1.00		.75
	bella rosea. Belle Honeysuckle. 10'		
	2 to 3 ft	.30	.25
	3 to 4 ft	.40	.35
	4 to 5 ft	.55	.50
	5 to 6 ft	.65	.60
	billardi. 8'		
	3 to 4 ft	.40	.35
	4 to 5 ft		
	5 to 6 ft		
	browni plantierensis. Orange Honeysuckle.		
	2 year		.35
	3 year		
	caprifolium. Sweet Honeysuckle. 10'		
	7		
	2 year	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
chrysantha. Coralline Honeysuckle. 10	,		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
conjugialis. 8'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
		.00	
dioica. Limber Honeysuckle. 10'		4.0	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
fragrantissima. Winter Honeysuckle.	8'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
G to 8 ft	1.00	.85	.75
fuchsioides.			
2 year	.75	.65	.60
	.10	.00	
gracilipes. Spangled Honeysuckle. 6'	.50	.40	.35
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.65	
4 to 5 ft		.00	.00
heckrotti. Everblooming Honeysuckle.	15'	4.0	0.0
2 year	.50	.40	.30
henryi. Henry Honeysuckle. 15'			
2 year	.75	.60	.50
hirsuta. Hairy Honeysuckle. 15'			
2 year	.50	.40	
3 year	.60	.50	
japonica. Japanese Honeysuckle. 15'			
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica halleana. Hall Japanese Hon	ensuck	le. 20	,
2 year	.25	.20	
3 year	.35	.25	
japonica reticulata aurea.			
Yellow Japanese Honeysuckl	e. 15'		· ·
·		0.5	
2 year	.45	.35	.25

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
kesselringi. Black fruited Honeysuckle.	<i>10</i> ′		
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
korolkowi floribunda. Broad Blueleaf			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.75	
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
maacki podocarpa. Late Honeysuckle.	8'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 f	.75	.65	.60
muendeniensis. Muenden Honeysuckle.	8'		
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
nitida. 3'	50	.40	.30
6 to 12 in	.50	.40	.50

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
periclymenum belgica. Dutch Woodbi	ne. 18	5'	
2 year	.40	.30	.25
3 year	.50	.40	.35
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.60	.50	.40
prolifera syn. sullivanti. Grape Hone	ysuckl	e. 5'	
3 year	.60	.45	.35
quinquelocularis. Mistletoe Honeysuck	le. 10	,	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.25	1.00	
ruprechtiana. Manchurian Honeysuck	le 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
saccata. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
sempervirens. Trumpet Honeysuckle.	<i>15</i> ′		
2 year	.40	.30	.25
3 year	.50	.40	.30
spinosa alberti. Thorn Honeysuckle. 2	,		
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
standishi. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
syringantha. Lilac Honeysuckle. 4'			
15 to 18 in., 4 in. pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	1.00
syringantha wolfi. Wolf Honeysuckle	. 6'		
15 to 18 in., 4 in. pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
	10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.75	
tatarica alba. White Tatarian Honeys	suckle.	10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
tatarica grandiflora. Pink Tatarian I	Honeysu	ickle.	10'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
tatarica lutea. Yellow Tatarian Hone	ysuckle.	10'	
3 to 4 ft	.75		
tatarica siberica. Siberian Honeysuc	kle. 10'	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
tellmanniana.			
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle. 4'			
2 year	1.25	1.00	
verna. 5'			
2 year	.50	.35	.30
virginalis alba. Maiden Honeysuckle	e. 10'		
2 to 3 ft	.40	.30	.25
3 to ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50

1-4 Each	5-24 Each	25 & up Each
Lycium chinense. Chinese Matrimony Vine. 5'		
2 to 3 ft	.25	.20
3 to 4 ft	.30	.25
halimifolium. Common Matrimony Vine. 6'		
2 to 3 ft	.25	.20
3 to 4 ft	.30	.25
Lyonia ligustrina He-Huckleberry. 12'		
18 to 24 in 1.50	1.25	
24 to 30 in 2.00	1.75	
<u> </u>	2110	
Maackia amurensis. Amur Maackia. 40'		
2 to 3 ft		
3 to 4 ft 2.00		
Maclura pomifera. Osage-orange. 30'		
4 to 5 ft	.50	
5 to 6 ft 1.00	.75	
6 to 8 ft 1.25	1.00	
Magnolia acuminata. Cucumber Tree. 70'		
4 to 5 ft	2.50	
5 to 6 ft	4.00	
6 to 8 ft	6.00	
8 to 10 ft	7.50	
10 to 12 ft	10.00	
conspicua. Yulan. 50'	20.00	
4 to 5 ft		
5 to 6 ft		
6 to 8 ft		
8 to 10 ftB&B 20.00		
fraseri. Fraser Magnolia. 50'		
5 to 6 ft		
6 to 8 ftB&B 12.50		
8 to 10 ftB&B 15.00		
glauca syn. virginiana. Sweethay. 25'		
2 to 3 ftB&B 3.00	2.50	2.00
3 to 4 ftB&B 4.00	3.50	3.00
4 to 5 ftB&B 5.00	4.50	4.00
5 to 6 ftB&B 7.50	6.00	5.50
6 to 8 ftB&B 10.00	8.00	7.50
8 to 10 ftB&B 12.50	10.00	9.00
10 to 12 ftB&B 17.50	15.00	12.50

M

	1-4	5-24	25 & up
[agnolia	Each	Each	Each
hypoleuca. Silver Magnolia. 50'			
4 to 5 ftBa	&B 10.00	7.50	
5 to 6 ftBa	&B 12.50	10.00	
6 to 8 ftBa	&B 15.00	12.50	
8 to 10 ft	&B 20.00	17.50	
10 to 12 ftBa	&B 25.00	20.00	
kobus. 30'			
4 to 5 ftBa	&B 5.00	4.50	4.00
5 to 6 ftBa	&B 7.50	6.50	6.00
6 to 8 ftBa	&B 10.00	9.00	8.50
8 to 10 ftBa	&B 12.50	11.00	10.00
8 to 10 ft. spec	&B 20.00		
Larger sizes quoted on reque	est.		
lennei. Lenne Magnolia. 20'			
2 to 3 ftBa	&B 4.00		
3 to 4 ftB8	&B 6.00		
4 to 5 ftB8	&B 7.50		
5 to 6 ftBa	&B 10.00		
6 to 8 ft	&B 15.00		
8 to 10 ft	&B 20.00		
macrophylla. Large-leaved Cucum	ber-tree.	<i>50</i> ′	
8 to 10 ft			
10 to 12 ftBa	&B 25.00		
parviflora. Oyama Magnolia. 30'			
3 to 4 ft	&B 10.00	7.50	
4 to 5 ft		10.00	
5 to 6 ft	&B 15.00		
6 to 8 ftBa	&B 20.00		
salicifolia. Anise Magnolia. 30'			
8 to 10 f ⁺	%B 25.00		
soulangeana. Saucer Magnolia. 20			
3 to 4 ft		4.00	
4 to 5 ft		5.00	
5 to 6 ft		7.50	
6 to 8 ft			
8 to 10 ft. spec			
soulangeana nigra. 20'			
6 to 8 ftBa	&B 25.00		
stellata. Star Magnolia. 8'			
2 to 3 ftBo	&B 6.00	5.00	
3 to 4 ftBo		6.50	
4 to 5 ftB	&B 10.00		

	1-4 Each	5-24 2 Each	25 & up Each
Magnolia			
stellata rosea. Pinkstar Magnolia. 15'			
2 to 3 ftB&B	7.50		
3 to 4 ftB&B	10.00		
4 to 5 ftB&B	12.50		
5 to 6 ftB&B	15.00		
6 to 8 ftB&B	25.00		
tripetala. Umbrella Magnolia. 30'			
5 to 6 ftB&B	6.00	5.50	5.00
6 to 8 ftB&B	7.50	6.50	6.00
8 to 10 ftB&B	10.00	7.50	
10 to 12 ftB&B	12.50	10.00	
virginiana. (See glauca)			
Mahonia aquifolium. Oregon Hollygrape.	5'		
18 to 24 inB&B	2.00	1.75	1.50
24 to 30 in	2.50	2.25	2.00
30 to 36 in	3.00	2.75	2.50
repens. Creeping Mahonia. 1'			
12 to 15 inB&B	2.00	1.75	1.50
15 to 18 inB&B	2.25	2.00	1.75
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crab. 25'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
baccata. Siberian Crab. 30'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	

PAINE	SVILLE, OHIO		85
	1-4 Each	5-24 Each	25 & up Each
Aalus			
baccata mandshurica.) '	
3 to 4 ft		1.50	1.25
4 to 5 ft		1.75	1.50
5 to 6 ft		2.50	2.00
6 to 8 ft	4.00	3.50	3.00
brevipes. 12'			
3 to 4 ft		1.25	1.00
4 to 5 ft		1.50	1.25
5 to 6 ft		2.00	
	3.50	3.00	
coronaria. Wild Sweet			
	1.50	1.25	1.00
	1.75	1.50	1.25
	2.00	1.75	1.50
	3.50	3.00	2.50
8 to 10 ft		4.50	
10 to 12 ft		7.50	
coronaria Charlotte. 1			
	1.75	1.50	1.25
	2.50	2.00	
	3.00	2.50	
	3.50	3.00	
8 to 10 ft		4.00	
10 to 12 ft	10.00	7.50	
dolga. 15'	4 80	1 50	
	1.75	1.50	
	2.25	1.75	
	3.00	2.50	
8 to 10 ft		4.00	
10 to 12 ft		7.50	
	g Flg. Apple. 8'		
3 to 4 ft. spread .			
4 to 5 ft. spread .			
5 to 6 ft. spread .			
6 to 8 ft. spread . florentina. Florentine			
4 to 5 ft		2.00	
5 to 6 ft		2.50	
	Flowering Crab. 20'	2.50	
	1.50	1.25	1.00
4 to 5 ft		1.50	1.25
	2.50	1.75	2.20
	3.50	3.00	
8 to 10 ft		4.50	
0 00 20 201 1111111		-100	

	1-4 Each	5-24 Each	25 & up Each
Malus	Lucii	Lucii	20011
floribunda atrosanguinea. Carmine C	rab.	20'	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
8 to 10 ft. spec	12.50		
floribunda lemoinei. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
fusca. Oregon Crab. 20'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
glaucescens. Dunbar Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
halliana. Hall Crab. 15' 4 to 5 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
	5'		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
hopa. Red Flowering Crab. 12'	20.00		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
0 10 10 10 10 10 10 10 10 10 10 10 10 10	0.00	3.00	

	1-4 Each	5-24 Each	25 & up Each
Malus			
ioensis. Prairie Crab. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
ioensis bechteli. Bechtel Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
micromalus. Midget Crab. 10'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crab. 20'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.00	5.00	
purpurea. Purple Crab. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'	0.00	2.00	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
0 00 10 10	0.00	1.00	1.00

	1-4 Each	5-24 Each	25 & up Each
Malus	Edeli	Eddii	
purpurea eleyi. Eley Flowering Crab.	15'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.00	
prunifolia rinki. Chinese Apple. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	
robusta. Cherry Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
robusta fastigiata. 15'	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
8 to 10 ft	3.00	7.50	
robusta persicifolia. 12'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50)
6 to 8 ft	4.00	3.50)
8 to 10 ft	5.00	4.50	
sargenti. Sargent Crab. 6'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50)
scheideckeri. Scheidecker Crab. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
0 (0 0 20 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			

	1-4 Each	5-24 Each	25 & up Each
Malus	Lacii	Eden	Lucii
sieboldi. Toringo Crab. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.60
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
spectabilis. Chinese Flowering Crab.	15'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
spectabilis alba plena. Dbl. White Ch	inese C	rab. 1	5 '
3 to 4 ft	1.75	1.50	,
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
sublobata. Yellow Autumn Crab. 12'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'	0.00	2.00	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	0.00	
theifera rosea. 20'	0.00		
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	0.00
10 to 12 ft	10.00	7.50	
toringoides. Cutleaf Crab. 15'	10.00	,	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	2.20	
8 to 10 ft	5.00		
0 (0 10 10	0.00		

	1-4 Each	5-24 Each	25 & up Each
Malus			
tschonoski. 20'		4 = 0	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
yunnanensis veitchi. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
zumi. Zumi Crab. 12'		4 =0	4.05
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
zumi calocarpa. 15'	4 ==	1 =0	1.05
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulberry.	10'		
3 yr. heads, 5 to 7 ft. stems	3.00		
alba tatarica. Russian Mulberry. 60'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.75	1.50
13/4 to 2 in	2.50	2.25	2.00
2 to 2½ in	3.50	3.00	
Myrica carolinensis. Northern Bayberry.	<i>5</i> ′		
18 to 24 in	.75	.60	.50
24 to 30 in	1.00	.75	
3 to 4 ft	1.25	1.00	
cerifera. Southern Waxmyrtle. 5'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	
3 to 4 ft. heavyB&B	4.00		
4 to 5 ft. heavyB&B	5.00		
gale. Sweetgale. 4'			
18 to 24 inB&B	2.00	1.50	
2 to 3 ft	2.50	2.00	
2 00 0 10	2.00	2.30	

	1-4 Each	5-24 Each	25 & up Each
Nandina domestica. Nandina. 8'	Lucii	Lucii	Lucii
18 to 24 inB&B	2.50	2.00	
Neillia longeracemosa. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft.	1.25	1.00	
	1.20	1.00	.10
sinensis. Tube Neillia. 6' 2 to 3 ft	.75	60	FO
3 to 4 ft		.60	
4 to 5 ft	1.00 1.25	.75 1.00	
			.13
Nemopanthus mucronatus. Mountain Hol		,	
4 to 5 ft	2.00		
5 to 8 ft	3.00		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
*Norma complian D: (II I tot			
*Nyssa aquatica. Big Tupelo. 40'	9.00		
2 to 3 ft	2.00		
3 to 4 ft	3.00		
*sylvatica. Tupelo. 40'			
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00	3.00	
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft	10.00	7.50	
10 to 12 ft	15.00	12.50	
Ostrya virginiana. American Hophornbean	m. 40'		
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00	4.50	
*Oxydendrum arboreum. Sourwood. 40'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.75	
5 to 6 ft	3.50	2.50	
6 to 0 ft	4.00	3.50	
8 to 10 ft	6.50	5.50	
10 to 12 ft	10.00	7.50	
Pachistima canbyi. Canby Pachistima. 1'	75	00	EO
3 inch pots	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Paeonia suffruticosa. Tree Peony. 6'	EUCH	Lucii	Lucii
8 to 10 in., 3 year	3.00	2.50	
Paulownia tomentosa. Royal Paulorenia.	30'		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'			
2 year	.50	.40	.30
3 year	.60	.50	.40
Perowskia atriplicifolia. 4'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
Phellodendron amurense. Amur Corktree.	50 '		
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
13/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	5.50	4.50	
lavallei. 30'			
8 to 10 ft	4.00		
1½ to 1¾ in	6.00		
sachalinense. Sakhalin Corktree. 50'	0.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
	4.50	4.00	
Philadelphus Albatre. 6' 2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
Argentine. 5'	.00	.00	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
Banniere. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Bouquet Blanc. 5'			
2 to 3 ft	.50	.45	
3 to 4 ft	.60	.55	.50

Land Control of the C	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
coronarius. Sweet Mockorange. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
coronarius aureus. Golden Mockorange	3. 4'		
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
coronarius nanus. 4'	60	E0.	
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
18 to 24 in	1.00	.75	
coronarius multiflorus plenus. 6'			
2 to 3 ft	.50	.40	.30
Dame Blanche. 6'	=0	40	
2 to 3 ft	.50	.40	.30
dianthiflorus plenus. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
falconeri. Star Mockorange. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
5 to 6 It	.10	.00	.50
Favorite. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Gerbe de Neige. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
	.00	.10	
Glacier. 5'	40	.35	.30
2 to 3 ft	.40	.35	.40
3 to 4 ft	.50		.40
4 to 5 ft	.75	.60	

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
gordonianus. Gordon Mockorange. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
grandiflorus. Big Scentless Mockorange	. 8'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
incanus. Gray Mockorange. 10'			
2 to 3 ft	1.00	.75	
level at another 51			
lemoinei erectus. 5'	.50	.40	.30
2 to 3 ft	.60	.50	.45
3 to 4 ft	.00	.50	.10
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Magdalene. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
nepalensis. Nepal Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
nivalis. Snowbank Mockorange. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
Norma. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.41)
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
Ophelia. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Pavillon Blanc. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
pyramidale. 6'			
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
sericanthus. Silk Mockorange. 12'			
3 to 4 ft	1.50	1.25	
Sybille. 5'			
2 to 3 ft	.60	.45	
virginal. 8'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
Voie Lactee. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	
Photinia villosa. 8'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.50	3.00	2.50
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	
6 to 8 ft	3.00	2.50	

		1-4 Each	Each	25 & up Each
-	intermedius parvifolius. Dwe	•		4"
	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
monogyı	nus. 3'			
	3 ft	3.50		
opulifoli	us. Ninebark. 10'			
2 to	3 ft	.40	.30	.25
	4 ft	.45	.35	.30
4 to	5 ft	.60	.50	.40
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75
opulifoli	us luteus. Goldleaf Ninebark.	10'		
2 to	3 ft	.40	.30	.25
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.50	.40
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75
opulifoli	us nanus. 5'			
-	3 ft	.50	.40	.30
	4 ft	.60	.50	.40
	5 ft	.75	.60	.50
Picea alba.	White Spruce. 50'			
2 ft	B&B	2.50	2.00	1.75
3 ft	B&B	3.50	3.00	2.50
4 ft	B&B	5.00	4.50	3.75
5 ft	B&B	6.50	5.50	5.00
6 ft	B&B	7.50	6.50	6.00
7 ft	B&B	10.00	8.50	7.50
8 ft	B&B	15.00	12.50	10.00
9 ft		18.50	15.00	
10 ft		25.00	20.00	
For	larger sizes to 20 ft., add \$5.0	00 per	foot.	
alba glo	riosa. 30'			
2 ft		7.50		
3 ft	B&B	10.00		
4 ft		12.50		
5 ft		15.00		
6 ft		18.00		
alcockia	na. Alcock Spruce. 75'			
10 ft	B&B	40.00		
For	larger sizes to 15 ft., add \$5.	00 per	foot.	

P

Picea	1-4 Each	5-24 Each	25 & up Each
canadensis. Black Hills Spruce. 60'			
2 ft	2.50	2.00	1.75
3 ft	3.50	2.75	2.25
4 ft	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ft	9.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B		15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 18 ft., add \$5.0	0 per	foot.	
engelmanni. Engelmann Spruce. 75'			
3 ftB&B	10.00	7.50	
10 ftB&B			
For larger sizes to 16 ft., add \$5.00	0 per	foot.	
excelsa. Norway Spruce. 75'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.50
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.50
7 ftB&B		10.00	7.50
8 ftB&B		12.50	
9 ftB&B		15.00	
For larger sizes to 25 ft., add \$5.00		foot.	
excelsa aurea. Golden Norway Spruce.		0.00	
3 ftB&B : 4 ftB&B :		8.00	
		10.00 12.50	
5 ft		12.00	
7 ft			
For larger sizes to 12 ft., add \$5.00		foot	
excelsa clanbrasiliana. 7'	o per	1001.	
18 in	6.50		
2 ftB&B	8.00		
excelsa maxwelli, Maxwell Spruce. 6'	0.00		
18 to 24 in	7.50	6.00	
	10.00	7.50	
	12.50	10.00	
	15.00	12.50	
42 to 48 inB&B		15.00	

	1-4	5-24 Each	25 & up Each
Picea	Each	Edch	EUCH
excelsa nana compacta. Dwarf Spruce	e. 4'		
18 to 24 in	7.50	6.00	5.00
24 to 30 in	10.00	7.50	6.00
30 to 36 inB&B		10.00	8.00
36 to 42 inB&B		12.50	10.00
42 to 48 inB&B			
excelsa nana pyramidalis. Pyramidal	Drof. S	Spruce.	4'
18 inB&B	6.00		
2 ftB&B	7.50		
3 ftB&B	10.00		
excelsa pendula. Weeping Spruce. 20			
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.00	
6 ftB&B		10.00	
For larger sizes to 12 ft., add \$5.	00 per	foot.	
excelsa pygmea. Pygmy Norway Spri	ice. 20	9 '	
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00	7.50	
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce. 6'			
18 to 24 inB&B	6.50	5.50	5.00
24 to 30 inB&B	7.50	6.50	6.00
30 to 36 inB&B		8.50	7.50
36 to 42 inB&B		10.00	9.00
42 to 48 inB&B	15.00	12.50	
glauca conica. Dwarf Alberta Spruce.	<i>6</i> ′		
2½ ftB&B	7.50	6.00	5.50
3 ftB&B	10.00	7.50	6.50
4 ftB&B	12.50		
mariana. Black Spruce. 30'			
7 ftB&B	10.00	7.50)
8 ftB&B	12.50	10.00	
9 ftB&B	15.00		
mariana doumeti. Doumet Spruce. 2			
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50		
5 ftB&B	10.00		

P

				1-4 Each	5-24 Each	25 & up Each
ic	ea			Lucii	Eden	Lucii
	omorik	a.	Serbian Spruce. 50'			
		ft.	B&B	7.50	6.50	6.00
		ft.		0.00	9.00	8.00
		ft.		2.50	10.00	
	6 f	ft.	B&B 1	5.00		
	oriental	lis.	Oriental Spruce. 75'			
	2 f	ft.		4.00	3.75	
	3 f	ft.		5.00	4.75	
	4 f	ft.	B&B	7.50	6.50	
	15 f	ft.	B&B 5	0.00		
	nolita	Ti	gertail Spruce. 75'			
		ft.		4.00	3.50	3.00
		ft.		5.00	4.50	4.00
		ft.		7.50	6.00	
	For	r la	arger sizes to 16 ft., add \$5.00	per	foot.	
	pungen:		Colorado Spruce. 60'	9 75	3.25	3.00
		ft.		3.75 5.00	4.50	4.00
		ft.		7.50	6.00	5.00
		ft.		0.00	7.50	6.00
		ft.		2.50	10.00	7.50
		ft.		5.00	12.50	
			arger sizes to 18 ft., add \$5.00			
	_	-	glauca. Blue Colorado Spruce.	60'	2.50	2.00
		ft. ft.		$4.00 \\ 6.00$	3.50 5.00	3.00 4.50
		ft.		7.50	7.00	6.50
		ft.		0.00	9.00	8.00
		ft.		5.00	12.50	10.00
		ft.		8.00	15.00	12.50
		ft.		5.00	20.00	17.50
		ft.	B&B 3	5.00	30.00	
	For	r la	arger sizes to 20 ft., add \$5.00		foot.	
	nungen	10 1	costeri. Koster Blue Spruce. 5	50'		
	pungen 2			6.00	5.50	5.00
	21/2			7.50	6.50	6.00
	3			9.00	8.00	7.50
	31/2	2 f	tB&B 1	0.00	9.00	8.50
	4	f	tB&B 1	2.00	11.00	10.00
	4 1/2	2 f		4.00	13.00	12.00

	1-4 Each	5-24 2 Each	5 & up Each
Picea pungens kosteri.			
5 ftB&B	16.00	15.00	
5½ ftB&B	17.50	16.00	15.00
6 ftB&B		18.00	16.00
7 ftB&B	25.00	20.00	18.00
8 ftB&B	30.00	25.00	20.00
For larger sizes to 25 ft., add \$10.	00 per	foot.	
pungens moerheimi. 40'			
2½ ftB&B	7.00	6.50	
3 ftB&B	8.50	8.00	
3½ ftB&B		10.00	
4 ftB&B	15.00	12.50	
rubra. Red Spruce. 60'			
8 ftB&B	12.50		
9 ftB&B	15.00		
10 ftB&B	20.00		
Pieris floribunda. Mountain Andromeda.	4'		
18 to 24 inB&B	4.00	3.50	3.25
24 to 30 inB&B	5.50		
japonica. Japanese Andromeda. 10'			
15 to 18 inB&B	3.00	2.50	
18 to 24 inB&B	3.50	3.00	
24 to 30 in			
mariana. Staggerbush. 4'			
18 to 24 in	3.00	2.50	
24 to 30 in		3.00	
30 to 36 in		3.50	
36 to 42 in		4.50	
Pinus banksiana. Jack Pine. 60'			
4 ftB&B	6.00	5.00	4.50
5 ftB&B		6.50	5.50
6 ftB&B		7.50	6.50
7 ftB&B	10.00	8.50	7.50
70.0	15.00	12.50	10.00
	10.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
10 ftB&B For larger sizes to 18 ft., add \$5.	00 per		15.00
	oo per	1000.	
bungeana. Lacebark Pine. 60'	5.00	4.50	
2 ftB&B	5.00	4.00	
cembra. Swiss Stone Pine. 70'	1000		
2 ftB&E	10.00		

n'	1-4 Each	5-24 Each	25 & up Each
Pinus			
densiflora. Japanese Red Pine. 60'			
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.50	4.00
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
For larger sizes to 17 ft., add \$5.0	00 per	foot.	
flexilis. Limber Pine. 30'			
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	
5 ftB&B		8.50	
6 ftB&B		10.00	
7 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add \$5.0	0 per	foot.	
montana. Swiss Mountain Pine. 10'			
18 inB&B	3.00	2.75	2.50
2 ftB&B	3.50	3.25	3.00
2½ ftB&B	4.50	4.25	4.00
3 ftB&B	6.50	5.50	5.00
3½ ftB&B	10.00	8.00	7.50
4 ftB&B	15.00	12.50	10.00
5 ftB&B		15.00	12.50
6 ftB&B	25.00		
7 ftB&B	35.00		
montana mughus. Dwarf Mountain Pi	ne. 4'		
15 to 18 in. spd B&B	2.75	2.50	2.25
18 to 24 in. spd B&B	3.50	3.00	2.75
2 to 2½ ft. spd B&B	4.50	4.00	3.75
2½ to 3 ft. spdB&B	6.50	5.50	5.00
3 to 3½ ft. spd B&B	8.50	7.50	6.50
3½ to 4 ft. spdB&B	10.00	9.00	8.00
4 to 5 ft. spd B&B		12.50	10.00
5 to 6 ft. spd B&B			
6 to 7 ft. spdB&B			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Pinus	1-4 Each	5-24 Each	25 & up Each
nigra. Austrian Pine. 50'	Edeii	200	
3 ftB&B	5.00	4.50	4.00
4 ftB&B	7.50	6.50	5.50
5 ftB&B	8.50	7.50	6.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
For larger sizes to 25 ft., add \$5.	.00 per	foot.	
peuce. Balkan Pine. 20'			
2 ftB&B	7.50		
ponderosa. Western Yellow Pine. 60'			
4 ftB&B	6.00	5.50	5.00
5 ftB&B	7.50	6.50	
6 ftB&B	10.00	9.00	
For larger sizes to 18 ft., add \$5.	00 per	foot.	
parviflora. Japanese White Pine. 50'			
2 ftB&B	5.00		
resinosa. Red Pine. 50'			
3 ftB&B	5.00	4.00	3.50
4 ftB&B	6.00	5.00	4.50
5 ftB&B	7.50	7.00	6.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ft	22.50	18.00	15.00
For larger sizes to 18 ft., add \$5.	00 per	foot.	
strobus. White Pine. 75'			
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	12.50
For larger sizes to 20 ft., add \$5	.00 per	foot.	
sylvestris. Scotch Pine. 50'			
3 ftB&B	4.00	3.50	
4 ftB&B	5.00	4.50	
5 ftB&B		6.00	
6 ftB&B		7.50	
7 ftB&B		10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	
10 ftB&B	22.50	18.00	
11 ftB&B	27.50	22.50	18.00
For larger sizes to 18 ft., add \$5.	00 per	foot.	

Pinus	1-4 Each	5-24 Each	25 & up
thunbergi. Japanese Black Pine. 60'	Eden	Eden	Edcri
3 ftB&B	5.00		
4 ftB&B	7.50		
5 ftB&B	10.00		
6 ftB&B	12.50		
Platanus occidentalis. American Planetree.	75'		
8 to 10 ft	2.50	2.00	1.75
1¼ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.75	3.25	3.00
1¾ to 2 in	5.00	4.00	
2 to 2½ in	6.50	5.50	
orientalis. European Planetree. 80'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	3.00	2.50	2.25
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	6.00	5.00	4.50
2½ to 3 in	10.00	7.50	6.00
Polygonum auberti. China Fleecevine. 25'			
2 year	.50	.45	.40
Populus alba. White Poplar. 60'			
10 to 12 ft	1.75	1.50	
1¾ to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
alba nivea. Silver Poplar. 90'			
8 to 10 ft	2.25	2.00	
10 to 12 ft	3.00	2.75	
2 to 2½ in	6.50	5.50	
2½ to 3 in	7.50	6.50	
berolinensis. Volga Poplar. 40'			
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00
1¾ to 2 in	5.00	4.00	3.50
2 to 2½ in	7.50	6.00	
bolleana. Bolleana Poplar. 50'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.00	1.75
1½ to 1¾ in	3.50	3.00	2.50
1¾ to 2 in	4.50	4.00	3.50
2 to 2½ in	6.50	5.50	5.00
2½ to 3 in	10.00	7.50	6.50

	1-4 Each	5-24 Each	25 & up Each
Populus	Lucii	Lucii	Lucii
certinensis. Certinensis Poplar. 40'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.00	
10 to 12 ft	3.00	2.50	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	6.50	5.00	
maximowiczi. Japanese Poplar. 40'			
8 to 10 ft	3.00	2.50	
10 to 12 ft	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
2 to $2\frac{1}{2}$ in	6.50	5.00	
nigra betulifolia. 60'			
1½ to 2 in	5.00	4.00	
2 to 2½ in	7.50	6.00	
2½ to 3 in	10.00	7.50	
nigra italica. Lombardy Poplar. 60'			
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
10 to 12 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.60	1.35
13/4 to 2 in	3.00	2.50	2.00
2 to 2½ in	4.00	3.00	2.50
2½ to 3 in	5.00	4.00	3.50
3 to 3½ in	7.50	6.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
1¼ to 1½ in	1.75	1.50	
1½ to 1¾ in	2.00	1.75	
1¾ to 2 in	3.00	2.50	
2 to 2½ in	4.00	3.00	
suaveolens przewalski. 40'			
2½ to 3 in	5.00	4.00	
3 to 3½ in	7.50	6.50	
tremuloides. Quaking Aspen. 50'			
8 to 10 ft	2.75	2.25	
10 to 12 ft	3.50	3.00	
13/4 to 2 in	4.00	3.50	
2 to 2½ in		4.50	
2½ to 3 in	6.00		
3 to 3½ in	7.50		

	1-4		25 & up
Populus	Each	Each	Each
trichocarpa. Black Cottonwood. 40'			
10 to 12 ft	2.75	2.25	1.75
1½ to 1¾ in	3.00	2.50	
13/4 to 2 in	3.50	3.00	
2 to 2½ in	4.00	3.50	
2½ to 3 in	5.00	4.00	
Potentilla fruticosa. Shrubby Cinquefoil.	4'		
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
Prinsepia sinensis. Cherry Prinsepia. 6'			
9 to 12 in., from pots	1.25	1.00	
Prunus americana. American Plum. 20'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
americana Newport. Purple-leaved An			20'
3 to 4 ft	nerican .75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
	12'	:	1.00
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
*avium plena. Double White Flowerin			
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.00	5.00	
3 to 4 in. specimens	25.00		
besseyi. Bessey Cherry. 8'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
cerasifera pissardi. Purpleleaf Plum.	12'		
4 to 5 ft	.85	.75	.65
5 to 6 ft		1.00	
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.00	

	1-4 Each	5-24 Each	25 & up
Prunus	20011		
cistena. Purpleleaf Sand Cherry. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	.90
demissa. Western Chokecherry. 30'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
dunbari. Dunbar Plum. 6'			
2 to 3 ft	.85	.70	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
glandulosa. Flowering Almond. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
glandulosa albiplena. Double Whiteflo	rnorina	Alma	nd. 6'
2 to 3 ft	.65	.50	
3 to 4 ft	.75	.65	
2 to 3 ft. own roots	1.50	.00	.00
glandulosa sinensis. Double Pinkflowe			
2 to 3 ft	.65	.50	
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50		
3 to 4 ft. own roots	2.00		
hortulana. Hortulan Plum. 30'			
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.50)
8 to 10 ft	2.50	2.00)
incisa. Mame Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
japonica. Chinese Bush Cherry. 12'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft,	1.75	1.50	1.25

		1-4 Each	5-24 Each	25 & up Each
Pru	inus	20011	20011	20011
	*lannesiana. Hitoye Cherry. 30'			
	5 to 6 ft	3.00	2.50	2.00
	6 to 8 ft	4.00	3.50	3.00
	8 to 10 ft	6.00	5.00	4.00
	*lannesiana Amayadori. 30'			
	5 to 6 ft	3.00	2.50	
	6 to 8 ft	4.00	3.50	
	8 to 10 ft	6.00	5.00	
	*lannesiana Jonioi. 25'			
	4 to 5 ft	2.50	2.00	
	*lannesiana sirotae. Mt. Fuji Cherry.	25'		
	5 to 6 ft	3.00	2.50	
	6 to 8 ft	4.00	3.50	
	8 to 10 ft	6.00	5.00	
		0.00	3.00	
	maacki. Amur Cherry. 12'	-	00	50
	4 to 5 ft	.75	.60	.50
	5 to 6 ft	1.00	.75	.60
	6 to 8 ft	1.25	1.00	.75
	maritima. Beech Plum. 12'	e e		AF
	2 to 3 ft	.65	.55 .65	.45
	3 to 4 ft	.75 1.00	.85	.55
	4 to 5 ft	1.00	.00	
	5 to 6 ft	1.25	1.00	.75
	6 to 8 ft	1.50	1.25	1.00
	8 to 10 ft	2.50	2.00	1.00
	mume. Japanese Apricot. 15'	2.00	2.00	
	5 to 6 ft	2.25	2.00	
	6 to 8 ft	2.50	2.25	
	mume. fl. pl. Dbl. Flg. Japanese Apr		15'	
	5 to 6 ft	3.00	10	
	padus. European Bird Cherry. 30'	0.00		
	4 to 5 ft	.75	.60	.50
	5 to 6 ft	1.00	.85	.75
	6 to 8 ft	1.35	1.10	1.00
	8 to 10 ft	1.50	1.35	1.25
	pennsylvanica. Pin Cherry. 25'			
	5 to 6 ft	1.00	.85	.75
	6 to 8 ft	1.50	1.25	1.00
	8 to 10 ft	2.00	1.75	1.50
	10 to 12 ft	3.00	2.50	2.25
	persica. (See Amygdalus).			

	1-4 Each		& up Each
Prunus	Lucii	Lucii	
pumila. Sand Cherry. 5'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
10 to 12 ft	2.50	2.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
*serrulata Higantakura. Dbl. White F	la. Ch	erry. 30)'
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft. specB&B	30.00		
*serrulata Hisakura. Dbl. Pink Flg. C.		30°	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft. specB&B	30.00		
*serrulata James H. Veitch, syn. Fug		30 '	
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	
*s. James H. Veitch pendula. Dbl. Pin	nk Wy	g. Cherr	$\cdot y$.
2 yr. hds., 3 to 5 ft. stem	10.00		
*serrulata sachalinensis. syn. Sargent	i. Yam	a Cherry	. 50'
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*sieboldi, syn. Naden. Siebold Cherry.	40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	

P	1-4 Each	5-24 Each	25 & up Each
Prunus			
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*subhirtella ascendens. Shiro-higan. 20) '		
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higan Cher	ry. 30'		
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
	10.00		
10 to 12 ft., specB&B	35.00		
*subhirtella pendula. Weeping Higan		15'	
2 yr. hds., 4 to 6 ft. stem	5.00	4.00	
tomentosa. Nanking Cherry. 8'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
triloba. Single Flowering Plum. 10'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.25	
triloba plena. Double Flowering Plum.	10'		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	.85
virginiana. Chokecherry. 30'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00

Pru	nus								1-4 Each	5-24 Each	25 & up
	*yedo	ens	sis.	Yo	shino	Cher	ry. 3	5'			
	5	to	6	ft.					3.00	2.50	2.00
	6	to	8	ft.					4.00	3.50	3.00
	8	to	10	ft.					6.00	5.00	4.00
	10	to	12	ft.					10.00	7.50	
	*yedo	ens	sis	taiz	anfu	kun.					
	4	to	5	ft.					2.50	2.00	1.50
	5	to	6	ft.					3.00	2.50	2.00
	6	to	8	ft.					4.00	3.50	3.00
	8	to	10	ft.					6.00	5.00	4.00
	10	to	12	ft.	spec.			B&B	30.00		
	12	to	14	ft.	spec			B&B	35.00		

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa-semi-double pale pink

Gioiko-semi-double pale yellow

Hata-zakura-semi-double white

Horaisan-double pink

Hosokawanioi-semi-double flesh

Kuramayami—double pink

Kwanzan—syn. Sekiyama—double deep pink

Miyako-double pink

Shirofugen—double light pink

Shogetsu—double soft pink

Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir. 70'

bu	500	douglast. Douglas Fil.	. 10			
2	ft.		.B&B	2.50	2.25	2.00
3	ft.		.B&B	3.50	3.00	2.75
4	ft.		.B&B	5.50	4.50	3.75
5	ft.		.B&B	7.50	6.00	5.00
6	ft.		.B&B	8.50	7.50	6.00
7	ft.		.B&B	10.00	8.50	7.50
8	ft.		.B&B	15.00	12.50	10.00
9	ft.		.B&B	18.50	15.00	12.50
10	ft.		.B&B	22.50	18.50	15.00

For larger sizes to 25 ft., add \$5.00 per foot.

- CO. L. C.	1-4 Each	5-24 Each	25 & up Each
Pseudolarix kaempferi. Golden Larch. 50			
9 ftB&B			
10 ftB&B	50.00		
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Pterocarya stenoptera. Chinese Wingnut.	40"		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
Pterostyrax corymbosa. Little Epaulette-te	ree. 20	,	
	3.00	2.50	
4 to 5 ft	4.50	3.50	
Pueraria thunbergiana. Kudzu-bean. 40'			
	.45	.30	.20
2 year	.40	.50	.20
Pyracantha (See Crataegus).			
Pyrus betulaefolia. Birch Leaf Pear. 20'			
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
salicifolia. Willowleaf Pear. 30'		/	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
serrulata. 20'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
Oneman alka 17111 0 1 NY			
Quercus alba. White Oak. 75'	4.50	4.00	
1¼ to 1½ in	5.50	5.00	
1½ to 1¾ in	6.50	6.00	
1 ³ / ₄ to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in		20.00	
0/2 00 1 1111111111111111111111111111111	_0.00		

Quercus			1-4 Each	5-24 Each	25 & up Each
bicolor.	Swam	p White Oak. 60'			
6	to 8	ft	4.50	4.00	
1 1/4	to 1½	in	5.50	5.00	
11/2	to 13/4	in	6.50	6.00	
13/4	to 2	in	8.50	7.50	
2	to 21/2	in	12.50	10.00	
21/2	to 3	in	15.00	12.50	
3	to 3½	in	20.00		
31/2	to 4	in	25.00		
coccinea	. Scarle	et Oak. 75'			
6	to 8	ft	4.00	3.50	3.00
1 1/4	to 1½	in	5.00	4.50	4.00
$1\frac{1}{2}$	to 13/4	in	6.00	5.50	5.00
1 3/4	to 2	in	10.00	7.50	6.00
2	to 2½	in	12.50	10.00	7.50
$2\frac{1}{2}$	to 3	in	15.00	12.50	10.00
3	to 31/2	in	20.00	15.00	
31/2	to 4	in	25.00		
4	to 41/2	in	35.00		
lyrata.	Overcup	Oak. 75'			
3	to 3½	in	20.00		
$3\frac{1}{2}$	to 4	in	25.00		
macroca	arpa. M	ossycup Oak. 75'			
		in	6.00	5.50	
	to 2	in	7.50	6.50	
2	to 2½	in	12.50	10.00	
21/2	to 3	in	15.00	12.50	
3	to 3½	in	20.00	15.00	
31/2	to 4	in	25.00	20.00	
4	to 41/2		35.00		
palustri	s. Pin	Oak. 75'			
6	to 8	ft	2.50	2.25	2.00
	to 1½		3.00	2.75	2.50
11/2			3.75	3.25	3.00
	to 1 74	in	5.50	5.00	4.50
2	to 21/2	in	8.50	7.50	6.00
21/2	to 3	in.	12.50	10.00	7.50
$\frac{27}{2}$	to 3½		15.00	12.50	10.00
31/2			20.00	15.00	12.50
3 ½ 4	to 5				12.50
5		in	30.00	25.00	
5	to 6	in	40.00		

	1-4 Each	5-24 Each	25 & up Each
Quercus	Eden	Edeli	Eddii
phellos. Willow Oak. 40'			
6 to 8 ft	8.50	7.50	6.50
1¼ to 1½ in	10.00	8.50	7.50
1½ to 1¾ in	12.50	10.00	7.00
13/4 to 2 in		12.50	
5 to 6 in		12.00	
prinus. Chestnut Oak, 50'			
	4 50	4.00	2 = 0
	4.50	4.00	3.50
1½ to 1½ in	5.50	5.00	4.50 5.50
1½ to 1¾ in	7.50	7.50	5.50
	10.00 12.50	10.00	
	15.00	12.50	
	20.00	15.00	
3 to 3½ in	25.00	15.00	
372 10 4 111	23.00		
robur. English Oak. 80'			
1½ to 1¾ in	6.50	5.50	5.00
2 to 2½ in	12.50	10.00	7.50
2½ to 3 in	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00		
4 to 4½ in	35.00		
robur fastigiata. Pyramidal English O	ak. 60	,	
2½ to 3 inB&B	40.00		
3 to 3½ inB&B	50.00		
3½ to 4 inB&B	60.00		
4 to 4½ inB&B	75.00		
rubra. Red Oak. 75'			
6 to 8 ft	3.50	2.75	2.50
1 ¹ / ₄ to 1 ¹ / ₂ in	4.50	3.75	3.50
1½ to 1¾ in	5.50	5.00	4.50
1 ³ / ₄ to 2 in	7.50	6.50	6.00
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 4½ in	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 2 Each	25 & up
Quercus			
texana. 75'			
1½ to 1¾ in	7.50	6.00	5.50
1¾ to 2 in	10.00	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 4½ in	35.00		
velutina. Black Oak. 70'			
6 to 8 ft	5.00	4.00	
1¼ to 1½ in	6.00	5.00	
1½ to 1¾ in	10.00	7.50	
13/4 to 2 in	12.50	10.00	
2 to 2½ in	15.00	12.50	
$2\frac{1}{2}$ to 3 in	20.00		
Retinospora. (See Chamaecyparis).			
Rhamnus caroliniana. Carolina Buckthorn.	. 25'		
3 to 4 ft	.55	.45	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
cathartica. Buckthorn. 12'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.60	.55
6 to 8 ft	1.00	.85	.75
dahurica. Dahurian Buckthorn. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.55	.45
5 to 6 ft	.85	.65	.55
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
frangula asplenifolia. Fernleaf Rhami	nus. 12 2.50	2.00	
3 to 4 ft		3.00	
4 to 5 ft	3.50 4.00	3.50	
5 to 6 ft	4.00	4.00	
6 to 8 ft	4.00	4.00	

PAINESVILLE, OHIO			115
Rhamnus	1-4	5-24	25 & up
koraiensis. 12'	Each	Each	Each
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
purshiana. Cascara Buckthorn. 12'			
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.55	.45
5 to 6 ft	.85	.65	.55
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
spathulaefolia. 6'			
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
utilis. 10'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
wilsoni. 10'		2.00	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
Rhododendron carolinianum. Carolina Rho			6'
2 to 3 ft	4.50	4.00	3.75
catawbiense. Catawba Rhododendron.	8'	1.00	0.10
2 to 3 ft	4.50	4.00	3.50
3 to 4 ft	6.00	5.00	4.75
maximum. Rosebay Rhododendron. 15		0.00	1.10
2 to 3 ft	4.00	3.50	3.00
3 to 4 ft	5.00	4.50	4.00
4 to 5 ft	7.50	1.00	2.00
Rhodotypos kerrioides Jetbead. 6'	1.00		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
Rhus canadensis. Fragrant Sumac. 6'	.,,	.00	
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
copallina. Shining Sumac. 20'	1.00		.,,
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
0 10 10 10	2.10		

	1-4 Each	5-24 2 Each	25 & up Each
Rhus	Euch	Eden	Edch
cotinus. Purple Fringe or Smoketree.	12'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75	2.50	
glabra. Smooth Sumac. 12'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
javanica syn. osbecki. Java Sumac. 1	8'		
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
trilobata. Lemonade Sumac. 3'			
18 to 24 in	.75	.60	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.60	.55	.50
typhina laciniata. Shredded Sumac. 2.	5'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	-50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	
Ribes alpinum. Mountain Currant. 4'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.00
aureum. Slender Golden Currant. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
fasciculatum. Winterberry Currant. 4			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up
Ribes			
gordonianum. Gordon Currant. 8'			
3 to 4 ft	.75	.60	
sanguineum. Ruby Winter Currant. 8'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti, 5'			
3 to 4 ft	3.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
globosa. Globe Locust.			
3 yr. hds., 5 to 6 ft. stems	5.00		
3 yr. hds., 6 to 8 ft. stems	7.50		
hispida. Rose Acacia.			
2 yr. standard, 3 to 4 ft	1.75	1.50	
2 yr. standard, 4 to 5 ft	2.00	1.75	
Bush form, 2 to 3 ft	1.50		
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
kelseyi. Kelsey Locust. 8'			
5 to 6 ft	4.00	3.50	3.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.00	5.50	5.00
neomexicana. New Mexico Locust. 10'			
3 to 4 ft	2.50	2.00	
pseudoacacia. Common Locust. 60'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	2.00	1.50	1.00
10 to 12 ft	3.00	2.50	
pseudoacacia bessoniana. Besson Locu			
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
8 to 10 ft	6.00	5.50	
pseudoacacia decaisneana. Decaisne L		40'	
5 to 6 ft	3.50		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
pseudoacacia Marguerite. 10'	4.50	4.00	
5 to 6 ft	4.50	4.00	

118 HENR	KOHANKIE & SON			
		1-4 Each	5-24 Each	25 & up Each
Robinia		Euch	Lucii	Lucii
viscosa. Clammy Loc	caset 10'			
		.60	.50	.45
		.75	.60	.55
		1.00	.75	.65
		1.25	.90	.75
		1.20	.90	.10
Rosa acicularis. Prickly		40	20	0.5
18 to 24 in		.40	.30	.25
		.50	.40	.30
		.60	.50	.45
acicularis bourgeaui	·			
15 to 18 in		1.00		
alpina. Pyrenees	Rose. 3'			
2 to 3 ft		.75	.60	.50
3 to 4 ft		1.00	.75	.60
blanda. Meadow Ros	e. 5'			
18 to 24 in		.40	.30	.25
	• • • • • • • • • • • • • • •	.50	.40	.35
3 to 4 ft		.60	.50	.45
blanda Willmottiae.				
15 to 18 in		1.00		
canina. Dogbrier. 8				
		.40	.30	.25
		.50	.40	.30
coriifolia froebeli.		.50	.10	.50
		.40	20	.25
18 to 24 in			.30	
		.50	.35	.30
		.60	.50	.40
davurica. Dahurian		1.00		20
		1.00	.75	.60
ecae. Eca Rose. 6'				
		.50	.40	.35
3 to 4 ft		.60	.50	.40
		.75	.60	.50
foetida. Austrian Co.	pper Rose. 4'			
2 to 3 ft		1.00	.75	
foetida persiana. Pe	ersian Yellow Rose.			
2 year		1.00	.75	
fujisanensis. Mt. Fu	iji Rose. 8'			
		.75	.60	.50
helenae. Helen Rose	. 6'			
18 to 24 in		.50	.40	.30
		.60	.50	.40
helenae fl. pl. Dbl.				
-		1.50		
7 00 - 20 1111				

3 to 4 ft	45 55 25 35 25 35 45
2 to 3 ft	25 35 25 35 45
3 to 4 ft	25 35 25 35 45
humilis. Pasture Rose. 5' 18 to 24 in. .40 .30 .30 2 to 3 ft. .50 .40 .30 laevigata. Cherokee Rose. 10' 15 to 18 in. 1.00 lucida. Virginia Rose. 6' .40 .30 .30 2 to 3 ft. .50 .40 .3 3 to 4 ft. .60 .50 .40 marreti. Marret Rose. 6' .60 .50 .40 maximowicziana jacki. Jack Rose. 6' .2 1.25 1.00 moyesi. Moyes Rose. 10' .1.50 .50 .35 .3 2 to 3 ft. .50 .35 .4 4 to 5 ft. .55 .40 .4 4 to 5 ft. .60 .50 .5 multiflora cathayensis. Cathay Rose. 6' .60 .50 .5 nitida. Bristly Rose. 3' .8 .60 .50 .5 18 to 24 in. .40 .35 .2 2 to 3 ft. .50 .45 .4	25 35 25 35 45
18 to 24 in	25 35 45
2 to 3 ft	25 35 45
laevigata. Cherokee Rose. 10' 15 to 18 in	25 35 45
15 to 18 in. 1.00 lucida. Virginia Rose. 6' 18 to 24 in	35 45
lucida. Virginia Rose. 6' 18 to 24 in	35 45
lucida. Virginia Rose. 6' 18 to 24 in	35 45
18 to 24 in	35 45
2 to 3 ft	35 45
3 to 4 ft	
3 to 4 ft. 1.25 1.00 maximowicziana jacki. Jack Rose. 6' 2 to 3 ft. 1.50 moyesi. Moyes Rose. 10' 2 to 3 ft. 1.25 1.00 multiflora. Japanese Rose. 8' 2 to 3 ft	75
3 to 4 ft. 1.25 1.00 maximowicziana jacki. Jack Rose. 6' 2 to 3 ft. 1.50 moyesi. Moyes Rose. 10' 2 to 3 ft. 1.25 1.00 multiflora. Japanese Rose. 8' 2 to 3 ft	75
maximowicziana jacki. Jack Rose. 6' 2 to 3 ft. 1.50 moyesi. Moyes Rose. 10' 2 to 3 ft. 1.25 1.00 multiflora. Japanese Rose. 8' 2 to 3 ft. .50 .35 .3 3 to 4 ft. .55 .40 .4 4 to 5 ft. .60 .50 .4 multiflora cathayensis. Cathay Rose. 6' 3 to 4 ft. .60 .50 .4 nitida. Bristly Rose. 3' 18 to 24 in. .40 .35 .3 2 to 3 ft. .50 .45 .4	
2 to 3 ft. 1.50 moyesi. Moyes Rose. 10' 2 to 3 ft. 1.25 1.00 multiflora. Japanese Rose. 8' 2 to 3 ft	10
moyesi. Moyes Rose. 10' 2 to 3 ft. 1.25 1.00 multiflora. Japanese Rose. 8' 2 to 3 ft. .50 .35 .3 3 to 4 ft. .55 .40 .4 4 to 5 ft. .60 .50 .5 multiflora cathayensis. Cathay Rose. 6' .60 .50 .5 nitida. Bristly Rose. 3' .40 .35 .3 2 to 3 ft. .50 .45 .4	
2 to 3 ft. 1.25 1.00 multiflora. Japanese Rose. 8' 2 to 3 ft	
multiflora. Japanese Rose. 8' 2 to 3 ft. .50 .35 .3 3 to 4 ft. .55 .40 .3 4 to 5 ft. .60 .50 .6 multiflora cathayensis. Cathay Rose. 6' .60 .50 .6 nitida. Bristly Rose. 3' .60 .35 .3 18 to 24 in. .40 .35 .3 2 to 3 ft. .50 .45 .4	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	25
multiflora cathayensis. Cathay Rose. 6' 3 to 4 ft. .60 .50 .5 nitida. Bristly Rose. 3' .40 .35 .3 2 to 3 ft. .50 .45 .4	30
3 to 4 ft	40
nitida. Bristly Rose. 3' 18 to 24 in. .40 .35 .3 2 to 3 ft. .50 .45 .4	
18 to 24 in	40
18 to 24 in	
2 to 3 ft	30
	40
3 to 4 ft	50
palustris. Swamp Rose. 8'	
	25
2 to 3 ft	35
3 to 4 ft	40
pendulina. (See Alpina)	
rouletti.	
22 to 10 iii, 1 iii potb tittititi tit	50
15 to 18 in., F. G	10
rubiginosa. Sweetbriar. 6'	
	30
	35
4 to 5 ft	-4

Rosa	1-4 Each	5-24 2 Each	5 & up Each
rubiginosa hybrids. Lady Penzano	e. Lo	rd Pen	zance.
Green Mantle, Lucy Ashton, . Flora McIvor. 6'.	Jeannie	Deans	, and
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
rugosa. Rugosa Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	
rugosa alba. White Rugosa Rose. 6'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	
rugosa hybrids. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.10
$Varieties: \longrightarrow$			
Blanche de Coubert, C. F. Meyer Agnes Carmen, New Century, Mad. Geo. Bruant, Mrs. Anth Belle Poitevine, Sir Thomas I Agnes, F. J. Grootendorst.	Nova nony	Zembla Watere	a, r,
rugosa hyb.—climbing. Max Graf.	.75	.60	
rugosa repens. Creeping Rugosa Rose.	1'		
2 year	1.50	1.25	1.00
3 yearsericea. 4'	1.75	1.50	1.25
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55

		1-4 Each	5-24 Each	25 & up
Rosa				
spinosissima hispida. Bristly		se. 6'		
2 to 3 ft		.75	.60	.50
3 to 4 ft		1.00	.75	.60
4 to 5 ft	• • • • • • • •	1.25	1.00	.75
spinosissima hybrids. 5'				
2 to 3 ft		1.00	.75	.60
3 to 4 ft		1.25	1.00	.75
Dbl. Blush, Dbl. White, I	Dbl. Pink,	Fulge	ens. Sg	l. Red,
Sgl. Pink.				
watsoniana. Watson Rose. 6				
3 to 4 ft		1.25	1.00	
wichuraiana. Wichurian Rose	2. 2'			
2 year		.40	.35	.30
3 year		.50	.45	.40
wichuraiana hybrids. 2'				
2 year		.75	.60	.50
Jersey Beauty, Sweether	art, Unive	rsal F	avor-	
ite, Manda's Triumph, S	outh Ora	nge P	erfec-	
tion, Evergreen Gem.				
ROSE	S			
Hybrid Perpetuals. 2 year No. 1		.60	.50	
Anne de Diesbach	J. B. Cla			
Baroness Rothchild	Mme. Al	bert E	Barbier	
Baron de Bonstettin	Mrs. Joh		3 .	
Earl of Dufferin Magna Charta				
Clio	M. P. W			
Eugene Furst	Margare		cson	
Frau Karl Druschki	Paul Ne			
Gen. Jacqueminot	Tom Wo	od		
Geo. Arends	Ulrich E	runne	er	
Hybrid Tea. 2 year No. 1		75	.60	
	Madame			
Betty Uprichard				
Chas. K. Douglas	Mrs. Her	_		
Etoile de France	Mrs. Her	iry M	orse	

Gruss an Teplitz Jonkheer J. L. Mock Killarney Lady Alice Stanley Lady Hillingdon Mad. Abel Chatenay

Pres. Hoover Radiance Rev. F. Page-Roberts Sunburst White Killarney

Willowmere

	1-4 Each		25 & up Each
Rosa			
American Pillar Aviateur Bleriot Dr. W. Van Fleet Dorothy Perkins Excelsa	Mad. Grego Mary Walla Paul's Scar Roserie Silver Moor Star of Per White Doro	ire Stae ace let Clim a rsia	chelin
Polyantha hybrids. 2 year No.	1	5 .65	
Else Poulsen Gloria Mundi	Ideal Katherine 2 Lafayette		
2 to 3 ft		5 .60	.50
3 to 4 ft		0 .75	.60
xanthina Allard. 10'			
2 to 3 ft	2.0	0	
xanthina spontanea. Sgl. Kore	an Rose. 1	o '	
2 to 3 ft			
Rubus deliciosus. Boulder Raspberr	u. 5'		
2 to 3 ft		5 1.00	.75
3 to 4 ft	1.5	0 1.25	1.00
dumetorum. European Dewber	ry. 2'		
2 year	5	0 .40	.35
odoratus. Flowering Raspberry	. 6'		
2 to 3 ft	4		
3 to 4 ft	5	0 .40	.35
phoenicolasius. Wineberry. 8'			
3 to 4 ft	1.0	0 .75	.
Salix amygdaloides. Peachleaf Will	low. 30'		
2 to 3 ft	1.5		
3 to 4 ft	2.0	0 1.50)
babylonica. Babylon Weeping	Willow. 50'		
6 to 8 ft			
8 to 10 ft			
1¼ to 1½ in			
babylonica crispa. Ringleaf W			
6 to 8 ft			
8 to 10 ft	4.0	3.50	,

	1-4		25 & up
Salix	Each	Each	Each
babylonica dolorosa. Wisconsin Weepi	ng Wil	low. 4	0'
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	1.75
babylonica salamoni. Salamon Weepin	g Willo	w. 50'	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	
13/4 to 2 in	3.50	3.00	
2 to $2\frac{1}{2}$ in	5.00	4.00	
2½ to 3 in	7.50	5.00	
3 to 3½ in	10.00	7.50	
caprea. Goat Willow. 20'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	.90
discolor. Pussy Willow. 20'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.65
8 to 10 ft	1.25	1.00	.90
doniana. 9'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
elegantissima. Thurlow Weeping Willo	w. 50'		
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1¼ to 1½ in	2.50	2.25	1.75
1½ to 1¾ in	2.75	2.50	2.00
13/4 to 2 in	3.00	2.75	2.50
2 to 2½ in	4.00	3.50	3.00
fragilis. Brittle Willow. 50'			
2 to 3 ft	1.50		
fragilis repandens. 10'			
2 to 3 ft	1.50		
incana. syn. rosmarinifolia. Rosemar,	y Willo	rv. 20	,
3 to 4 ft. shrub form	.55	.45	.40
4 to 5 ft. shrub form	.65	.55	.50
5 to 6 ft. shrub form	.75	.65	.60
6 to 8 ft. shrub form	1.00	.75	.70

	1-4 Each	5-24 Each	25 & up Each
Salix			
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
jessoensis. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
lucida. Shining Willow. 18'			
2 to 3 ft	1.50		
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
	1.10	2.00	
matsudana. Hankow Willow. 35'	.75	.60	.50
2 00 0 20 00 00 00 00 00 00 00 00 00 00	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.20	1.00	.10
matsudana tortuosa. 20'	0.00	1 85	1 50
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
mutabilis. 5'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	.50
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
nigricans cotinifolia. 12'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
niobe. Niobe Weeping Willow. 30'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	
10 to 12 ft	2.75	2.50	
1½ to 1¾ in	2.50	2.00	
1¾ to 2 in	3.00	2.50	
2 to 2½ in	4.00	3.50	
	2.00	5.00	
9 patula. 20'	1.50		
9 to 4 1t	1.50		

	B. I. I. E. I.		
	PAINESVILLE, OHIO	4 5-24	125 25 & up
	Equ		Each
aı	ix		
	pentandra. Laurel Willow. 30'		
	6 to 8 ft 1.5		
	8 to 10 ft 1.7		
	1½ to 1½ in 2.0		1.40
	1½ to 1¾ in 2.2		
	1¾ to 2 in 3.0	0 2.50	2.00
	purpurea nana. Dwf. Purple Osier. 5'		
	2 to 3 ft		.50
	3 to 4 ft 1.0		.60
	4 to 5 ft 1.2	5 1.00	.75
	regalis. Royal Willow. 30'		
	5 to 6 ft		
	6 to 8 ft 1.2	4	
	8 to 10 ft 1.7	5 1.50	
	sieboldiana. Siebold Willow. 30'		
	6 to 8 ft		.90
	8 to 10 ft 1.7	5 1.50	1.25
	smithiana. 20'		
	2 to 3 ft 1.5		
	3 to 4 ft 1.7	5 1.50	
	uralensis. 15'	_	
	5 to 6 ft		.50
	6 to 8 ft 1.0	0 .90	.75
	vitellina. Golden Willow. 30'		
	6 to 8 ft 1.2		.90
	8 to 10 ft 1.7		1.25
	1½ to 1½ in 2.0		1.40
	1½ to 1¾ in 2.5		1.60
	1 ³ / ₄ to 2 in		2.00
	vitellina britzensis. Bronze Golden Willow		1 00
	6 to 8 ft 1.5		1.00
	8 to 10 ft 1.7		1.25
	1½ to 1¾ in 2.5		1.75
	1 ³ / ₄ to 2 in		
	2 to 2½ in		
	vitellina glauca. Blue Russian Willow. 20		50
		5 .60	.50
	6 to 8 ft		.75
	8 to 10 ft		1.00
	vitellina pendula. Golden Weeping Willo		1.05
	6 to 8 ft		
	8 to 10 ft		
	1½ to 1¾ in 2.		
	1¾ to 2 in 3.0	00 2.75	2.50

Sa

	1-4 Each	5-24 25 Each	5 & up Each
Salix	Eddii		
wentworthi. 50'			
8 to 10 ft	1.50	-1.25	1.00
1½ to 1¾ in	2.25	2.00	1.50
1¾ to 2 in	2.75	2.50	2.00
2 to 2½ in	3.50	3.00	2.50
Sambucus canadensis. American Elder. 10'		0.0	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
canadensis acutiloba. Cutleaved Elder.		00	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
nigra. European Elder. 15'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
	<i>15</i> ′		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.50	.45
5 to 6 ft	.75	.65	.60
nigra variegata. Variegated Elder. 10	,		
3 to 4 ft	.75	.50	
pubens. Scarlet Elder. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.75	.65
pubens leucocarpa. Yellow-fruited Eld	er. 8'		
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.00		
racemosa. European Red Elder. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	

	Each 1-4	Each 5-24	Each 25 & up
Sassafras variifolium. Sassafras. 50'		,	23 O up
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Schizophragma hydrangeoides. 20'			
Japanese Hydrangea-vine.			
from pots	1.00	.85	.75
Sciadopitys verticillata. Umbrella Pine. 60	,		
10 ft. spec			
Shepherdia argentea. Silver Buffaloberry.	15'		
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
Smilax rotundifolia. Horsebrier.			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
Solanum dulcamara. True Bittersweet.			
2 year	.40	.30	.25
Sophora japonica. Chinese Scholartree 25'			
2 to 3 ftB&B	2.50	2.25	2.00
3 to 4 ftB&B	3.50	3.00	2.75
4 to 5 ft	5.00	4.50	4.00
5 to 6 ft	7.50	6.00	5.50
6 to 8 ftB&B	10.00	7.50	
	10.00		
6 to 8 ft. spec	12.50		
vicifolia. Vetchleaf Sophora. 6'			
3 to 4 ftB&B	3.50		
Sorbaria aitchisoni. Kashmir False Spiraea	. 8'		
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
arborea glabrata. 15'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.85	.70	.60
6 to 8 ft	1.00	.85	.75
lindleyana. Lindley False Spiraea. 8'			
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	

128 HENRY KOHANKIE & SON			
	1-4 Each	5-24 Each	25 & up Each
Sorbaria			
sorbifolia. Ural False Spiraea. 6'			1
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.50	.45
5 to 6 ft	.75	.65	.60
Sorbus americana. American Mountain Ash.			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00	4.50	
aria latifolia. White Beam-tree. 40'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1¼ to 1½ in	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
1¾ to 2 in	5.00	4.50	
2 to 2½ in	6.50	5.50	
aucuparia. European Mountain Ash. 5	0'		
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.50	2.00
1¼ to 1½ in	3.50	3.00	2.50
1½ to 1¾ in	4.00	3.50	3.00
13/4 to 2 in	4.50	4.00	3.50
2 to 2½ in	6.00	5.00	4.50
2½ to 3 in	10.00	7.50	6.50
3 to 3½ in	12.50	10.00	
3½ to 4 in	20.00	15.00	
aucuparia columnaris. Columnar Mt.	Ash.	40'	
8 to 10 ft	7.50		
aucuparia fastigiata. Pyramidal Mt. A	sh. 40) '	
8 to 10 ft	7.50		
commixta. Japanese Mountain Ash. 25	,		
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	4.00	3.50	
quercifolia. Oak-leaf Mountain Ash. 25	,		
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
1¼ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.50	4.00
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
2½ to 3 in	10.00	7.50	
2 to 21/ in	19.50	10.00	

3 to 3½ in. 12.50 10.00

	PAINESVILLE, OHIO			129
Sorbus		1-4 Each	5-24 Each	25 & up Each
spuria. 15'		Lucii	Lucii	Lucii
6 to 8	ft	3.00	2.50	
8 to 10	ft	3.50	3.00	
1 1/4 to 1 1/2	in	4.00	3.50	
torminalis. Wild	Service Tree. 50'			
6 to 8 ft		3.50	3.00	
		4.00	3.50	
Spirea arguta. Garla	nd Spiraea. 6'			
		.40	.30	.25
3 to 4 ft		.45	.35	.30
4 to 5 ft		.60	.50	.40
5 to 6 ft		.75	.60	.50
aitchisoni. (See A	Sorbaria).			
billiardi. Billiard	Spiraea. 6'			
2 to 3 ft		.40	.30	.25
3 to 4 ft		.45	.35	.30
4 to 5 ft		.60	.50	.40
bumalda. Bumale	da Spiraea. 3'			
18 to 24 in.		.40	.35	.30
		.50	.40	.35
bumalda Anthon	y Waterer. Anthony V	Vatere	r Spira	ea. 3'
18 to 24 in.		.40	.35	.30
		.50	.40	.35
bumalda walluff				
18 to 24 in		.45	.35	
24 to 30 in		.50	.40	
callosa alba. (See	e japonica ovalifolia).			
chamaedryfolia 1	ulmifolia. Elmleaf Spi	raeu.	<i>6</i> ′	
2 to 3 ft		.75		
dasyantha. 8'				
		1.25	1.00	
douglasi. Dougla	s Spiraea. 8'			
2 to 3 ft		.40	.30	.25
3 to 4 ft		.50	.40	.35
4 to 5 ft		.60	.50	.40
		.75	.60	.50
fortunei. Fortune	e Spiraea. 4'			
2 to 3 ft		.40	.30	.25
3 to 4 ft		.45	.35	.30
froebeli. Froebel	Spiraea. 4'			
2 to 3 ft		.45	.35	.30
		.50	.40	.35
japonica. Japane	se Spiraea. 6'			
		.40	.30	.25
24 to 30 in		.45	.35	.30

	1-4 Each	5-24 2 Each	5 & up Each
Spiraea	Eden	Lucii	Lucii
japonica ovalifolia. White Japanese Sy	oiraea.	3'	
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
japonica ruberrima. Pink Japanese Spi		5'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
latifolia syn. bethlehemensis. Pink M	eadore	Spiraea	. 6'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5'			
2 to 3 ft	.45	.35	.30
nipponica rotundifolia. Big Nippon Sp		10'	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
prunifolia. Bridal Wreath. 8'	1.00		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
pubescens. 6'	.10	.00	.00
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
reevesiana. Reeves Spiraea. 8'	.10	.00	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
reevesiana lanceata. Double Reeves Sp		8'	.10
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
salicifolia. Willowleaf Spiraea. 5'	.00	.10	.10
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
sorbifolia. (See Sorbaria).	.13	.00	.50
superba. Striped Spiraea. 4'	40	.30	.25
18 to 24 in	.40		
2 to 3 ft	.50	.40	.35
syringiflora. Lilac Spiraea. 3'	00		
18 to 24 in,	.60		

PAINESVILLE, OHIO	1-4	5-24	131 25 & up
Spiraea	Each	Each	Each
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
tomentosa. Hardhack. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
van houttei. Vanhoutte Spiraea. 10'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.22
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
veitchi. Veitch Spiraea. 12' 2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
wilsoni. Wilson Spiraea. 6'	.00	.50	.10
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	
Staphylea bumalda. Bumalda Bladdernut.	8'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
colchica. Colchis Bladdernut. 12'			
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
pinnata. European Bladdernut. 12'		=0	40
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
trifolia. American Bladdernut. 12' 2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Stephanandra flexuosa. Cutleaf Stephanan			1,0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Stewartia pentagyna. Mountain Stewartia.			
3 to 4 ftB&B	5.00	4.00	
4 to 5 ftB&B	6.00	5.00	
5 to 6 ftB&B	7.50	6.50	
6 to 8 ftB&B			
8 to 10 ftB&B	15.00		
pentagyna grandiflora. 15'			
5 to 6 ftB&B	10.00		
6 to 8 ftB&B	12.50		
8 to 10 ftB&B	17.50		
pseudocamellia. Japanese Stewartia.	25'		
3 to 4 ftB&B			
4 to 5 ftB&B	7.50		
5 to 6 ftB&B	10.00		
Stranvaesia davidiana. 5'	1.05	1 00	7.5
12 to 15 in., from pots	1.25	1.00	.75
18 to 24 inB&B	1.75	1.50	
24 to 30 inB&B	2.50	2.00	
Styrax japonica. Japanese Snowbell. 20'			
3 to 4 ft	3.00	2.50	2.00
4 to 5 ftB&B	4.00	3.50	3.00
5 to 6 ftB&B	6.00	4.50	
6 to 8 ft	7.50	6.00	
8 to 10 ftB&B	10.00	8.00	
obassia. Fragrant Snowbell. 20'			
4 to 5 ft	5.00		
5 to 6 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
Symphoricarpos chenaulti. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
mollis. Spreading Snowberry. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
occidentalis. Western Snowberry. 5'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.65	.55	.50
o. heyeri. 5'			-
2 to 3 ft	.50	.40	
		100	

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos	Lucii	Lucii	Edeii
racemosus. Snowberry. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
vulgaris. Coralberry. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
*Symplocos paniculata. syn. crataegoides.			
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25
Syringa affinis giraldi. Purple Early Lilac.			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
chinensis. syn. rothomagensis. Chinese	Lilac.	10'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	.75
	0'	ne	00
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
3 to 4 ft	1.25	1.00	.75
4 to 5 ft.	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.00
chinensis saugeana. Purple Chinese Li			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
0 00 0 10	1.20	2.00	.00

	1-4 Each	5-24 Each	25 & up Each
Syringa	20011	20017	
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.50	1.00	
5 to 6 ft	2.00	1.50	
henryi eximea. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
japonica. Japanese Tree Lilac. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.90	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	1.75
10 to 12 ft	6.00	5.00	
12 to 15 ft	10.00		
josikaea. Hungarian Lilac. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
microphylla. Littleleaf Lilac. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
oblata. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	
oblata dilatata. 12'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
palibiniana. 10'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	

PAINESVILLE, OHIO	1-4	5-24	135 25 & up
Syringa	Each	Each	Each
pekinensis. Peking Lilac. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.75	3.50
10 to 12 ft	7.50	6.00	
6 to 8 ft. specB&B	10.00		
8 to 10 ft. specB&B	12.50		
persica. Persian Lilac. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	
persica alba. White Persian Lilac. 10'			
2 to 3 ft	.85	.75	
3 to 4 ft	1.00	.90	
pubescens. Hairy Lilac. 6'			
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
velutina. 10'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
villosa. Late Lilac. 8'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
vulgaris. Common Purple Lilac. 15' 2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
4 to 5 ft. clumps	4.00	1.10	1.00
5 to 6 ft. clumps	5.00		
	15'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	.90	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
4 to 5 ft. clumps	4.00		
5 to 6 ft, clumps	5.00		

1-4 5-24 25 & up Each Each Each

Syringa vulgaris. Named Varieties. 15'

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional.

2	to	3	ft.									1.00	.75	.60
3	to	4	ft.					 				1.25	1.00	.90
4	to	5	ft.					 				1.50	1:35	1.25
5	to	6	ft.					 				2.25	2.00	1.75
6	to	8	ft.					 				3.00	2.75	2.50

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5" 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

2-3' 3-4' 4-5' 5-6' 6-8'

Frau Dammann-Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

La Tour d'Auvergne-Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

2	to	3	ft.												1.50
3	to	4	ft.												2.00
4	to	5	ft.												2.50
5	to	6	ft.				i								3.50

yunnanensis. Yunnan Lilac. 10'

3 to 4 ft. 2.00 1.75

PAINESVILLE, OHIO	1-4	5-24	137 25 G up
Demonia efeitana 46 : W	Each	Each	Each
Famarix africana. African Tamarix. 15'	45	.35	20
3 to 4 ft	.45		.30
4 to 5 ft		.50	.40
5 to 6 ft	.75 1.00	.85	.50
gallica. French Tamarix. 10'	1.00	.66.	.75
3 to 4 ft	.45	.35	20
	.60	.45	.30
4 to 5 ft	.00	.40	.40
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
juniperina. Juniper Tamarix. 15'	.75	.00	.50
3 to 4 ft	1.50	1.25	
4 to 5 ft.	1.75	1.20	
odessana. Odessa Tamaria. 6'	1.75		
3 to 4 ft.	.45	.35	.30
4 to 5 ft.	.60	.45	.40
5 to 6 ft	.75	.60	.50
pentandra. Fivestamen Tamarix. 12'	.10	.00	.00
3 to 4 ft.	.55	.45	.35
4 to 5 ft.	.75	.60	.50
5 to 6 ft	1.00	.75	.50
tetandra purpurea. Fourstamen Tamar			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
Taxodium ascendens. Pondcypress. 50		.50	.40
6 to 8 ftB&B			
8 to 10 ft			
10 to 12 ft			
distichum. Common Baldcypress. 56			
4 to 5 ftB&B	4.50	4.00	
5 to 6 ft	6.50	5.50	
6 to 8 ft		7.50	
8 to 10 ft		12.50	
10 to 12 ft		15.00	
Taxus baccata. English Yew. 50'	20.00	10.00	
18 in	3.50	3.00	
2 ftB&B	4.50	4.00	
2½ ftB&B	6.00	5.00	
3 to 3½ ftB&B	7.50	6.50	
3½ to 4 ftB&B		7.50	
baccata erecta. Broom Yew. 10'	10.00	1.00	
2 ft	6.00		
2 1t	7.50		
272 It	1.00		

1-4 Each	5-24 Each	25 & up Each
Taxus		
baccata fastigiata. Irish Yew. 10'		
2 ftB&B 12.50		
3 ftB&B 15.00		
baccata repandens. Spreading English Yew.		
15 to 18 in. spd	2.50	2.25
18 to 24 in. spdB&B 3.75	3.25	3.00
24 to 30 in. spdB&B 5.00	4.50	4.00
30 to 36 in. spdB&B 6.50	5.50	5.00
36 to 42 in. spdB&B 10.00	7.50	
baccata washingtoni. Washington Yew. 6'		
18 inB&B 5.00		
24 in. specB&B 10.00		
canadensis. Canada Yew. 3'		
15 to 18 in. spdB&B 2.50	2.25	
cuspidata. Japanese Yew. 10'		
15 to 18 in. spdB&B 2.75	2.50	2.25
18 to 24 in. spdB&B 3.75	3.50	3.25
2 to 2½ ft. spdB&B 5.00	4.75	4.50
2½ to 3 ft. spdB&B 6.50	5.50	5.00
3 to 3½ ft. spdB&B 10.00	7.50	6.50
3½ to 4 ft. spd B&B 12.50	10.00	
4 to 4½ ft. spdB&B 15.00	12.50	
4½ to 5 ft. spd B&B 20.00	17.50	
5 to 6 ft. specB&B 40.00	35.00	
6 to 7 ft. spec B&B 50.00	45.00	
cuspidata brevifolia. Dwarf Japanese Yew.	6'	0.75
15 to 18 inB&B 3.75	3.25	2.75
18 to 24 inB&B 5.00	4.50	4.00
24 to 30 in	6.50	6.00
30 to 36 in	8.50	
36 to 42 in		
cuspidata brevifolia compacta. 6'	F 00	
18 to 24 in	5.00	
24 to 30 inB&B 7.50		
	25'	0.05
18 inB&B 2.75	2.50	2.25
2 ftB&B 4.00	3.50	3.00
2½ ftB&B 5.50	5.00	4.50
3 ftB&B 7.50	6.50	5.50
3½ ftB&B 10.00	8.50	7.50
4 ftB&B 12.50	10.00	9.00
4½ ftB&B 15.00		
5 ftB&B 20.00		

	1-4 Each	5-24 Each	25 & up Each		
Taxus	Lucii	Eden	Eden		
intermedia. Hybrid Yew. 12'					
18 to 24 inB&B	4.00	3.50			
24 to 30 inB&B	5.00	4.50			
media hicksi. Hicks Yew. 20'					
18 to 24 inB&B	3.50	3.00			
24 to 30 inB&B	5.00	4.00			
Tecoma. (See Bignonia).					
Thuja occidentalis. American Arborvitae.	40'				
3 ftB&B	3.00	2.75	2.50		
4 ftB&B	4.00	3.75	3.50		
4 ft. heavy specB&B	6.00				
5 ftB&B	5.50	5.00	4.75		
5 ft. heavy specB&B	7.50				
6 ftB&B	7.50	6.50	6.25		
6 ft. heavy specB&B	10.00				
7 ftB&B		8.50	7.50		
7 ft. heavy specB&B	12.50				
8 ftB&B		10.00	8.50		
8 ft. heavy specB&B					
9 ftB&B		12.50	10.00		
10 ftB&B		15.00	12.50		
10 ft. heavy specB&B					
For larger sizes to 18 ft., add \$5.00 per foot.					
occidentalis aurea douglasi.					
Douglas Golden Arborvitae. 1		2.00	0.50		
3 ftB&B 4 ftB&B	3.50 4.50	3.00	2.50 3.50		
4 ftB&B 5 ftB&B	6.00	4.00 5.50	5.00		
6 ft	7.50	6.50	6.00		
7 ft		8.50	7.50		
8 ftB&B		10.00	1.50		
9 ft		12.50			
For larger sizes to 16 ft., add \$5.0					
occidentalis columbia. Silver-tipped Arborvitae. 40'					
3 ftB&B	3.50	3.00	2.50		
4 ftB&B	4.50	4.00	3.50		
5 ftB&B	6.00	5.00	4.00		
6 ftB&B	7.50	6.00			
7 ftB&B	8.50	7.00			
8 ftB&B	10.00	8.00			
9 ftB&B		10.00			
For larger sizes to 14 ft., add \$5.00 per foot.					

	1-4	5-24	25 & up		
	Each	Each	Each		
Thuja					
occidentalis compacta. Compact Arbor	vitae.	4'			
15 inB&B	1.75	1.50	1.25		
18 inB&B	2.00	1.75	1.60		
24 inB&B	2.50	2.00	1.85		
30 inB&B	3.00	2.50	2.25		
36 inB&B	4.00	3.00	2.75		
42 inB&B	5.00	4.50	4.00		
48 inB&B	7.50	6.50			
occidentalis compacta. Parsons Arborr		10'	0.00		
2½ ftB&B	2.75	2.25	2.00		
3 ftB&B	4.00	3.00	2.50		
3½ ftB&B	4.50	3.50	3.00		
4 ftB&B	5.00	4.00	3.50		
4½ ftB&B	6.00	5.00			
5 ftB&B	7.50	6.00			
5½ ftB&B	8.50	7.50			
	10.00	8.00			
	12.50	10.00			
	15.00	12.50			
9 ftB&B	18.00	15.00			
occidentalis elegantissima. 15'					
occidentalis elegantissima. 15' 2 ft	2.75	2.50	2.25		
3 ft	3.50	3.00	2.75		
4 ft	4.50	4.00	3.75		
5 ft	5.00	4.50	4.25		
6 ftB&B	6.50	5.50	5.00		
7 ft	9.00	7.50	6.00		
	10.00	9.00	7.50		
8 ftB&B 9 ftB&B		10.00	9.00		
			9.00		
For larger sizes to 15 ft., add \$5.00 per foot.					
occidentalis ellwangeriana. Tom Thun	ab Art	borvitae	. 6'		
2 ftB&B	2.50	2.00	1.75		
2½ ftB&B	3.00	2.50	2.00		
3 ftB&B	3.50	3.00	2.50		
3½ ftB&B	4.50	4.00	3.50		
4 ftB&B	5.00	4.50	4.00		
4½ ftB&B	6.50	5.50	5.00		
5 ftB&B	9.00	7.50			
cooldentalia enterial a II de la					
occidentalis ericoides. Heath Arborviti					
3 ftB&B	3.50	3.00			

	1-4 Each	5-24 Each	25 & up Each
Thuja	Eden	Euch	Edcn
occidentalis globosa. Globe Arborvitae	. 3'		
18 inB&B	2.00	1.75	1.60
24 in	2.50	2.25	2.00
30 inB&B	3.00	2.50	2.25
36 inB&B	3.50	3.00	2.50
42 inB&B	5.00	4.00	
occidentalis hoveyi. Hovey Golden Ar	borvite	ae. 8'	
18 inB&B	2.25	2.00	1.75
2 ftB&B	2.50	2.25	2.00
2½ ftB&B	3.00	2.50	2.25
3 ftB&B	3.50	3.00	2.50
3½ ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	7.00
5½ ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
occidentalis Little Gem. 2'			
occidentalis Little Gem. 2' 15 in	3.00	2.50	
	3.00 4.00	2.50 3.50	
15 inB&B	4.00	3.50	
15 in	4.00	3.50	2.75
15 in	4.00	3.50 e. 15'	2.75 3.75
15 in	4.00 borvita 3.50	3.50 e. 15' 3.00	
15 in	4.00 borvita 3.50 5.00	3.50 e. 15' 3.00 4.00	3.75
15 in	4.00 borvita 3.50 5.00 6.00	3.50 e. 15' 3.00 4.00 5.00	3.75 4.50
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50	3.50 e. 15' 3.00 4.00 5.00 6.50	3.75 4.50 6.00
15 in	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00	3.75 4.50 6.00 7.00
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50 15.00	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50	3.75 4.50 6.00 7.00 8.50
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art 3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B 9 ft. B&B	4.00 3.50 5.00 6.00 7.50 10.00 12.50 15.00 00 per	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50 foot.	3.75 4.50 6.00 7.00 8.50
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art 3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B 9 ft. B&B For larger sizes to 16 ft., add \$5.0	4.00 3.50 5.00 6.00 7.50 10.00 12.50 15.00 00 per	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50 foot. 3' 2.00	3.75 4.50 6.00 7.00 8.50 10.00
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art 3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B 9 ft. B&B For larger sizes to 16 ft., add \$5.0 occidentalis pumila. Green Globe Arbo	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50 15.00 00 per	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50 foot.	3.75 4.50 6.00 7.00 8.50 10.00
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art 3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B 9 ft. B&B For larger sizes to 16 ft., add \$5.0 occidentalis pumila. Green Globe Arbo 18 in. spread B&B 24 in. spread B&B 30 in. spread B&B	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50 15.00 0 per 0rvitae 2.25 3.00 3.50	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50 foot. 3' 2.00 2.50 3.00	3.75 4.50 6.00 7.00 8.50 10.00
15 in. B&B 18 in. B&B occidentalis lutea. Geo. Peabody's Art 3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 8 ft. B&B 9 ft. B&B For larger sizes to 16 ft., add \$5.0 occidentalis pumila. Green Globe Arbo 18 in. spread B&B 24 in. spread B&B 30 in. spread B&B 36 in. spread B&B	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50 15.00 00 per 0rvitae 2.25 3.00 3.50 5.00	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50 foot. 3' 2.00 2.50 3.00 4.00	3.75 4.50 6.00 7.00 8.50 10.00 1.75 2.25 2.75 3.50
15 in	4.00 borvita 3.50 5.00 6.00 7.50 10.00 12.50 15.00 0 per 0rvitae 2.25 3.00 3.50	3.50 e. 15' 3.00 4.00 5.00 6.50 8.00 10.00 12.50 foot. 3' 2.00 2.50 3.00	3.75 4.50 6.00 7.00 8.50 10.00

1-4 5-24 25 & up

Thuja	Each	Each	Each
occidentalis pyramidalis. Pyramidal A	who we	tae. 25	,
2 ftB&B	2.75	2.50	2.25
3 ftB&B	3.50	3.00	2.75
4 ft	5.00	4.00	3.50
5 ftB&B	6.50	5.50	5.00
6 ft	8.50	7.50	6.75
	10.00	9.00	8.00
	12.50	10.00	9.00
	15.00	12.50	10.00
10 ft		15.00	12.50
For larger sizes to 18 ft., add \$5.0			12.00
G			
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae	. 20°		
2 ftB&B	3.00	2.75	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
7 ftB&B	10.00	9.00	
For larger sizes to 13 ft., add \$5.0	0 per	foot.	
occidentalis recurva nana. 6'		\$ 27.76 to 1 10	
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50
3½ ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
occidentalis reevesi. Reeves Arborvita	e. 10'		
2½ ftB&B	3.00	2.75	2.50
3 ftB&B	4.00	3.50	3.00
3½ ftB&B	4.50	4.00	3.50
4 ftB&B	5.00	4.50	4.00
4½ ft	6.50	5.50	5.00
5 ftB&B	7.50	6.50	6.00
6 ft	10.00	8.50	7.50
7 ft	12.50	10.00	1.50
	15.00	12.50	
т	10.00	12.00	

	1-4 Each	5-24 Each	25 & up Each
Thuja	Euch	Edcri	Eucri
occidentalis reidi. Reid Arborvitae. 8'			
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	3.75	3.25
3½ ftB&B	5.50	4.50	
4 ftB&B	6.50	5.50	
4½ ftB&B	7.50	6.50	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
occidentalis riversi. Rivers Arborvitae	. 12'		
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	7.50	6.50	6.00
	10.00	8.00	
	12.50	10.00	
For larger sizes to 12 ft., add \$5.0	0 per	foot.	
occidentalis rosenthali. Rosenthal Arl	borvita	e. 10'	
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	9.00	8.50
occidentalis spiralis. Spiral Arborvitae	e. 25'		
2 ftB&B	2.75	2.50	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
7 ftB&B	10.00	9.00	8.00
8 ftB&B	12.50	10.00	9.00
	15.00	12.50	10.00
For larger sizes to 20 ft., add \$5.	.00 pe	r foot.	
occidentalis umbraculifera. Dwarf Ar	rborvit	ae. 3'	
15 to 18 in spdB&B	1.75	1.60	
18 to 24 in. spd B&B	2.25	2.00	1.75
24 to 30 in. spd B&B	2.75	2.25	
2½ to 3 ft. spdB&B	3.50	2.75	
3 to 3½ ft. spdB&B	4.00	3.50	
3½ to 4 ft. spdB&B	5.50	4.50	
4 to 5 ft. spd B&B	7.50	6.50	

1-4 5-24 25 & up

Thuja	Each	Each	Each
occidentalis vervaeneana. Vervaene A	rborvi	tae. 12'	
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.00	3.50	3.25
3 20 1111111111111111111111111	5.00	4.50	4.00
6 ftB&B	7.50	6.50	5.50
7 ftB&B	8.50	7.50	6.50
8 ftB&B	10.00	9.00	8.00
9 ftB&B		10.00	9.00
10 ftB&B		12.50	10.00
For larger sizes to 20 ft., add \$5.0	0 per	foot.	
occidentalis wareana. Ware or Siberia	n Arb	orvitae.	15'
18 inB&B	2.25	2.00	1.75
2 ftB&B	2.75	2.50	2.25
2½ ftB&B	3.50	3.00	2.50
3 ftB&B	4.00	3.50	3.00
3½ ftB&B	5.00	4.00	3.50
4 ftB&B	6.00	5.00	4.50
4½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	6.50
6 ftB&B		9.00	8.00
7 ftB&B		12.00	10.00
8 ftB&B	18.50	15.00	
For larger sizes to 12 ft., add \$5.0	0 per	foot.	
occidentalis wareana lutescens.			
Golden Ware Arborvitae. 15'			
3½ ftB&B	4.00		
occidentalis woodwardi. Woodward A			
18 inB&B	2.50	2.00	1.75
24 inB&B	3.00	2.50	2.25
orientalis. Oriental Arborvitae. 25'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.00	3.50	3.25
5 ftB&B	5.50	5.00	4.50
6 ftB&B	6.50	6.00	5.50
7 ftB&B	8.50	7.50	6.50
8 ftB&B		8.50	7.50
9 ftB&B		10.00	
For larger sizes to 15 ft., add \$5.0	00 per	foot.	

1-4 5-24 25 & up

		Each	5-24 Each	Each
Thuja		2001	20011	200
orientalis	conspicua. Goldsvire Arl	horritae	20'	
2 ft.	B&			
3 ft.	B&			
4 ft.	B&			
1 10.				
orientalis	elegantissima. Rollinson's	Golden	Arborois	tae. 10
2 ft.	B&			2.50
3 ft.	B&			3.50
4 ft.	B&			4.50
5 ft.	B&			6.00
6 ft.	B&			7.50
7 ft.	B&			*****
8 ft.	B&			
orientalis	nana aurea. Berkmans G	olden A	rhornita	e. 3'
	nB&			2.00
	tB&			2.50
	tB&			2.00
	tB&			
		20.00		
orientalis	sieboldi. Siebold Arborvii	tae. 3'		
2 ft.	B&			
3 ft.				
		2,100		
nlicata C	iant Arborvitae. 20'			
3 ft.		В 3.00	2.50	
4 ft.	B&			
5 ft.	B&			
6 ft.	B&			
7 ft.				
8 ft.	B&			
9 ft.	B&			
0 200	arger sizes to 14 ft., add \$			
F 01 1	arger sizes to 11 iti, add p	o.oo per	1001.	
standishi.	Standish Arborvitae. 15'			
2 ft.	B&	B 2.50		
3 ft.	B&			
4 ft.	B&			
5 ft.	B&			
15 ft.	B&			
10 11.		20.00		

										1-4 Each	5-2 4 Each	25 & up Each
Tilia americ										4.50	1.05	1.00
6	to	8						• • •		1.50	1.25	1.00
8	to							• • •		1.75	1.50	1.25
11/4		1½								2.50	2.00	1.75
1½		13/4								3.00	2.50	2.25
13/4		2								4.00	3.25	2.75
2	to	21/2								5.00	4.00	
21/2		3								7.50	6.00	
3	to	31/2								12.50	10.00	7.50
31/2		4								15.00	12.50	
4	to	5								25.00		
5	to	6	in.	• •	• • •	• • •	• • •	• • • •	• • •	35.00		
cordata	L	ittlele	af .	Eu	rop	ear	n L	ind	en.	70'		
11/4	to	$1\frac{1}{2}$	in.							4.00	3.50	3.25
11/2	to	$1\frac{3}{4}$	in.							5.00	4.50	
13/4	to	2	in.							6.00	5.50	
2	to	21/2	in.							10.00	7.50	6.00
21/2	to	3	in.							12.50	10.00	7.50
3	to	3 1/2	in.							17.50	15.00	
4	to	4 1/2	in.	• `•			• • •	• • • •		25.00		
euchlor	a. (Crime	an	Li	nde	n.	75	,				
6	to	8	ft.							3.50	3.00	
8	to									4.00	3.50	
11/4	to	$1\frac{1}{2}$								5.00	4.50	
1½		13/4								6.50	5.50	
13/4	to	2	in.							7.50	7.00	
2	to	$2\frac{1}{2}$	in.				• • •			10.00	8.50	
21/2	to	3	in.							15.00	12.50	
3	to	3½	in.		• • •				• • •	20.00	18.00	
henryar												
11/4	to	1½	in.	• •	• • •		• • •	• • • •		5.00		
heterop	-											
		13/4								4.00	3.50	
13/4		2								5.00	4.00	
2	to	21/2								6.50	5.00	
21/2		3								9.00	7.50	
3	to	31/2	in.		• •		• • •		• • •	12.50		
oliveri.												
8 to	10	ft.	• • • •		• • •	• • •	• • •	• • • •	• • •	5.00		

												1- Eac		5-24	2	25 & up
Tilia												Edi	n	Each		Each
	nlatunh	11 <i>.</i>	na D							. т	2	. ,	v = 9			
	platyph 6	to	8	-				_			anae:	n. 2.0	75'	1.75		1.50
	8	-	10									2.		2.25		2.00
	11/4											3.0		2.50		2.25
	1 1/2											3.		3.00		2.75
	13/4		2	in.								4.		4.00		3.50
	2	to										6.0		5.00		4.50
	21/2		3									10.0		7.50		6.50
	3	to										15.0		12.50		10.00
	31/2		4									17.		12.00		10.00
	4	to	5									25.0				
	7	w	3	111.	•	• •	• • •	• •		• •		40.	,,,			
	platyph	vlle	ns nv	ran	ni	đa	lis	. P	uro	mi	dal i	Riale	af	Linde	n	50 '
	6	to										5.0		Dina	***	00
					ı			•		• •		0.				
	tomento	sa.	Silve	er 1	Li	nd	en.	. ,	40'							
	6	to	8	ft.								3.5	50	3.00		
	11/2	to	13/4	in.								6.5	50	5.50		
	13/4	to	2	in.								7.5	50	7.00		
	2	to	21/2									10.0		8.50		
	21/2	to	3									15.0	00	12.50		
	3	to	3 1/2									20.0	00	18.00		
	31/2	to	4									25.0	00			
	4	to	5	in.								35.0	00			
	vulgaris	s. (Comm	on	E	ur	op	ear	n L	ind	len.	75'				
	6	to	8	ft.								2.5	25	2.00		1.75
	8	to	10	ft.								2.	75	2.50		2.25
	11/4	to	11/2	in.								3.	50	3.00	1	2.75
	11/2	to	13/4	in.								4.0	00	3.50	1	3.00
	13/4	to	2	in.								5.	00	4.50		4.00
	2	to	21/2	in.								6.	50	5.50		5.00
	21/2	to	3	in.								10.	00	7.50)	6.00
	3	to	3 1/2	in.								15.	00	12.50	1	10.00
	3 1/2	to	4	in.								17.	50	15.00)	12.50
	4	to	5	in.								25.	00			
Trir	terygiu	mı	regeli	i. 5'	,											
			ft.							1	B&B	1.	50	1.25	,	1.00
			ft										75	1.50		1.25
	0 00	-			•							-				

					1-4 Each	5-24 Each	25 & up Each
Tsuga canad					0.00	0.75	9.50
2 ft				B&B	3.00	2.75	2.50
3 ft				B&B	4.50	4.00	3.75
4 ft				B&B	6.50	5.50	5.00
				B&B		==0	0.50
5 ft				B&B	8.50	7.50	6.50
				B&B		10.00	0.50
6 ft				B&B	12.50	10.00	8.50
7 ft				B&B		12.50	10.00
8 ft				B&B		15.00	12.50
				18 ft., add \$5.00 p	er foot	•	
				a Hemlock. 50'	= 00	4.00	
				B&B	5.00	4.00	
				B&B	6.50	5.00	
4 ft				B&B		9.00	
5 ft				B&B			
6 ft		• • • • •		B&B	15.00		
sieboldi.	. Si	ebold	$H\epsilon$	mlock. 35'			
8 ft	. sp	ecim	ens	B&B	60.00		
9 ft	. sp	ecim	ens	B&B	75.00		
Ulex europe				n Gorse. 4	1.25	1.00	
				· 4	1.20	1.00	
				rican Elm. 80'			
8	to				1.75		
1 1/4		10	ft.			1.50	1.25
	to	1 1/2	in.		2.00	1.75	1.50
7-	to to	1½ 1¾	in.		2.00 2.50	1.75 2.25	1.50 2.00
13/4	to to to	1½ 1¾ 2	in. in. in.		2.00 2.50 3.50	1.75 2.25 2.75	1.50 2.00 2.50
1 ³ ⁄ ₄ 2	to to	$1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$	in. in. in. in.		2.00 2.50 3.50 4.50	1.75 2.25 2.75 3.75	1.50 2.00 2.50 3.25
$1\frac{3}{4}$ 2 $2\frac{1}{2}$	to to to	1½ 1¾ 2 2½ 3	in. in. in. in.		2.00 2.50 3.50 4.50 6.50	1.75 2.25 2.75 3.75 5.00	1.50 2.00 2.50 3.25 4.50
$1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3	to to to to	1½ 1¾ 2 2½ 3 3½	in. in. in. in. in.		2.00 2.50 3.50 4.50 6.50 10.00	1.75 2.25 2.75 3.75 5.00 7.50	1.50 2.00 2.50 3.25 4.50 6.50
$1\frac{3}{4}$ 2 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 3 \\ 3 \\ 3	to to to to to	1½ 1¾ 2 2½ 3 3½ 4	in. in. in. in. in. in.		2.00 2.50 3.50 4.50 6.50 10.00 12.50	1.75 2.25 2.75 3.75 5.00 7.50 10.00	1.50 2.00 2.50 3.25 4.50
$1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3	to to to to to to	1½ 1¾ 2 2½ 3 3½	in. in. in. in. in. in.		2.00 2.50 3.50 4.50 6.50 10.00	1.75 2.25 2.75 3.75 5.00 7.50	1.50 2.00 2.50 3.25 4.50 6.50
13/4 2 2 ½ 3 3 3 ½ 4	to to to to to to to	$ \begin{array}{c} 1\frac{1}{2} \\ 1\frac{3}{4} \\ 2 \\ 2\frac{1}{2} \\ 3 \\ 3\frac{1}{2} \\ 4 \\ 4\frac{1}{2} \end{array} $	in. in. in. in. in. in. in.		2.00 2.50 3.50 4.50 6.50 10.00 12.50	1.75 2.25 2.75 3.75 5.00 7.50 10.00	1.50 2.00 2.50 3.25 4.50 6.50
13/4 2 2 ½ 3 3 3 ½ 4 america	to to to to to to to	1 ½ 1 3¼ 2 2 ½ 3 3 ½ 4 4 ½ molir	in. in. in. in. in. in. in.		2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50	1.50 2.00 2.50 3.25 4.50 6.50
13/4 2 2 ½ 3 3 3 ½ 4	to to to to to to to	$ \begin{array}{c} 1\frac{1}{2} \\ 1\frac{3}{4} \\ 2 \\ 2\frac{1}{2} \\ 3 \\ 3\frac{1}{2} \\ 4 \\ 4\frac{1}{2} \end{array} $	in. in. in. in. in. in. in.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50	1.75 2.25 2.75 3.75 5.00 7.50 10.00	1.50 2.00 2.50 3.25 4.50 6.50 9.00
13/4 2 2 ½ 3 3 3½ 4 america 6	to to to to to to to to to	$1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4 $4\frac{1}{2}$ molir 8 10	in. in. in. in. in. in. ft. ft.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50	1.50 2.00 2.50 3.25 4.50 6.50 9.00
13/4 2 2 1/2 3 3 1/2 4 america 6 8 1 1/4	to	1½ 1¾ 2 2½ 3 3½ 4 4½ molir 8 10 1½	in. in. in. in. in. in. ft. ft. in.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50	1.50 2.00 2.50 3.25 4.50 6.50 9.00
13/4 2 2 ½ 3 3 3½ 4 america 6 8	to	$1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4 $4\frac{1}{2}$ molir 8 10	in. in. in. in. in. in. ft. ft. in.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00 1.75 2.00 2.75	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50 1.50 1.75 2.50	1.50 2.00 2.50 3.25 4.50 6.50 9.00 1.25 1.50 2.25
13/4 2 2 1/2 3 3 1/2 4 america 6 8 1 1/4 1 1/2	to	$1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4 $4\frac{1}{2}$ molir 8 10 $1\frac{1}{2}$ $1\frac{3}{4}$ 2	in.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00 1.75 2.00 2.75 3.50	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50 1.50 1.75 2.50 3.00	1.50 2.00 2.50 3.25 4.50 6.50 9.00 1.25 1.50 2.25 2.75
1 ³ / ₄ 2 2 ¹ / ₂ 3 3 ¹ / ₂ 4 america 6 8 1 ¹ / ₄ 1 ¹ / ₂ 1 ³ / ₄ 2	to	1½ 1¾ 2 2½ 3 3½ 4 4½ molir 8 10 1½ 2 1¾ 2 2½	in.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00 1.75 2.00 2.75 3.50 4.00 6.00	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50 1.50 1.75 2.50 3.00 3.75 5.00	1.50 2.00 2.50 3.25 4.50 6.50 9.00 1.25 1.50 2.25 2.75 3.50 4.50
1 ³ / ₄ 2 2 ¹ / ₂ 3 3 ¹ / ₂ 4 america 6 8 1 ¹ / ₄ 1 ¹ / ₂ 1 ³ / ₄	to	$1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4 $4\frac{1}{2}$ molir 8 10 $1\frac{1}{2}$ $1\frac{3}{4}$ 2	in.	Moline Elm. 80'	2.00 2.50 3.50 4.50 6.50 10.00 12.50 15.00 1.75 2.00 2.75 3.50 4.00	1.75 2.25 2.75 3.75 5.00 7.50 10.00 12.50 1.50 1.75 2.50 3.00 3.75	1.50 2.00 2.50 3.25 4.50 6.50 9.00 1.25 1.50 2.25 2.75 3.50

Ulmus					1-4 Each	5-24 Each	25 & up Each
	0020	TIOGO	aha	aped. 50'			
ameri 6	cana to			aped. 50'	1.75	1.50	1.25
8		10			2.00	1.75	1.50
	/4 to				2.75	2.50	2.25
	/2 to				3.50	3.00	2.75
	½ to	2			4.50	4.00	3.50
2	10				6.00	5.00	4.50
	½ to	3			7.50	6.50	1.00
3	to				10.00	8.50	
campe	stris						
6	to	8			2.00	1.75	
8	to	10			2.50	2.25	
11	/4 to	11/2	in.		3.00	2.75	
11	½ to				4.00	3.50	
13	1/4 to	2	in.		6.00	5.00	
2	to	21/2	in.		8.50	7.50	
21	½ to	3	in.		12.50	10.00	
3	to	3 1/2	in.		20.00	15.00	
31	½ to	4	in.		25.00	20.00	
4	to	5	in.		35.00	30.00	
5	to	6	in.		50.00	45.00	
campe	stris	klen	nme	ri. Klemmer Elm.	75 '		
8	to 1	0 ft.			5.00		
campe	stris	latif	olia	. Belgian Elm. 75'	•		
8	to	10	ft.		3.00		
13	1/4 to	$1\frac{1}{2}$	in.		4.00		
1	½ to	13/4	in.		5.00		
1	3/4 to	2	in.		7.50		
2	to	$2\frac{1}{2}$	in.		10.00		
2	½ to	3	in.		12.50		
3	to	$3\frac{1}{2}$	in.		20.00		
campo	estris	mor	um	entalis. Monument	Elm.	75'	
6	to	8	ft.		4.00	3.50	3.00
8	to	10	ft.		5.00	4.00	3.75
1	1/4 to	1 1/2	in.		6.00	5.00	4.50
	$\frac{1}{2}$ to				7.50	6.50	5.50
	3/4 to				10.00	7.50	6.50
2	to				15.00	12.50	10.00
	½ to				18.00	15.00	13.50
3	to					20.00	18.00
	½ to				30.00	25.00	
4	to	4 1/2	in.		40.00		

										4	5-24	25 G up
Ulmus									Ea	ch	Each	Each
campes	tric	nurr	nre	9	Par	rnle	lon	f En	alish	Eln	n. 70'	
8		10				_					2.50	
_	to	3									10.00	
3	to	_									18.00	
Ü		0 12										
campes		-										
8		10								50	2.25	2.00
_ , ,	to									00	2.75	2.50
	to									50	3.25	
	to.	2								00	4.50	
2	to							• • • •		50	7.50	
, , =	to	3						• • • •			10.00	
3	to										12.50	
-	to	4						• • • •			15.00	
4	to	5						• • • •				
5	to	6	in.			• • •	• • •	• • • •	. 50.	00		
campes	tris	whe	atle	vi	. 117	hear	tlen	Ela	n. 75	,		
6	to									00	3.50	3.00
8		10								00	4.00	
	to									00	5.00	
	to									50	6.50	5.50
	to									00	7.50	
2	to									00	12.50	
21/2	to									00	15.00	
3	to	3 1/2	in.						25.	00		
31/2	to	4	in.						30.	00		
			- 1 - 1									
fulva.	-								•			
	to to							• • •		50		
1 3/4	to to	2	ın.	•		• • •	• • •	• • •	ნ.	00		
glabra.	Sc	otch i	Elm		75'							
11/2	to	11/2	in.	٠.					4.	00	3.50	
1 1/2	to	1 3/4	in.						5.	00	4.50	
1 3/4	to	2	in.						7.	50	6.00	
2	to	$2\frac{1}{2}$	in.						10.	00	7.50	
21/2	to	3	in.						12.	50	10.00	
3	to	31/2	in.						18.	00	15.00	
31/2	to	4	in.						25.	00	20.00	
glabra	can	nerd	owi	n.	Can	ner	dore	n E	Im. 9	20'		
		tem								00	3.50	
	_									,,	3.00	
glabra										0.0		
6 t	8 0	ft. st	and	ar	ds .	• • •		• • •	10.	00		

1-4 Each	5-24 Each	25 & up Each
Ulmus	Edch	Edcri
japonica. Japanese Elm. 70'		
8 to 10 ft 5.00		
1½ to 1¾ in 6.50		
13/4 to 2 in 7.50		
2 to 2½ in 10.00		
2½ to 3 in 12.50		
3 to 3½ in 15.00		
parvifolia. Chinese Elm. 30'		
6 to 8 ft 2.50	2.00	1.50
8 to 10 ft 3.00		2.50
10 to 12 ft 4.00	3.75	3.50
12 to 14 ft 6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75'		
6 to 8 ft 2.00	1.75	1.50
8 to 10 ft 2.50	2.25	2.00
10 to 12 ft 3.00	2.75	2.50
1½ to 1¾ in	3.00	
13/4 to 2 in 4.00	3.50	
2 to 2½ in 5.00	4.50	
3 to 3½ in 7.50	6.00	
3½ to 4 in 10.00	7.50	
racemosa. Rock Elm. 80'		
3 to 3½ in 25.00		
3½ to 4 in		
4 to 5 in		
Vaccinium corymbosum. Highbush Blueberry.	3'	
2 to 3 ft	2.25	2.00
3 to 4 ft	3.25	3.00
4 to 5 ft	4.50	4.00
vacillans. Dryland Blueberry. 3'		
18 to 24 in	2.00	
Viburnum acerifolium. Mapleleaf Viburnum. 5'		
18 to 24 in	.50	.40
2 to 3 ft	.60	.50
3 to 4 ft	.70	.60
4 to 5 ft	.85	.75
5 to 6 ft 1.50	1.25	1.00
	1.20	1.00
americanum. American Cranberrybush. 10'	47	40
2 to 3 ft	.45	.40
3 to 4 ft	.55	.50
4 to 5 ft	.65	.60
5 to 6 ft	.85	.75
6 to 8 ft 1.25	1.00	.90

152 HENRY KOHANKIE & SON			
	1-4	5-24 2 Each	5 & up Each
Viburnum betulifolium. 12'	Each	Edell	Edeli
2 to 3 ft	2.50		
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ft	3.50	3.00	
burejaeticum. Manchurian Viburnum.	15'		
2 to 3 ft	2.50		
3 to 4 ft	3.00		
burkwoodi. 4'			
18 to 24 in	3.00	2.50	
carlesi, Fragrant Viburnum. 4'			
18 to 24 in	2.50	2.25	2.00
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.50	3.25	3.00
18 to 24 in., own rootsB&B	3.50	3.00	
2 to 3 ft., own rootsB&B	4.00	3.50	
Standards			
18 in. stemB&B	3.00	2.50	
2 ft. stemB&B	3.50	3.00	
3 ft. stemB&B	4.00	3.50	
cassinoides. Withe Rod. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.50	1.25
dentatum. Arrow Wood. 12'			
2 to 3 ft.	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	7.75	.60	.55
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
dilatatum. Linden Viburnum. 10'			= 0
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
5 to 6 ft. spec	7.50		
6 to 8 ft. spec	12.50		
dilatatum leucocarpum. Yellow Fruit			
15 to 18 in	2.50		
fragrans. Fragrant Viburnum. 10'	0.50		
18 to 24 in	3.50		
hupehense. Hupeh Viburnum. 6'	1.05	1.00	
2 to 3 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up
Viburnum	Edeli	Edeli	Eddi
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.80	.70
6 to 8 ft	1.25	1.00	.90
lantana rugosum. Wrinkleleaf Wayfar	ina-tre	e. 15'	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
loutage Warmalana 201			
lentago. Nannyberry. 20' 3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.65
5 to 6 ft	1.25	1.00	.80
6 to 8 ft	1.75	1.50	1.35
8 to 10 ft	2.50	2.00	1.75
	15.00	2.00	1.10
	10.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.65	.50
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.10	1.00
nudum. Smooth Withe Rod. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft. spec	7.50		
opulus. High Bush Cranberry. 10'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.75	1.65	1.50
opulus nanum. Dwarf Cranberry Bush.	. 2'		
10 to 12 in	.65	.60	.55
12 to 15 in	.75	.70	.65
15 to 18 in	1.00	.80	.75

	1-4 Each	5-24 Each	25 & up Each
Viburnum	Eden	Lucii	Lucii
opulus sterile. Common Snowball. 10'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
opulus xanthocarpum. Yellowfruit Cre	anberry	ybush.	10'
2 to 3 ft	2.50		
3 to 4 ft	3.50		
ovatifolium. Eggleaf Viburnum. 10'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
prunifolium. Blackhaw. 12'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
pubescens. Downy Viburnum. 6'	-		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
rhytidophyllum. Leatherleaf Viburnur	n. 8'		
18 to 24 inB&B	1.50	1.25	1.00
2 to 3 ft	2.00	1.75	
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.50	4.00	
5 to 6 ft	6.00	5.00	
rufidulum. Southern Blackhaw. 10'	0.00	0.0	
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	4.00
sargenti. Sargent Cranberrybush. 10'			
2 to 3 ft	.60	.50)
3 to 4 ft	.75	.60)
4 to 5 ft	1.00	.75	5
5 to 6 ft	1.50	1.2	5
6 to 8 ft	1.75	1.50)

	PAINESVILLE, OHIO	1-4 Each	5-24 Each	155 25 & up Each
Viburnum		Edeii	Lucii	Lucii
sieboldi. Siebold	l Viburnum. 10'			
		.75	.60	.50
		1.00	.75	.00
		1.50	1.00	
				1.05
		2.50	1.50	1.25
•		3.50	3.00	2.50
theiferum. Tea				
		1.25	1.00	.75
3 to 4 ft		1.50	1.25	
tomentosum. D	oublefile Viburnum. 8'			
2 to 3 ft		.50	.40	.35
3 to 4 ft		.60	.50	.45
4 to 5 ft		.75	.65	.60
		1.00	.80	.75
		1.50	1.25	1.00
	catum. Japanese Snow		8'	1.00
	-	.65	.55	.50
			.75	.60
		1.00		.00
		1.50	1.25	
veitchi. Veitch				
		1.50	1.25	
4 to 5 ft		1.75	1.50	
		2.00	1.75	
venosum canby	i. Canby Viburnum. 8'			
3 to 4 ft		.65	.55	.50
4 to 5 ft		.75	.65	.60
5 to 6 ft		1.00	.80	.75
		1.50	1.25	1.00
wrighti. Wright		2.00		
		1.25	1.00	.75
		1.50	1.25	1.00
		2.00	1.50	1.25
		2.25	1.75	1.50
		4.40	1.75	1.50
Vinca minor. (See H				
Vitex agnus castus.				
2 to 3 ft		.40	.30	.25
3 to 4 ft		.50	.40	.35
4 to 5 ft		.65	.55	.50
	ba. White Chaste-tree.	4'		
2 to 3 ft		.55	.45	.35
3 to 4 ft		.65	.50	
macrophylla. H				
		.60	.45	.35
		.75	.60	
0 W 4 TP 1			.00	

	PAINESVILLE, OHIO			157
		1-4 Each	5-24 Each	25 & up Each
Weigela				
floribunda. Crim	son Weigela. 8'			
		.40	.30	.25
		.50	.45	.35
		.75	.60	.50
5 to 6 ft		1.00	.75	.60
	Freenway Weigela. 8'			
		.50	.40	.35
4 to 5 ft		.65	.55	.50
		.75	.65	.60
Gustav Mallot.				
2 to 3 ft		.40	.30	.25
		.50	.40	.35
		.65	.55	.50
		.75	.65	.60
hortensis rubra.				
		.40	.30	.25
3 to 4 ft		.50	.40	.35
		.65	.55	.50
		.75	.65	.60
		1.00	.85	.75
japonica. Japan	ese Weigela. 8'			
3 to 4 ft		.50	.40	.35
4 to 5 ft		.65	.55	.50
5 to 6 ft		.75	.65	.60
rosea. Pink Wei	gela. 8'			
2 to 3 ft		.40	.30	.25
3 to 4 ft		.50	.40	.35
4 to 5 ft		.60	.50	.45
5 to 6 ft		.75	.65	.60
rosea nana varie	gata. Dwarf Variegat	ed Wei	gela. 5	,
2 to 3 ft		.50	.40	.35
3 to 4 ft		.65	.55	.50
sieboldi argente	omarginata. Variegat	ed Wei	gela. 8	3 *
3 to 4 ft		.65	.50	.45
		.75	.60	.55
styriaca. 8'				
3 to 4 ft		.60	.50	
4 to 5 ft		.75	.60	
Vanhoutte. Van	Houtte Weigela. 8'			
2 to 3 ft		.40	.30	.25
3 (o 4 ft		.50	.40	.35
4 to 5 ft		.65	.55	.50
5 to 6 ft		.75	.65	.60
6 to 8 ft		1.00	.85	.75

TENET ROTATRIE & SOL	1-4	5-24	25 & up
Wistaria frutescens. American Wistaria. 30	Each	Each	Each
2 year	.50	.40	.30
frutescens magnifica. Yelloweye Wisto			.00
2 year	.50	.35	.30
3 year	.60	.45	.40
multijuga. Japanese Wistaria. 30'	.00	.10	.10
2 year	.50	.40	.35
3 year	.60	.50	.45
4 year	.75	.65	.55
sinensis. Chinese Purple Wistario 40'		.00	.00
2 year	.50	.40	.35
3 year	.60	.50	.45
3 year grafted flower-	.00	.00	.10
ing plants	2.00	1.50	
Standards. 4 ft. stem,	2.00	1.50	
30 in. headB&B	7.50		
sinensis alba. Chinese White Wistaria.	40'		
2 year	.55	.45	.40
3 year	.65	.55	.50
4 year	1.00	.75	.00
3 year grafted flower-	1.00	.10	
ing plants	2.00	1.50	
Standards. 4 ft. stem,	2.00	1.00	
30 in headB&B	9.00		
venusta. Silky Wistaria. 30'	0.00		
3 year	.60	.50	
4 year	.75	.00	
Zanthorhiza apiifolia. Yellowroot. 3'	***		
12 to 15 in. clumps	.50	.40	.30
15 to 18 in. clumps	.60	.50	.40
18 to 24 in. clumps	1.00	.75	.60
	!5 '		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
schinifolium. Peppertree Prickly Ash.	12'		
2 to 3 ft	1.50		
Zelkova serrata. Sawleaf Zelkova. 50'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24 each	25&up each
*Acaena buchanani. Bluish gray, Aug., 1"\$.20	\$.18
*sanguisorbae. Bright green foliage, 2"	.20	.18
Acanthus mollis. Purple rose, July, 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May, June,		
8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.15	.12
*millefolium Cerise Queen. Rose, July, 2'	.15	.12
*nana. White, June, July, 6"	.18	.15
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.15	.12
*ptarmica Boule de Neige. White, June,		
July, 2'	.15	.12
*ptarmica Perry White. June, July, 2'	.15	.12
*tomentosa. Yellow, June, 1'	.15	.12
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July, Aug.,		
5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.25	
Actaea alba. White, May, June, 3-4'	.15	.12
rubra. Red, May, June, 3-4'	.15	.12
Adenophora chinensis. Blue, Fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
Adiantum pedatum. Maiden Hair Fern	.15	.12
*Aegopodium podograria variegatum. Variegat-		
ed foliage, 1'	.18	.15

	5-24 each	each
*Aethionema cordifolium. Rosy lilac, June, 6"	.20	.18
grandiflorum. Pink, June, 12"	.20	.18
*kotschyi. Rose, July, 4"	.20	.18
*persicum. Pink, June, July, 9"	.20	.18
*pulchellum. Pink, June, 8"	.20	.18
*schistosum. Rose, June, 4"	.20	.18
*Ajuga brockbanki. Purple, June, 6"	.18	.15
*genevensis. Bright blue, May, 6"	.18	.15
*reptans. Blue, May, 6"	.15	.12
*reptans alba. White, May, 6"	.20	
Allium carinatum. Rose, June, July, 2'	.18	.15
*karataviense. White, June, July, 8"	.25	.20
narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June, July,		
2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
Double. Separate colors, July, Aug., 5'	.15	.12
Double. Chaters' strain, separate colors	.15	.12
Fringed Allegheny. July, August, 5'	.15	.12
Single. Mixed colors, July, Aug., 5'	.15	.12
Single. Separate colors, July, Aug., 5'	.15	.12
*Alyssum argenteum. Yellow, July, Aug., 6"	.15	.12
*amanum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.18	.15
*moellendorfianum. Yellow, June, July, 6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.15	.12
*saxatile compactum. Yellow, May, 1'	.15	.12
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4"	.18	.15
*spinosum. Pink and white, June, 3"	.30	.25
Amsonia tabernaemontana. Blue, May, June,		
3'	.18	.15
Anchusa barrelieri. Blue, May, 2'	.25	
capensis. Blue, summer, 18"	.18	.15
italica Dropmorei. Blue, June, 4-5'	.15	.12
myosotidiflora. Bright blue, May, 1'	.20	.18
*Androsace lanuginosa. Rose, June, 8"	.35	
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"	.40	

*Anemone baldensis. White and pink, July, 1'	each	each
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
*japonica alba. White, fall, 3'	.18	.15
japonica Alice. Rose pink, fall, 3'	.20	.13
japonica Louise Uhink .White, fall, 3'	.20	.10
japonica Marie Manchard. White, fall, 3'	.30	
japonica Prince Heinrich. Deep pink, fall,	.50	
	20	1.0
	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink, fall,	.20	10
japonica rubra. Red, fall, 2'		.18
	.25	.20
japonica September Charm. Silvery pink,	0.5	
fall, 2'	.25	90
japonica September Sprite. Pink, fall, 2'	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.20	.18
*magellanica. Creamy yellow, spring, 1'	.30	
*pennsylvanica. White, July, 1½'	.15	1.5
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"	.30	
*Antennaria dioica. White, May, 6"	.15	.12
*Anthemis cinerea. White, Aug. 1'	.20	.18
*montana. White, July, 10"	.20	.18
Moonlight. Pale yellow, summer, 2'	.35	
nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow eye,		
July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'	.25	
*Aquilegia alpina. Blue, May, June, 1'	.18	.15
*caerulea. Blue, May, June, 1½'	.20	.18
caerulea hybrida. Various, June, 2'	.15	.12
*canadensis. Scarlet, May, June, 2'	.15	.12
*chrysantha. Yellow, June, July, 3'	.18	.15
Cara Jamie Leitow, Julie, July, J	.20	

	5-24 each	25&up each
Aquilegia		
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.20
*flabellata nana-alba .White, June, 10"	.18	.15
*hybrida. Mrs. Scott Elliott. Various, June,		
2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.18	.15
*siberica fl. pl. Blue and white, June, 18"	.25	.20
skinneri. Red and yellow, May, 2'	.18	.15
vulgaris. Purple, May, June, 2'	.15	.12
vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.18	.15
*alpina. White, April, May, 6"	.15	.12
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina Rosabella. Pink, April, May, 6"	.35	
*alpina rosea. Pink, April, May, 6"	.20	.18
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.20	.18
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.20	.18
*grandiflora. White, May, 4"	.18	.15
*montana. White, June, 4"	.18	.15
*purpurascens. Purple rose, July, 4"	.25	.20
*verna. White, June, July, 3"	.20	.18
Arisaema triphyllum. Purple, May, 1'	.15	.12
*Armeria alpina. Pink, summer, 6"	.18	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June, 6"	.18	.15
*laucheana. Crimson, May, June, 8"	.15	.12
*maritima. Pink, May, June, 6"	.15	.12
*maritima alba. White, May, June, 6"	.15	.12
*robusta. Crimson, May, June, 10"	.15	.12
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
cana. Gray foliage, 30"	.35	
dracunculus. White, August, 2'	.20	.18

	5-24 each	each
Artemisia		
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, August, 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea . Yellow, July, 3'	.20	.18
*Asplenium felix faemina. Lady Fern	.15	.12
*Aster alpinus. Blue, June, July, 8"	.15	.12
*alpinus albus. White, June, July, 8"	.18	.15
*alpinus Goliath. Bluish purple, May, June,		
8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue, fall,	0.5	00
2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Acme. Light lavender, Oct., 5'	.30	15
Anita Ballard. Soft lavender, fall, 4'	.18	.15 .18
Ballard's Crimson. Fall, 3'	.15	.12
Beechwood Challenger. Crimson, fall, 18"	.30	.25
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18	.15
dracunculoides. Light blue, July, 2'	.25	.20
frikarti Wonder of Staefa. Lavender, fall, 2'	.45	
Harrington's Pink. Fall, 3'	.30	
himalaicus. Lilac, Aug., 18"	.30	.25

	5-24 each	25&up each
Aster	Cucri	cacii
hyb. luteus. Yellow, Sept., 3'	.30	.25
laevis. Lavender, Sept., 4'	.15	.12
Mad. Emil Thoury. Violet, Sept., 5'	.15	.12
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.15	.12
Mauve Cushion. Mauve, Oct., 12"	.15	.12
Mauve Queen. Mauve, Sept., 3'	.18	.15
Mrs. Raynor. Crimson, Sept., 3'	.18	.15
Mt .Everest. White, fall, 3'	.20	.18
novae-angliae. Purple, Sept., Oct., 4'	.15	.12
novae-angliae roseus. Rose, Sept., 4'	.18	.15
Queen Mary. Blue, Sept., 3'	.20	.18
Red Rover. Red, fall, 3'	.20	
Robt. Parker. Lavender, Sept., Oct., 5'	.15	.12
Rue des Hatives. Rose mauve, fall, 3'	.15	.12
Skylands Queen. Light blue, fall, 3'	.20	
Snow Queen. White, Sept., Oct., 4'	.15	.12
St. Egwyn. Soft pink, Sept., Oct., 3'	.15	.12
Sunset. Pink, Sept., 3'	.30	.25
tartaricus. Purple, Oct. and Nov., 6'	.15	.12
Wartberg Star. Lilac blue, spring, 1'	.35	
White Climax. White, fall, 4'	.15	.12
dwarf varieties.		
Countess of Dudley. Clear pink, Sept.,		
9"	.20	.18
Lady Henry Maddocks. Pink, Sept., 1'	.20	.18
Lavenda. Lavender blue, Sept., 6"	.30	.25
Marjorie. Rose pink, Sept., 1'	.20	.18
Nancy. Flesh pink, Sept., 1'	.20	.18
Niobe. White, Sept., 6"	.30	.25
Ronald. Lilac pink, Sept., 1'	.20	.18
Snowsprite. White, Sept., 1'	.20	.18
Victor. Lavender blue, Sept., 8"	.20	.18
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimbilde. Rose, June, July, 2'	.25	.20
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.30	.25
arendsi Moerheimi. White, July, 3'	.30	.25
, , , , , , , , , , , , , , , , , , , ,		

	5-24 each	
Astilbe		
arendsi Philadelphia. Lavender rose, July,		
2'	.30	
arendsi Rhineland. Crimson, shaded salmon,		
June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink, July,	0.5	
3'	.25	.20
rosea Queen of Holland. Rose pink, July,	95	9.0
rubella Solferino. Violet pink, July, 3'	.25	.20
rubella Vesta. Lilac rose, July, 3'	.30	.20
	.40	
Astrantia major. Silvery pink, May, 2'	.15	.12
*Aubrietia deltoidea. Purple, April, May, 4"	.18	.15
*deltoidea bougainvillei. Dark blue, April,		
5"	.18	.15
*deltoidea eyrei. Rosy lilac, April, 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'	.15	.12
*Bellis perennis alba. White, April, May, 3"	.15	.12
*perennis rosea. Pink, April, May, 3"	.15	.12
*rotundifolia caerulescens. Blue, May, 2"	.20	.18
*Bellium bellidioeides. Blush, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, Aug., 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	.18
Boykinia rotundifolia. White, June, 2'	.18	.15
	.15	.12
Buphthalmum speciosum. Yellow, June, 3' salicifolium. Yellow, summer, 2'	.18	.12
*Calamintha alpina. Purple, summer, 6"	.18	.15
*Calandrinia umbellata. Crimson, summer, 6"	.20	.18

	5-24 each	25&up each
Calimeris incisa. Pink, summer, 2'	.25	eacii
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, April, May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15	.12
quamash. Blue, May, 2'	.15	.12
*Campanula alliariaefolia. White, June, July, 2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9"	.18	.15
*carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	
*cullinmore. Blue, summer, 9"	.40	.35
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.20	.18
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.15	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2'	.18	.15
*grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, Aug., 4'	.18	.15
latifolia alba. White, July, 3'	.20	.18
latifolia macrantha. Purplish blue, July, 3'	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'	.15	.12
medium calycanthema. Separate colors,		
July, 3'	.18	.15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.18	.15
persicifolia alba. White, June, 2'	.20	.18
persicifolia alba. fl. pl. White, summer, 2'	.40	
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July, 4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.18	.15

	5-24 each	25&up each
Campanula	eden	eden
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.18	.15
*turbinata alba. White, June, July, 6"	.18	.15
*trachelium. Blue, July, 2-3'	.15	.12
*Carex morrowi. White-edged foliage, 1'	.25	
Cassia marilandica. Yellow, July, 3-4'	.15	.12
Catananche caerulea. Blue, June, July, 18"	.15	.12
Caulophyllum thalictroides	.15	.12
Cedronella cana. Pink, July, 3'	.25	.20
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana .Blue, June, July, 2'	.15	.12
ruthenica. Straw color, July, 4'	.18	
Centranthus augustifolius. Rose, summer, 18"	.20	
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpina. Yellow, July, 5'	.15	.12
tatarica. Cream, summer, 6'	.15	.12
*Cerastium arvense compactum.		
White, July, 8"	.15	.12
*biebersteini. White, June, 6"	.18	.15
*tomentosum. White, June, 6"	.15	.12
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Chieranthus allioni. Orange, July, 1'	.15	.12
*Golden Bedder. June, 1'	.20	
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered	.15	.12
Snow Queen—White.		
*arcticum. White, fall, 2'	.15	.12
*arcticum Astrid. Pink, fall, 18"	.20	.18
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.18	.15
Cushion varieties. Fall, 1'	.20	.18
(white, yellow, pink, red, bronze)	0.5	
*erubescens. Pink, Aug., Sept., 18"	.25	

C

00	TIETAKT KOTTATIKE O SOLT	
	5-24 25&up each each	
hr	ysanthemum	
	hardy button varieties	
	Baby Marguerite—pink.	
	Bronze Button—bronze.	
	Irene—blush white.	
	Lillian Doty—pink.	
	Mitzi—yellow.	
	Mrs. H. Harrison—pink.	
	Niza—delicate pink.	
	Ouray—rich bronze.	
	Pygmy Gold — golden yellow.	
	White Doty—white.	
	White Gull—white.	
	hardy large flowering, double, fall, 4'15 .12	
	Algonquin—yellow.	
	Angelo—pink.	
	Barbara Cumming—yellow, bronze shading.	
	Boston—orange.	
	Brune Poitevine—deep velvety reddish bronze.	
	Caliph—oxblood red.	
	Canariense—yellow.	
	Comoleta—yellow.	
	Golden Queen—yellow.	
	Harvest Home—yellow.	
	Indian—coppery red.	
	L'Argentuillais—deep chestnut.	
	Lavender Lady—clear lavender.	
	Marie Antoinette—deep pink.	
	Mrs. F. H. Bergen—pale pink.	
	Mrs. H. Craig—yellow, overlaid orange crimson.	
	Murillo—pink.	
	Oconto—white.	
	Ohio Gold—yellow.	
	Old Homestead—pink.	
	Pacific Supreme—pink.	
	R. Marion Hatton—canary yellow.	
	Snowclad—white.	
	Vesuve—red.	
	Aladdin. Coppery bronze, Aug., 2'20 .18 Dazzler. Cardinal red. fall. 2'18 .15	
		1
	Daybreak. Shell pink, fall, 2'	
	Emma Marie. Lemon yellow, fall, 2'	
	Ellima Marie, Lemon yellow, Ian, 2	

	5-24 each	25&up each
hrysanthemum		
Glory of Seven Oaks, Yellow,	4.0	
Sept., 2'	.18	.15
Granny Scovill. Coral Bronze, fall, 2'	.20	.18
Jean Cumming. White, fall, 2'	.18	.15
Judith Anderson. Yellow, fall, 18"	.20	.18
Mrs. Willis J. Martin, Strawberry, fall,		
2'	.18	.15
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink, fall, 2'	.18	.15
Tassiva. White, Sept., 18"	.18	.15
White Spoon. White, Oct., 18"	.25	.20
Yellow Normandie. Yellow, early fall, 2'	.18	.15
Yellow Spoon. Yellow, Oct., 18"	.25	.20
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.		
Excelsior—golden yellow.		
Gypsy Girl—crimson, shading chestnut.		
Lady Smith—bright pink.		
Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pink.		
Korean hybrids. Oct. 2-2½'	.20	.15
Aphrodite—pale pink.		
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Clara Curtis—salmon pink.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac rose.		
Indian Summer—double orange.		
Kristina—deep rose pink.		
Mars—-amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red.		
Profusion—rich coppery old gold.		
Saladin—oriental red, shading to coral.		
Sappho—pure yellow.		
Saturn—orange and bronze.		
Siegfried—rich yellow.		
The Moor—port wine red.		
Viking—burnt orange.		
maximum. White, all summer, 2'	.15	.12
maximum Alaska. White, July, Aug., 2'	.15	.12
,,,,,		

	5-24 each	25&up each
Chrysanthemum		
maximum Chiffon. Dbl. White, summer, 18"	.30	
maximum Esther Reed. Dbl. white, sum-		
mer, 18"	.45	
maximum Giant Single. White, summer,		
30"	.30	.25
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.18	.15
maximum White Swan. Dbl. White, sum-	9.0	95
mer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.20	.18
zawadsky. Pink, June, July, 2'	.20	
*Chrysoboltonia pulcherrima. Pink, Aug., 2"	.25	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, Aug., 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.35	
	18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15
Cypripedium acaule. Rose-purple, May, June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
For less than five, add five cents per plant to the 5	-24 ra	te.

	each	each
Delphinium belladonna .		
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.25	.20
Pacific Hybrids. Various, summer, 4'	.35	
sibirica hybrids. Shades of blue, July, 3'	.15	.12
Dennstedtia punctilobula. Hay-scented Fern	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
*arvernensis. Pink, June, 4"	.20	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'	.15	.12
barbatus atrococcineus. Crimson, June, 1'	.15	.12
*barbatus Dwarf Giants. Various, June, 8"	.18	.15
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus Giant White. June, 1'	.15	.12
barbatus nigricans.		
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.15	.12
*caesius. Rose pink, June, July, 9"	.15	.12
*chinensis heddewigi.		
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12
*deltoides albus. White, June, 9"	.15	.12

	5-24 each	25&up each
Dianthus	cacii	Cucii
*deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.18	.15
*grisebachi. Purple, June, 1'	.20	.18
hardy pinks.		
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.		
Crimson, summer, 1'	.15	.12
*neglectus. Pink, May, June, 4"	.30	
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.		
Pink, June, 9"		.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White and crimson, June,		
18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.18	.15
*Elizabeth Peters. Pink, June, July, 9"	.20	
*Furst Bismark. Rose, summer, 1'	.20	.18
*Gladys Cranfield. Pink, summer, 1'	.25	
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.18	.15
*Her Majesty. Dbl. white, June, July, 9"	.18	.15
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'	.18	.15
*Rose Cushion. Pink, June, 3"	.25	
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*Uncle Sam. White, red eye, June, 12"	.25	4.5
*White Reserve. White, June, July, 9"	.18	.15
*seguieri. Carmine, summer, 1'	.20	1.0
*speciosa. Pink, July, 10"	.15	.12
*subacaulis. Purple, June, July, 4"	.30	.25
Dicentra eximea. Rose, all summer, 1'	.18	.15
spectabilis. Rose, May, June, 2'	.30	.25
	.50	.40
Dictamnus albus. White, June, 2'	.20	.18
albus ruber. Red, June, 2'	.20	.18
caucasicus. Red, June, 3'	.25	.20
the state of the s	.=0	

	5-24 each	25&ur each
Digitalis ambigua. Yellow, June, July, 3'	.18	.15
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.18	.15
lutea. Yellow, June, July, 18"	.18	.15
purpurea. Mixed, June, July, 3'	.15	.12
purpurea maculata. Spotted, June, July,		
18"	.15	.12
purpurea monstrosa. Various, June, July,		
3'	.15	.12
purpurea, rose. June, July, 3'	.15	.12
purpurea, white. June, July, 3'	.15	.12
Shirley Hybrids, Mixed. June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.18	.15
*latilobum. White, May, June, 1'	.15	.12
Doronicum caucasicum. Yellow, April, May,		
18"	.30	.25
clusi. Yellow, May, 12"	.30	.20
plantagineum excelsum. Yellow, April,	.00	
May, 3'	.25	.20
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	.50
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.20	.18
		.20
*Dracocephalum botryoides. Rose, July, 6"	.25	
*nutans. Blue, Aug., 1'	.20	.18
Ruyschianum japonicum. Blue, summer, 2'		
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern,	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25	
*tenuifolius. Blue, summer, 5"	.25	.15

Elymus glaucus. Blue Lime Grass, 3'	5-24 each .18	25&up each .15
*Epigaea repens. Pink, April, May, 4"	.45	
	.18	.15
Epilobium angustifolium. Rose, Aug., 4'		.10
*Epimedium niveum. White, May, June 1'	.30	
macranthum lilacina. Lilac, May, June, 1' sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.50	.00
Erianthus ravennae. Plume Grass, 10'	.30	.25
	.25	.20
*Erigeron elatior. Purple, July, 2' *glabellus. Violet, June, July, 1'	.15	.12
*glabratus roseus. Pink. June, 1'	.20	.18
macranthus. Violet, June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.15	.12
*Erinus alpinus albus. White, May, 4"	.20	.18
*alpinus roseus. Rosy purple, May, 4"	.20	.18
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.18
amethystinum. Blue, summer, 18"	.18	.15
bourgati. Blue, summer, 18"	.20	
*planum. Blue, July, Aug., 3'	.15	.12
*Erysimum kotschyanum. Orange, May, June,		
5"	.18	.15
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.18	.15
Eulalia gracillima. Japan Rush, 4-6'	.15	.15
japonica variegata. 4-6'	.18	.15
zebrina. Zebra Grass, 4-6'	.18	.15
Eupatorium ageratoides. White, Aug., 3'	.15	.13
*coelestinum. Blue, Sept., Oct., 18"	.15	.13
purpureum. Purple, Aug., Sept., 5'	.15	.15
Euphorbia corollata. White, July, Aug., 2'	.18	.12
*cyparissias. Yellow, May, 10"	.15	.14
*epithymoides. Yellow, May, June, 1' *myrsinites. Yellow, May, June, 6"	.20	.18
	.15	.12
Festuca glauca. Fescue Grass, June, 10" Foeniculum atrosanguineum. Summer, 3'	.18	.13
	.15	.13
*Fragaria indica. White, May, 6"		.1.
Fuchsia magellanica. Red, summer, 3'	.30	
Funkin (Son Hosta)		

	5-24 each	25&up each
Gaillardia grandiflora. Yellow and Crimson,		
all summer, 2'	.15	.12
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.20	.18
Mr. Sherbrook. Yellow, summer, 2'	.25	
Sun God. Yellow, Aug., 2'	.30	
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.18	.15
3'	.18	.15
Galium boreale. White, July, 1½'	.18	.15
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
andrewsi. Blue, Aug., 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.18	.15
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer, 11/2'	.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.20	.18
*sibericum. Scarlet, June, July, 1'	.20	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.18	.15

	5-24	25&up each
Gypsophila acutifolia. Pink, July, 2-3'	each	edcr
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white, sum-		
mer, 3'	.30	.25
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens rosea. Pink. summer, 6"	.20	.18
Rosy Veil. Pink, summer, 2'	.30	.25
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	.15
autumnale superbum. Yellow, Sept., 5'	.18	.15
bigelovi. Yellow, Sept., 4'	.20	.18
Chippersfield Orange. Copper and gold,		
Aug., 4'	.45	
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July, 3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15
*Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.18
*cupreum. Copper. June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer, 6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.13
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.13
mollis grandiflorus. Yellow, Aug., Sept., 4'	.15	.13
*multiflorus fl. pl. Yellow, summer, 4'	.18	.13
orgyalis. Bright yellow, Sept., 6-8'	.20	.13
rigidus. Yellow, Aug., 3'	.15	.13
Wolley Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug., 3'	.18	.13
incomparabilis. Gold, summer, 30"	.50	
pitcheriana. Orange, July, Aug., 3'	.15	.1:
*Helleborus niger. White, Feb., Mar., 1'	.65	
*orientalis. Various, March, 12"	.50	

	5-24 each	25&up each
*Helxine soleiroli. Creeping herb, 1"	.18	.15
Hemerocallis Apricot. Apricot color, June, 2'	.18	.15
aurantiaca. Orange, June, July, 2½'	.18	.15
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.15	.12
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.20	.18
fulva. Bronze, Aug., 3'	.15	.12
Gold Dust. Indian yellow, June, 2½'	.15	.12
gracilis. Yellow, June, 2'	.18	.15
Hyperion. Lemon, July, 4'	.60	
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.15	.12
May Queen. Orange, May, 4'	.25	
middendorffi. Orange, June, 3'	.15	.12
minor. Yellow, June, 2'	.15	.12
Orange Man. Deep orange, June, 2'	.15	.12
Sovereign. Rich orange, June, 1½'	.15	.12
thunbergi. Lemon yellow, June, 2-3'	.15	.12
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.		
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Aug.		
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, April, 4"	.15	.12
*Herniaria glabra. Green, summer, 4"	.18	.15
*Hesperis matronalis. Purple, June, July, 3'	.15	.12
*matronalis alba. White, June, July, 3'	.18	.15
Heuchera americana. Greenish white, 3'	.20	.18
*brizoides. Pink, June, July 2'	.18	.15
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Pleu de Feu. Red, May, June, 2'	.25	.20
*Red Pimpernell. June 1'	.25	
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.18	.15
*sanguinea alba. White, June, 1'	.30	.25
*sanguinea hybrids. Various, summer, 18".	.18	.15
*villosa. White, summer, 12"	.20	.18
,,,		

	5-24 each	25&up each
Hibiscus Mallow Marvels. Mixed, July, Aug.	each	eucii
5'	.15	.12
Mallow Marvels. Separate colors, Aug.,	***	
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red eye,	.10	,12
Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	.15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
Hosta caerulea. Blue, July, 1½'	.15	.12
fortunei. Pale lilac, July, 2'	.15	.12
lancifolia. Blue, July, 2'	.15	.12
minor alba. White, fall, 10"	.35	
sieboldiana. Silvery foliage	.20	.18
sub-cordata grandiflora. White, Aug., 18"	.30	.25
undulata variegata. White foliage, 2'	.15	.12
*Houstonia purpurea. Purple, May, June, 1'	.20	
serpyllifolia. Blue, April, 2"	.18	.15
*Hutchinsia alpina. White, May, June, 4"	.30	
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).	.20	.2.0
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.20	.18
*Hyssopus officinalis. Purple, Aug., 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.18	.15
*sempervirens. White, May, June, 8"	.15	.12
*sempervirens. White, May, June, 6"	.18	.13
	.18	.15
*sempervirens Little Gem. White, April, 6" *sempervirens Snowflake. White, May, 9"	.25	.20
*tenoreana. Purplish white, June, 6"	.25	.20
*Incarvillea delavayi. Rosy purple, June, July,	90	10
2' Talan Ang 9"	.20	.18
*Inula ensifolia. Yellow, July, Aug., 8"	.18	.13
royleana. Yellow, July, Aug., 18"	.20	

West and the Time I are to the	5-24 each	25&up each
*Iris cristata. Light blue, May, June, 6"	.18	.15
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.25	.20
fall blooming. Spring and fall, 1½-2'	.25	.20
Autumn King—blue-purple		
Autumn Queen—snow white		
Olive White—cream		
Ultra—utramarine-blue		
germanica. May, June 1½-2'.		4.0
Afterglow. Soft lavender shading yellow	.15	.12
Ambassadeur. Smoky purple, purple	10	1.5
maroon falls	.18	.15
Archiveque. Purple	.15	.15
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.15	.12
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Cluny. Lilac blue	.18	.15
Coppersmith. Coppery red	.18	.15
Darius. Yellow, lilac and white falls	.15	.12
Dorothea. Pearl gray	.15	.12
Dream. Light pink	.18	
Fairy. White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina. Pale blue	.12	.10
Florentina alba. White	.20	.12
Gold Imperial. Golden yellow	.12	.10
Her Majesty. Lilac pink	.12	.10
Isolene. Lilac pink, old rose falls	.15	.12
Jubilee . Cream, dotted brown	.18	.15
King of Iris. Yellow, brown falls	.18	.15
King Edward. Red violet	.15	.12
Kochi. Rich deep claret purple	.18	.15
Labor. Electric blue	.18	
Leonidas. Lavender, mauve falls	.20	.18

	5-24 each	25 & up each
ris germanica.		
Lent A. Williamson. Violet, rich purple		
falls with yellow beard	.15	.12
Lohengrin. Lilac rose	.12	.10
Lord of June. Lavender blue, violet		
falls	.15	.12
Loreley. Light yellow, blue falls	.12	.09
Mad. Henri Cayeau. Dark purple	.18	.15
Magnifica. Violet and reddish violet	.18	
Mary Barnet. Lavender blue	.15	.12
Midnight. Dark blue	.15	.12
Mme. Chobaut. Buff and wine, dotted	.18	
Moonlight. Silvery white	.15	.12
Monsignor. Violet purple, crimson falls	.15	.12
Mt. Royal. Pansy purple	.18	
Nuee d'Orage. Slate gray with bronze		
and purple falls	.12	.10
Opera. Violet red, purple falls	.20	.18
Pallida Dalmatica. Lavender	.18	.15
Pallida speciosa. Light blue	.12	.09
Pluie d'Or. Yellow	.18	
Pocahontas. White	.18	.15
Prairie Gold. Yellow	.15	.12
Princess Victoria Louise. Sulphur yel-		
low, rich violet falls	.12	.10
Prospero. Lavender and purple	.15	.12
Queen Caterina. Lavender violet,		
orange beard	.12	.10
Rhea. Violet	.15	.12
Rhein Nixe. White, violet falls	.15	.12
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to buff	.18	.15
Sherwin-Wright. Golden yellow	.12	.10
Snow White. White	.15	
Souv. de Mad. Gaudichau. Deep velvety		
purple	.18	.15
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls	.12	.10
Thais. Soft rosy mauve	.18	.15
True Delight. Pure pink	.20	
Victorine. White, mottled blue		.12
Wedgewood. Blue	.15	.12

	5-24 each	25&up each
Iris		
intermedia hybrids. May, 18"	.15	.12
Gerda. Creamy yellow, darker falls.		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.25	.20
Awaji. Large white overlaid lavender blu	ie.	
Bandai-San. White standards and falls	, bor	dered
lavender.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Fascination. Double mauve pink, veined	d whi	ite.
Florence. Amaranth purple.		
Fukushima. Reddish purple, veined whit	e.	
Gold Bound. White, yellow shadings.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo.		
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet purp	le.	
Purple & Gold. Violet purple, golden th		
Pyramid. Double violet purple, veined w	hite.	
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety sheen	١.	
Uchiu. Crimson purple, white veins.		
Warei-hotei. Lavender blue, light blue h	alo.	
prismatica. Violet, May, June, 2'		.15
pseudacorus. Yellow, June, 3'	.15	.12
*pumila alba. Dwarf, white, April, 9"	.15	.12
*pumila caerulea. Dwarf, blue, April, 9"	.15	.12
*pumila californica. Yellow, April, 9"	.20	.18
*pumila Curiosa. Yellow, April, May, 9"	.25	.20
*pumila Fairy. Pale blue, April, 6"	.20	.18
*pumila Grande. Violet, blue falls, April,		
May, 9"	.25	.20
*pumila Louise. Dark blue, April, 6"	.20	
*pumila lutea. Pale yellow, April, 6"	.15	.12

	5-24 each	25&up each
Iris		
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April 9"	.15	.12
sibirica. Purplish blue, June, 3'	.15	.12
sibirica alba. White, June, 3'	.15	.12
sibirica Emperor. Clear blue, May, 2'	.20	.18
sibirica Snow Queen. White, May, 2'	.15	.12
*Stewart. Dwarf, yellow, April, 9"	.18	.15
*tectorum. Blue, June, 1'	.25	.20
*tectorum alba. White, June, 10"	.30	
*verna. Blue, May, June, 6"	.18	.15
versicolor. Blue, June, 2'	.15	.12
Isatis tinctoria. Yellow, May, June, 6'	.15	.12
*Jasione humilis. Blue, July, Aug., 6"	.18	.15
*perennis. Blue, June, July, 6"	.18	.15
*Jeffersonia diphylla. White, May, 8"	.18	.15
Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.20	.18
Towers of Gold. Yellow, Aug., Sept., 30"	.25	
*Lactuca perennis. Blue, June, 15"	.20	.18
*Lamium maculatum. Purple, July, Aug., 8"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.15	.12
*Lavandula officinalis. (Sweet Lavender). July,		
2'	.18	.15
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.20	.18
*Lewisia redivivaPink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.15	.12
spicata. Purple, Aug., 3'	.15	.12
Ligularia clivorum. Yellow, Aug., Sept., 3'	.18	.15
Lilium auratum. (Gold Band Lily). White with		
gold band, July, Aug., 3'	.50	
auratum platyphyllum. White, spotted yel-		
low, July, Aug., 3'	.60	
batemanniae. Salmon red, July, 3'	.30	.25
browni. White, July, 3'	.65	10
canadense. Yellow to red, June, July, 3'	.15	.12
candidum. White, June, 3'	.35	.30
carolinianum. Orange, July, Aug., 3'	.35	0.5
concolor. Scarlet, July, 1'	.30	.25
elegans. Shades yellow and red, July, 2'	.25	
elegans Alice Wilson. Lemon, June, July, 2'	.45	
elegans atrosanguineum. Dark crimson,		
June, July, 1'	.40	

-		м		
	п	и	П	um
_	_	А	д	ulle

elegans Orange Queen. Orange, June, July,		
18"	.35	
hansoni. Orange, June, July, 4'	.45	
henryi. Yellow, July, 2'	.35	
leichtlini. Red, July, Aug., 4'	.50	
longiflorum giganteum. Waxy white, 2'	.60	
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White, June,		
July, 2'	.35	
philadelphicum. Orange red, June, July, 3'	.18	.15
regale. White, July, 4'	.30	.25
speciosum album. White, Aug., 3'	.60	
speciosum longiflorum. White, Aug., 3'	.50	
speciosum melpomene. Crimson, Aug., 3'.	.50	
speciosum rubrum. Pinkish red, Aug., 3'	.50	
superbum. Orange, July, Aug., 5'	.15	.12
*tenuifolium. Scarlet, June, 18"	.20	.18
testaceum. Apricot, June, July, 5'	2.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.25	
tigrinum. Orange, spotted, Aug., 4'	.20	
umbellatum. Scarlet red, July, 2'	.25	.20
washingtonianum. White, dotted purple,		
June, July, 4'	.60	
willmottiae. Orange, July, 4'	.75	
*Limonium auriculaefolium. Blue, June, July, 6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12
*Linaria aequitriloba. Pale mauve, June, 1"	.20	.18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	.10
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.25	.20
Linum austriacum. Blue, summer,	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July 1'	.18	.15
hirsutum. Lilac, summer, 2'	.18	
For less than five, add five cents per plant to the 5	24 rate.	

	each	
Linum		
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
*Lithospermum graminifolium. Blue, June, 4"	.35	
*purpureo-caeruleum. Blue, May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'	.18	.15
polyphyllus roseus. Pink, June, July, 3'	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 15"	.18	.15
chalcedonica. Scarlet, July, 3'	.15	.12
coronaria. Crimson, July, 2'	.15	.12
coronaria alba. White, July, 2'	.15	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1'	.15	.12
*viscaria splendens fl. pl. Red, June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 1½'	.18	.15
Malva alcea. Rosy purple, July, Aug., 3'	.15	.12
moschata. Rose, July, Aug., 2'	.15	.12
moschata alba. White, July, Aug., 2'	.15	.12
Marrubium vulgare. White, summer, 3'	.25	
Matricaria Golden Ball. Yellow, summer, 1'	.15	.12
*parthenoides. White, May, 1'	.15	.12
Silver Ball. Dbl. white, summer, 1'	.18	
*Mazus reptans. Lilac, April, 4"	.20	.18
Melissa officinalis. White, Aug., 2'	.15	.12
Mentha anisatus. Anise-flavored. 15"	.25	
crispa. Curly mint. 12"	.25	
piperita. Peppermint. Purple, 2'	.15	.12
*requieni. Mauve, July, Aug., 2"	.20	.18
rotundifolia. Apple mint 30"	25	

*Mertensia virginica. Purplish blue, March,	5-24 each	25 G ur each
April, 2'	.15	.12
*Micromeria rupestris. White, fall, 10"	.18	.15
*Mimulus luteus. Yellow, summer, 1'	.25	.20
Mitchella repens. White shaded pink, March,		
4"	.18	.15
Monardi didyma. Red, July, Aug., 3'	.15	.12
didyma Cambridge. Scarlet, July, Aug., 3'	.15	.12
didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
didyma Sunset. Mahogany, July, Aug., 3'	.18	.15
didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'	.15	.12
fistulosa. Lilac, July, 3'	.15	.12
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.15	.12
*alpestris alba. White, May, June, 8"	.15	.12
*alpestris pink. May, June, 8"	.15	.12
*palustris. Blue, all summer, 6"	.15	.12
*palustris Pink Beauty. All summer, 6"	.18	.15
*Nepeta hederacea. Blue, May, 2"	.15	.12
macrantha. Lavender, summer, 2'	.18	.15
*mussini. Blue. June, July, 1'	.18	.15
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, summer,		
1'	.25	.20
*Nierembergia rivularis. Creamy white, summer,		
4"	.18	.15
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Yellow, July, Aug., 4'	.15	.12
missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.18	.15
*taraxacifolia. Pink, summer, 6"	.30	
trichocalyx. White, summer, 1'	.25	.20
Onoclea sensibilis. Sensitive Fern	.15	.12
struthiopteris. Ostrich Fern	.15	.12
Onopordon bracteatum. Pink, July, 5'	.20	.18

	5-24 each	25&up each
*Opuntia fragilis. Yellow. June, 4"	.25	.20
*humifusa. Yellow, June, 10"	.25	.20
megacantha. Yellow, June, 3'	.25	.20
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	
Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis. Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3"		
2 year from pots	.15	.12
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		.10
Albert Crousse. Salmon pink	.50	
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	.50	.40
Claire Dubois. Satiny pink	.60	
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Felix Crousse. Brilliant red	.40	.35
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	
Lady Alexander Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark purple		
garnet	1.00	
Mons. Jules Elie. Pink with darker		80
guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	
Roem von Boskoop. Deep rose	.35	.30
Solange. White petals, golden brown	-	
center Parada Parada	.75	
Souv. de Louis Bigot. Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yellow	.35	.30
centerVirginie. Lilac rose	.35	.30
virginie. Littae rose	.00	.50

7711112771227 01110		101
	5-24 each	25&up each
Paeonia sinensis		
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.35	.30
single Japanese. Named varieties	1.00	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to white.		
Shi-pen-kue. Nearest to blue in Peonie	s.	
suffruticosa. Tree Peony. (See Page 91)		
*Papaver alpinum. Various, summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June, 2'	.15	.12
Beauty of Livermore. Crimson, June, 3'	.25	
Enfield Beauty. Salmon, June, 2'	.18	
Fairy. Pale pink, June, 2'	.25	.20
Lulu A. Neeley. Ox-blood red, June,		
3'	.30	
May Sadler. Salmon, June, 2'	.25	
Mrs. Perry. Salmon pink, June, 3'	.20	.18
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	
Princess Victoria Louise. Salmon, June,		
2'	.20	.18
Wurtembergia. Rose-red, June, 2'	.25	.20
pilosum .Brick red, June, 3'	.20	.18
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.20	.18
Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.15	.12
barbatus coccineus. Scarlet, July, Aug., 4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.20	.18
digitalis. White, Aug., 3'	.18	.15
Garnet. Red, summer, 18"	.30	.25

	5-24	25 & up
Pentstemon	each	each
glaber. Blue, summer, 2'	.20	
grandiflora. Blue, summer, 3'	.30	
hirsutus. Rosy purple, July, Aug., 2'	.18	.15
ovatus. Blue, July, Aug., 3'	.18	.15
*procerus. Blue, July, 1'	.20	
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2'	.18	.15
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June, 4'	.15	.12
*ovata. Red, May, June, 1'	.18	
paniculata. 2-3'		
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple	.18	.15
Baron von Dedem. Salmon red	.18	.15
Beacon. Cherry red	.18	.15
Border Queen. Dwarf pink	.20	
Capt. Koehl. Blood red	.25	
Caroline Vandenburg. Lavender blue	.25	
Champs Elysees. Rich purple crimson	.15	.12
Commander. Crimson	.18	.15
Count Zeppelin. White, red eye	.18	
Daily Sketch. Salmon pink, carmine eye	.25	.20
Enchantress. Salmon pink, dark eye	.18	.15
Elizabeth Campbell. Salmon pink	.18	.15
Evelyn. Salmon rose	.20	.18
Feuerbrand. Orange scarlet	.20	.18
Fiancee. White	.20	.18
George Stipp. Salmon, lighter eye	.25	.20
Gustave Lind. Deep salmon	.30	
Johnson's Favorite. Salmon rose	.15	.12
Jules Sandeau. Large pink	.18	.15
Karl Foerster. Orange scarlet	.25	
Le Mahdi. Deep purple	.15	.12
Leo Shlageter, Bright sarlet	.25	.20

	5-24 each	25&up each
Phlox paniculata	ederi	ederi
Lilian. Fine light pink	.25	
Mad. Paul Dutrie. Soft pink	.18	.15
Maid Marian. Soft lavender	.18	.15
Mary Louise. Pure waxy white	.25	.20
Mia Ruys. White	.25	
Mrs. Jenkins. Pure white	.15	.12
Mrs. Milly van Hoboken. Soft pink	.20	.18
Miss Lingard. White	.18	.15
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.25	.20
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.15	.12
Prof. Virchow. Orange scarlet	.18	.15
Rheinlander. Salmon pink, claret eye	.15	.12
Rokoko. Soft pink	.20	.18
R. P. Struthers. Carmine, claret red eye	.15	.12
Salmon Glow. Salmon pink	.25	
Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18	.15
Widar. Light reddish violet, white eye	.18	.15
*pilosa. Lavender, May, 1'	.18	.15
*reptans. Lilac, May, 6-12"	.15	.12
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, April, 4"	.20	.18
*subulata Blue Hills. Light blue, April, 4"	.20	1.5
*subulata Fairy. Blue, purple eye, April, 4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.15	.12
*subulata lilacina. Light blue, April, May,	.15	.12
	.15	
*subulata Little Dot. Lilac, April, 4"		.12
*subulata nelsoni. White, May, 4"	.15	.12
*subulata Perfection. Rose, pink eye, April,		
4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye, May,		
5"	.15	.12
*subulata Vivid. Pink, red eye, April, 4"	.18	.15
	.20	,10
Phygelius capensis. Red, Aug., Sept., 3'		10
Physalis francheti. Red pods, Oct., 2'	.15	.12

	each	each
Physostegia virginiana. Rose, Aug., 3'	.15	.12
virginiana alba. White, Aug., 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.15	.12
*Polemonium caeruleum. Deep blue, June, July,		
1½'	.15	.12
*caeruleum album. White, June, July, 1½'	.15	
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	.18	.15
*Polygonum compactum. White, Aug., Sept., 11/2'	.15	.12
cuspidatum. White, Aug., Sept., 5'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.12	.10
*Potentilla atrosanguinea. Red, summer, 18"	.18	.15
*argentea. Yellow, summer, 18"	.20	.18
*crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'	.18	.15
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	.15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June, 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May, 6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	

	5-24 each	25Gup
*Primula	-	-
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May, June, 1'	.20	.18
*japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.18
*veris Giant Munstead. Various, May, 1'	.20	.18
*veris Gold Laced. Various, May, 9"	.25	.20
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May, 8"	.20	.18
*saccharata. Pink, spring, 12"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
		.10
Pyrethrum Dainty. Dbl. cherry red, summer, 1'	.35	
James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June, 1'	.25	
roseum. Various, May, June, 1'	.15	.12
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.20	.18
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept., 5'	.15	.12
Ranunculus acris fl. pl. Yellow, June, 3'	.18	.15
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18
Rudbeckia Autumn Glory. Yellow, Aug., Sept.,	15	16
6' Cont 2'	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
laciniata. (Golden Glow). Yellow, Aug., 6'		.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
speciosa. Yellow, July, Aug., 2' subtomentosa. Lemon yellow, Aug., Sept.,	.10	.12
	.15	.12
•		
*Ruta graveolens. Yellow, summer, 2½'	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15

	5-24	25 G up
Salvia argentea. Pinkish white, June, 3'	each	each
azurea. Blue, Aug., 4'	.15	.12
azurea grandiflora. Blue, Aug., 4'	.18	.15
farinacea. Blue. July, 2-3'	.15	.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18"	.15	.12
pitcheri. (See azurea grandiflora).		
pratensis. Deep blue, June, 3'	.15	.12
pratensis rubicunda. Rose, June, July, 3'	.20	
viscosa. Pink, July, 3'	.18	.15
*Sanguinaria canadensis. White, April, 8"	.15	.12
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink, summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.20	
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.18	.15
*lingulata leichtlini. Rose, April, 1' *longifolia. White, May, June, 2'	.18	.15
*marginata. White, May, June, 3'	.35	.30
*McNabiana. White, May, June, 12"	.25	10
*purpurea. Rosy purple, April, 1'	.20	.18
*sarmentosa. White, summer, 2'	.18	.15
*umbrosa. Pink, May, June, 1'	.30 .25	.25
Scabiosa caucasica. Lavender, all summer, 1'		.20
caucasica alba. White, summer, 1'	.20	
caucasica House's Hybrids. Various, sum-	.20	
mer, 1'	95	
fischeri. Blue purple, summer, 2'	.25	
japonica. Lavender, Aug., Sept., 18"	.20	15
	.18	.15

		193
	5-24	25 & up
*Schivereckia bornmulleri. White, summer, 4"	each	each .18
*Scutellaria alpina. Purple and white, summer	.20	.10
6" Summer	, .18	15
*coelestina. Blue, summer, 1'	.20	.15
*orientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June, July, 4"	.40	.18
*aizoon. Yellow, July, Aug., 1'	.15	.12
*album. White, July, 4"	.15	
*altissimum. Yellow, July, Aug., 9"		.12
*anglicum. Pink, July, Aug., 3"	.18	.15
*douglasi. Yellow, July, 2"	.20	
*ewersi. Pink, Aug., Sept., 6"	.15	.12
*glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow, July, 6"	.15	.12
*maximowiczi. Yellow, July, Aug., 1'	.15	.12
*maximum .Pink. Sept., Oct., 18"	.15	.12
*middendorffianum. Yellow, June, July, 4"	.15	.12
*murale. Pink, July, 1'	.18	.15
*obtusatum. Yellow, July, Aug., 3"	.18	.15
*reflexum. Yellow, July, Aug., 8"	.20	.18
*sarmentosum. Yellow, July, 3"	.15	.12
*sexangulare. Yellow, June, July, 6"	.15	.12
*sieboldi. Pink, July, Aug., 1'	.15	.12
*spectabile. Pink, Aug., Sept., 1½'	.18	.15
spectabile Brilliant. Crimson, Sept., 1½'	.15	.12
*spurium album. White, July, Aug., 6"	.15	.12
*spurium splendens. Rosy crimson, Aug., 6"	.15	.12
*stoloniferum. Pink, July, Aug., 6"	.15	.12
*stoloniferum coccineum. Crimson, Aug., 6"	.15	.12
*ternatum. White, May, June, 4"	.15	.12
*Samparainer	.15	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.15
*arenarium. Yellow, July, 6"	.18	15
*alberti. White, July, 8"	.20	.18
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
doctionium, Red. June July 6"	.18	.15
*funcki. Brown, June, July, 6"	.18	.15
radionetti, Pink, Jime 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
staucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
*tectorum violaceum. Violet red, June, 4"	.15	.12

	5-24 each	25&up each
*Shortia galacifolia. White, June, 8"	.25	.20
Sidalcea Rose Queen. Rose pink, July, Aug., 4'	.15	.12
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1'	.18	.15
*maritima rosea. Pink, summer, 1'	.20	.18
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.15	.12
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.18	.15
	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.18	.15
*Sisyrinchium angustifolium. Blue, June, July,		
6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	.12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.18	.15
Spigelia marilandica. Red, June, July, 2'	.25	
Spirea aruncus. White, June, July, 3-5'	.20	.18
camtschatica. White, July, 6'	.18	.15
chinensis. Silvery pink, June, July, 2'	.15	.12
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, white, June, July, 1'	.18	.15
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.18	.15
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'venusta magnifica. Deep pink, July, 3'	.18	.15
	.18	.15
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept., 1'	.15	.12
laevis alba. White, Aug., Sept., 1'	.15	.12
Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Teucrium chamaedrys. Rose, Aug., 1'	.18	.15
orientale. Blue, Aug., 10"	.20	.18

	5-24 each	25&up each
Thalictrum adiantifolium. Yellow, June, 4'	.15	.12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum.		
Purple, June, 3'	.20	.18
baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, Aug., 3'	.25	.20
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'	.18	.15
rochelbrunianum. Lavender, July, Aug., 3'	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
*Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
*serpyllum citriodorus.		
Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.18	.15
*serpyllum lanuginosus.		
Rosy purple, June, July, 5"	.18	.15
*serpyllum roseus. Rose, summer, 8"	.18	.15
*vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trillium erectum. Purple, May, 1'	.15	.12
*grandiflorum. White, May, 1'	.15	.12
Tritoma. (See Kniphofia).		
Trollius asiaticus.		
Rich orange, July, Aug., 2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe.		
Orange, summer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, summer, 18"	25	
	.35	
*Tunica saxifraga. Light pink, June, July, 6"	.18	.15
*saxifraga alba. White, summer, 6"	.18	
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.18	.15

	5-24 each	25&up each
Verbascum chaixi. White, summer, 3'	.20	.18
densiflorum. Yellow, June, July, 6'	.15	.12
olympicum. Yellow, July, Aug., 5'	.15	.12
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	.15
	.10	
*Verbena canadensis. Purple, Aug., 18"	.25	.20
hastata. Blue, Aug., Sept., 3'	.15	.12
Vernonia noveboracensis. Purple, Aug., Sept., 5'	.15	.12
*Veronica allioni. Violet, June, 2"	.20	.18
*alpestris. Pale blue, June, 18"	.15	.12
*amethystina Royal Blue.		
June, July, 12"	.18	.15
*Blue Spires. Blue, summer, 18"	.20	.18
*caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.18	.15
*elegantissima. Blue, July, Aug., 2'	.15	.12
*erica. Pink, summer, 10"	.15	.12
*filiformis. Blue, May, 2"	.18	.15
*gentianoides. Pale blue, June, July, 1'	.20	.18
*incana. Pale blue, July, Aug., 1½'	.15	.12
*longifolia subsessilis. Blue, Aug., Sept., 2'	.20	.18
*orchidea. Blue, July, 18"	.18	.15
*pectinata rosea. Pink, May, June, 6"	.15	.12
*peduncularis. White, June, 6"	.18	.15
*pulchella. Blue, May, 1'	.15	.12
*repens. Pale blue, May, June, 2"	.15	.12
*rupestris. Blue, June, 6"	.15	.12
*rupestris alba. White, June, 4"	.20	.18
*rupestris nana. Dark blue, June, 2"	.20	.18
*rupestris pink. June, 4"	.20	.18
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.15	.12
*spicata alba. White, Aug., 18"	.18	
*spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.15	.12
*teucrium prostrata. Blue, June 1'	15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15
*Vesicaria utriculata. Yellow, April, May, 8"	.20	.18

	5-24	25 .G up
Vinca minor. Blue, all summer, 6"	each	each
minor alba. White, all summer, 6"	.25	.08
minor Bowles. Blue, summer, 6"		.20
minor rubra plena. Red, all summer, 6"	.25	.20
	.40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all summer, 6"	.15	.12
*cornuta alba, type. White, all summer, 6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red, summer, 6"	.25	
*cornuta atropurpurea type. Purple, 6"	.15	.12
*cornuta Blue Perfection. Blue, all summer.		
6"	.15	.12
*cornuta florariensis. Pale blue, summer, 6"	.20	.18
cornuta G. Wermig. Violet, all summer, 6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	
*cornuta Lutea Splendens. Yellow, all sum-		
mer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all summer,		
6"	.15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, summer,		
6"	.20	.18
*cornuta White Perfection. White, all sum-		
mer, 6"	.15	.12
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.15	.12
*Jersey Gem. Rich violet, summer, 6"	.18	.15
*odorata. Blue, April, May, 6"	.15	.12
*odorata Gov. Herrick. Blue, May, 6"	.18	.15
*odorata Princess of Wales. Violet, May, 6"	.18	.15
*odorata Rosina. Pink, May, 4"	.25	.20
*pedata. Violet, May, June, 6"	.18	.15
*primulifolia. Pale blue, summer, 6"	.20	.18
*Purple Glory. Purple, summer, 6"	.35	
*Rohrbach's Everblooming. Violet, 4"	.50	.45
*wellsiana. Various, all summer, 6"	.18	.15
*White Jersey Gem. Summer, 6"	.20	.10
Yucca filamentosa. White, June, July, 7'		
2 year	1.5	
2 year	.15	.12
3 year	.18	.15
glauca. White, June, July, 3'	.25	.20

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

		1-4 Each	5-24 Each	25 & up Each
Apples, Crab,	5 to 7 ft	1.00	.90	
Standard,	5 to 7 ft	1.00	.90	
Cherry, Sour,	5 to 7 ft	1.00	.90	
Sweet,	5 to 7 ft	1.00	.90	
Peaches,	5 to 7 ft	.75	.60	
Pears, Dwarf,	5 to 6 ft	1.00	.90	
Standard,	5 to 7 ft	1.00	.90	
Plums,	5 to 7 ft	1.00	.90	
Quinces,	4 to 5 ft	1.00	.90	
Asparagus			.05	.03
Blackberries			.08	.06
Currants		.30	.25	.20
Gooseberries		.30	.25	.20
Grapes, 3 yr. strong	,	.30	.25	.20
Raspberries			.08	.06
Rhubarb			.10	.08
Strawberries			.06	.05

CONIFEROUS EVERGREENS

Abies balsamea J. v. glauca A. concolor J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula A. c. violacea A. c. Violacea
A. firma
A. fraseri
A. homolepis
A. nobilis glauca
A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Picea alba Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. pendula
C. I. Triomphe de Boskoop
C. nootkatens:s P. excelsa P. e. aurea C. obtusa compacta C. o. crippsi C. o. gracilis C. o. nana C. pisifera C. p. aurea C. p. filifera C. p. filifera aurea C. p. filifera aurea nova C. p. plumosa C. p. plumosa aurea
C. p. plumosa aurea
C. P. plumosa lutescens
C. P. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis P. omorika
P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri J. c. albovariegata
J. c. columnaris
J. c. globosa
J. c. mas P. rubra P. cembra
P. densiflora
P. flexilis
P. montana J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi P. nigra J. communis P. peuce J. c. dayi P. ponderosa J. c. depressa J. c. depressa aurea P. resinosa P. strobus c. depressa plumosa P. sylvestris P. thunbergi J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. glauca T. canadensis J. japonica J. j. aurea J. recurva J. rigida J. Sabina
J. s. tamariscifolia
J. s. von ehron J. sphaerica J. squamata T. o. ellwangeriana
T. o. ericoides
T. o. globosa
T. o. hoveyi J. s. meyeri J. virginiana J. v. cannarti J. v. elegantissima

J. v. plumosa J. v. schotti
J. v. tripartita
J. v. venusta
Libocedrus decurrens P. a. gloriosa
P. alcockiana
P. canadensis
P. engelmanni P. e. clanbrasiliana
P. e. maxwelli
P. e. nana compacta
P. e. nana pyramidalis P. e. pendula P. e. pygmaea P. e. remonti P. glauca conica P. mariana P. m. doumeti P. p. moerheimi Pinus banksiana P. m. mughus Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni T. cuspidata
T. c. brevifolia
T. c. brevifolia compacta
T. c. capitata Thuja occidentalis T. o. aurea douglasi T. o. columbia
T. o. compacta
T. o. compacta
Parson's T. o. elegantissima

Coniferous Evergreens continued

T. o. lutea

T. o. pumila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. Little Gem

T. o. recurva nana

T. o. reevesi
T. o. reidi
T. o. riversi

T. o. rosenthali

T. o. spiralis
T. o. umbraculifera
T. o. vervaeneana

T. o. wareana T. o. wareana lutescens T. o. woodwardi

T. orientalis

T. o. conspicua T. o. elegantissima
T. o. nana aurea
T. o. sieboldi

T. plicata
T. standishi

Tsuga canadensis

T. caroliniana T. sieboldi

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri

A. ledifolia Berberis julianae

B. sargentiana B. triacanthophora

B. verruculosa Bruckenthalia spiculifolia

Buxus microphylla B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris

C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea

C. v. searlei

Chamaedaphne calyculata Crataegus pyracantha lalandi

C. p. coccinea C. p. yunnanensis Daphne cneorum Erica carnea E. darleyensis E. vagans

Euonymus patens E. radicans

E. r. acutus E. r. argenteo-marginatus

E. r. colorata E. r. kewensis E. r. minima

E. r. vegetus Ilex cornuta

1. crenata I. c. bullata I. c. latifolia 1. c. microphylla

I. glabra
I. opaca

Kalmia latifolia

Laurocerasus o. schipkaensis Leucothoe catesbaei Lonicera nitida

L. pileata

Mahonia aquifolium Pachistima canbyi Pieris floribunda P. japonica

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytiodophyllum

DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum A. dasycarpum

A. d. pyramidale
A. d. wieri
A. mandshuricum
A. negundo

A. nigrum

A. platanoides
A. p. schwedleri
A. pseudoplatanus

A. rubrum A. saccharum Aesculus carnea

A. glabra A. hippocastanum
A. h. baumanni
A. octandra
A. turbinata

Ailanthus glandulosa A. vilmoriniana

Alnus cordata

A. glutinosa A. g. laciniata

A. incana A. japonica

Betula alba B. a. fastigiata B. a. laciniata

B. maximowicziana B. lenta

B. lutea

B. papyrifera
B. p. cordifolia
B. populifolia

Carpinus betulus C. caroliniana C. cordata C. japonica

C. yedoensis

Deciduous Shade Trees Continued

Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Davidia involucrata Eucommia ulmoides Fagus americana F. sylvatica F. s. fastigiata F. s. heterophylla . s. pendula F. s. purpurea s. riversi Fraxinus americana F. chinensis F. excelsior F. lanceolata F. mandshurica F. nigra F. pennsylvanica quadrangulata Ginkgo biloba Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Julgans cineria J. nigra J. regia J. sieboldiana Larix europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. lavallei P. sachalinense Platanus occidentalis P. orientalis Populus alba P. a. nivea P. berolinensis P. bolleana P. bolleana
P. certinensis
P. maximowiczi
P. nigra italica
P. nigra betulifolia
P. simoni

P. suaveolens przewalski

P. tremuloides
b. trichocarpa

Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Quercus alba
Q. bicolor
Q. coccinea
Q. lyrata
Q. macrocarpa
Q. palustris
Q. phellos
Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacac.a R. p. bessoniana
R. p. descoisneana
Salix babylonica
S. b. crispa
S. b. dolorosa S. b. salamoni S. elegantissima S. fragilis S. mandshurica S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S. v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. a. fastigiata S. quercifolia S. torminalis Taxodium distichum Tilia americana T. cordata T. euchlora T. henryana T. heterophylla T. oliveri T. platyphyllos T. p. pyramidalis
T. tomentosa
T. vulgaris Ulmus americana U. a. moline U. a. vase-shaped U. campestris U. c. klemmeri U. c. latifolia U. c. monumentalis
U. c. purpurea
U. c. vegeta
U. c. wheatleyi
U. fulva U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium

A. r. maximowiczi Acer buergerianum

A. ginnala A. griseum

A. japonicum aureum

A. nikoense A. palmatum

A. p. atropurpureum A. p. filicifolium A. p. roseo-marginata A. pennsylvanicum

A. platanoides globosum

A. spicatum

tartaricum

Albizzia julibrissin rosea Alnus pendula

Amygdalus davidiana

A. d. alba

A. persica alboplena A. p. Clara Meyer A. p. rosea plena A. p. rubroplena

Aralia japonica A. spinosa

Asimina triloba Broussonetia papyrifera

Cercis canadensis Cladrastis lutea Cornus florida

C. f. plena C. f. rubra C. f. welchi C. kousa

C. k. chinensis

C. mas

C. officinalis Crataegus aprica C. arkansana C. arnoldiana

. carrieri C. coccinea C. coccinioides C. cordata
C. crusgalli
C. cuneata
C. hupehensis

C. macracantha

C. molfis
C. monogyna
C. m. stricta C. nitida

C. oxyacantha C. o. plena C. o. pauli

C. o. punicea C. o. rosea plena C. peregrina

C. persistens C. pinnatifida major

C. pruinosa C. prunifolia . punctata . succulenta C. tomentosa C. viridis

Diospyros virginiana Gordonia alatamaha Halesia tetraptera

H. monticola Idesia polycarpa Koelreuteria paniculata

Laburnum alpinum L. vulgare

watereri

Maackia amurensis Magnolia glauca

M. kobus

M. lennei M. salicifolia M. soulangeana M. s. nigra

Malus angustifolia M. arnoldiana
M. adstringens
M. baccata
M. b. mandshurica

M. brevipes

M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke

M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca M. glaucescens M. halliana M. h. parkmani M. hopa

M. ioensis M. i. bechteli M. micromalus M. niedzwetzkyana

M. Oekonemurat Echtermeyer

M. purpured

M. p. aldenhamensis M. p. eleyi M. prunifolia rinki

M. robusta M. r. fastigiata M. r. persicifolia M. sargenti M. scheideckeri

M. sieboldi M. spectabilis M. s. alba plena M. sublobata M. theifera M. t. rosea

M. toringoides M. tschonoski

M. yunnanensis veitchi M. zumi M. z. calocarpa

Morus alba pendula Nyssa aquatica

N. sylvatica

Oxydendrum arboreum Prumus americana P. a. Newport

P. armeniaca sibirica P. avium plena

P. cerasifera pissardi

P. cistena P. hortulana P. incisa P. lannesiana P. I. Amayadori P. I. Jonioi P. I. sirotae

Deciduous Small Trees Continued

P. maacki P. moseri fl. pl. P. mume P. mume fl. pl. P. padus

P. pennsylvanicum
P. serrulata P. s. Amanogawa

P. s. Amanogawa
P. s. Gioiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura

P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Kuramayami
P. s. Kwansan P. s. Miyako

P. s. sachalinensis P. s. Shirofugen
P. s. Shogetsu
P. s. Sumizome

P. sieboldi syn. Naden

P. spinosa P. subhirtella P. s. ascendens
P. s. autumnalis
P. s. pendula P. virginiana

P. yedoensis
P. y. taizanfukun
Pterostyrax corymbosa
Pyrus calleryana

P. betulaefolia P. salicifolia serrulata

Rhus cotinus R. javanica syn. osbecki Robinia fertilis

R. globosa R. hispida R. holdti

R. pseudoacacia Marguerite

Salix amygdaloides S. caprea S. matsudana

S. m. tortuosa S. regalis

Sophora japonica Sorbus americana S. commixta S. spuria

Styrax japonica S. obassia Syringa japonica S. pekinensis

DECIDUOUS SHRUBS

Abelia grandiflora A. schumanni Acanthopanax pentaphyllum Aesculus parviflora Alnus rugosa A. viridis Amelanchier alnifolia A. asiatica

A. canadensis A. laevis A. I. rosea A, oblongifolia A. rotundifolia syn. vulgaris

A. sanguinea A. stolonifera

Amorpha brachycarpa A. canescens A. fruticosa

Amygdalus nana georgica Aronia arbutifolia

A. atropurpurea A. melanocarpa A. m. elata

Artemisia abrotanum Azalea calendulacea

A. canescens A. kaempferi A. lutea A. mollis

A. nudiflora A. poukhanensis A. viscosa

A. yodogawa Baccharis halimifolia Benzoin aestivale Berberis koreana B. circumserrata

B. thunbergi B. t. atropurpurea

B. t. minor
B. t. pluriflora
B. t. p. erecta Berchemia racemosa Bischoffia trifoliata Buddleia Charming B. alternifolia

B. davidi

B. d. superba
B. d. veitchi
B. farquhari
B. lle de France
B. intermedia

B. lindleyana

B. paniculata Callicarpa americana

C. giraldiana C. japonica purpurea

Calycanthus floridus C. occidentalis

Caragana arborescens C. boisi

C. frutex
C. lorbergi
C. sophoraefolia
Caryopteris incana

C. tangutica Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis Chionanthus virginica Clerodendron trichotomum

Clethra alnifolia C. barbinervis C. paniculata

Colutea arborescens C. media Comptonia asplenifolia

D. I. avalanche D. I. compacta

D. myriantha Boule Rose

Cornus alba C. a. elegantissima
C. a. sibirica
C. a. spaethi C. alternifolia C. amomum syn. sericea C. baileyi C. paniculata C. paucinervis C. pubescens C. rugosa C. sanguinea C. s. viridissima C. stolonifera C. s. flaviramea Corylus americana C. avellana C. a. atropurpurea C. heterophylla setchuenensis C. rostrata Cotoneaster acutifolia C. a. villosula C. adpressa C. ambigua C. apiculata C. dammeri C. dielsiana C. divaricata
C. foveolata
C. francheti
C. himalaicus C. horizontalis
C. h. perpusilla
C. hupehensis C. integerrima C. Integerima
C. lucida
C. melanocarpa
C. microphylla
C. moupinensis
C. multiflora
C. nitens
C. obscura
C. racemiflora C. racemiflora soongarica C. rotundifolia C. rosea
C. s. floccosa
C. simonsi
C. tenuipes
C. wilsoni
C. zabeli Cydonia cathayensis C. japonica C. j. alba C. j. alpina . j. Columbia C. j. Falconet Charlet C. j. pygmaea C. j. rosea plena
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion
C. kermesiana semi-plena
C. maulei Cytisus nigricans C. scoparius C. s. andreanus C. supinus Daphne mezereum

D. m. alba

Deutzia gracilis

D. lemoinei :

D. ningpoense D. parviflora D. rosea D. rosea campanulata D. r. carminea D. r. eximea D. r. venusta D. scabra D. s. candidissima
D. s. Pride of Rochester D. s. rosea plena D. s. watereri D. s. wellsi D. schneideriana laxiflora
D. vilmorinae Diervilla sessilifolia D. trifida Dirca palustris Eleagnus angustifolia E. argentea E. longipes E. parvifolia E. umbellata Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus
E. atropurpureus
E. bungeanus E. europaeus E. e. fructu-coccineus
E. latifolius
E. maacki E. obovatus E. oxyphyllus E. yedoensis Evodia hupehensis Exochorda grandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia F. i. primulina F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis H. v. tomentella H. virginiana Helwingia japonica Hibiscus syriacus

H. variegatus H. v. meehani Hippophae rhamnoides Holodiscus d. ariaefolius Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa
H. a. Thos. Hogg
H. paniculata
H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum
H. kalmianum
H. lobocarpum
H. moserianum H. patulum H. p. henryi H. prolificum Ilex geniculata I. laevigata 1. monticola 1. serrata syn. sieboldi I. verticillata
I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. varigatum L. vulgare L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi

L. kohneana L. korolkowi floribunda

L. ledebouri

L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana
L. saccata
L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. grandiflora L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera
M. gale
Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre P. Argentine
P. Avalanche
P. Banniere P. Bouquet Blanc P. coronarius P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche P. dianthiflorus plenus P. falconeri P. Favorite P. Gerbe de Neige P. Glacier P. glacier
P. gordonianus
P. grandiflorus
P. incanus
P. lemoinei erectus
P. lewisi
P. Mandalene P. Magdalene P. nepalensis P. nivalis P. Norma P. Ophelia P. Pavillon Blanc P. pyramidale P. sericanthus P. Sybille P. virginal
P. Voie Lactee
P. zeyheri Photinia villosa P. v. laevis Physocarpus intermedius parvifolius

P. monogynus P. opulifolius
P. o. luteus
P. o. nanus Pieris mariana Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. demissa P. dunbari P. glandulosa P. g. albiplena P. g. sinensis P. japonica P. maritima P. pumila P. tomentosa P. triloba P. t. plena Rhamnus caroliniana R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis R. wilsoni Rhodotypos kerrioides Rhus canadensis R. copallina R. glabra R. trilobat R. typhina trilobata R. t. laciniata Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. kelseyi R. viscosa Rosa acicularis R. blanda R. b. willmottiae R. canina R. coriifolia froebeli R. davurica R. ecae R. foetida R. f. persiana R. fujisanensis R. helenae R. hugonis R. humilis R. laevigata R. lucida R. marreti R. maximowicziana jacki R. moyesi R. multiflora R. m. cathayensis R. nitida R. palustris R. pendulina

R. rouletti R. rubiginosa

R. r. hybrids

R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids R. watsoniana R. wichuraiana R. w. hybrids R. hybrid perpetuals R. hybrid tea R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. dumetorum R. odoratus R. phoenicolasius Salix discolor S. doniana S. incana S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. patula S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis S. c. acutiloba S. nigra S. n. aurea S. n. variegata S. pubens S. p. leucocarpa S. racemosus Shepherdia argentea Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata S. Iindleyana S. sorbifolia Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. chamaedryfolia ulmifolia S. dasyantha S. douglasi S. fortunei S. froebeli S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia S. margaritae S. nipponica rotundifolia

S. prunifolia

S. pubescens

S. reevesiana S. r. lanceata S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa S. trichocarpa S. van houttei S. veitchi S. wilsoni Staphylea bumalda S. colchica S. pinnata S. trifolia Stephanandra flexuosa Stewartia pentagyna S. p. grandlifora S. pseudocamellia Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri S. racemosus S. vulgaris Symplocos paniculata Syringa affinis giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. velutina S. villosa S. vulgaris S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana T. gallica T. g. indica T. juniperina T. odessana

T. pentandra
T. tetandra purpurea
Ulex europeus
Vaccinium corymbosum

V. vacillans
Viburnum acerifolium
V. americanum
V. birchuiense
V. betulifolium
V. burejaeticum
V. burkwoodi
V. carlesi
V. cassinoides
V. dentatum
V. dilatatum
V. d. leucocarpum
V. fragrans
V. hupehense
V. lantana
V. I. rugosum
V. lentago
V. molle
V. nudum
V. opulus
V. o. nanum
V. o. sterile
V. ovatifolium
V. prunifolium
V. prunifolium

V. o. xanthocarpun
V. ovatifolium
V. prunifolium
V. pubescens
V. rufidulum
V. sargenti
V. sieboldi
V. theiferum
V. tomentosum
V. t. plicatum
V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus

V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere
W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea

W. rosea W. rosea nana variegata W. sieboldi argenteomarginata W. styriaca W. Van Houtte

Zanthorhiza apiifolia Zanthoxylum americanum

VINES

A. quinata
Ampelopsis aconitifolia
A. henryana
A. heterophylla
A. h. amurensis
A. h. elegans
A. quinquefolia

Actinidia arguta

Akebia lobata

A. q. mūrorum
A. q. saintpauli
A. tricuspidata veitchi
A. t. lowi
Aristolochia sipho
A. tomentosa
Bignonia grandiflora
B. g. Mad. Gallen

A. q. engelmanni

Vines Continued

B. radicans
B. speciosa

Celastrus orbiculatus

C. scandens Clematis apiifolia

Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. texensis syn. coccinea
C. veitchi

C. veitchi C. viorna

C. virginiana C. vitalba C. viticella

Decumaria barbara Hedera helix

H. h. Albany
H. h. baltica
H. h. conglomerata
H. h. gracilis

Hydrangea petiolaris

Lonicera alseusmoides L. browni plantierensis

L. caprifolium
L. fuchsoides

L. heckrotti

L. henryi L. hirsuta

L. japonica

L. j. halleana

L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens

L. tellmanniana

L. thibetica L. verna

Periploca graeca

Polygonum auberti Pueraria thunbergiana

Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor V. m. alba

V. m. rubra plena

Vitis aestivalis

V. amurensis V. coignetae

V. cordifolia

V. labrusca

V. rotundifolia

V. vulpina

Wistaria frutescens

W. f. magnifica W. multijuga

W. sinensis W. s. alba

W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis halimifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia

Ampelopsis tricuspidata veitchi Aronia arbutifolia

Aronia atropurpurea
Benzoin aestivale

*Betula papyrifera *Betula populifolia

*Betula populifolia *Betula lenta *Betula lutea

Cornus in variety
*Crataegus in variety

Euonymus in variety
*Hypericum prolificum
*Juniperus virginiana

*Juniperus virginiana *Juniperus communis *Ligustrum in variety

Lonicera in variety Morus alba

*Myrica carolinensis

Nyssa sylvatica *Pinus in variety

Photinia villosa Prunus besseyi

Prunus padus Prunus pennsylvanicum

Prunus serotina *Rhamnus in variety

*Rhus copallina

*Rhus glabra *Rhus typhina Ribes in variety

Hypericum henryi

Jasminum nudiflorum

Sambucus in variety
*Symphoricarpus in variety

Vaccinium corymbosum Viburnum in variety Vitis in variety

*Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum

Euonymus radicans minima

Juniperus horizontalis
Juniperus horizontalis glauca
Juniperus suecica nana
Juniperus sabina tamariscifolia
Lonicera spinosa alberti
Lonicera syringantha
Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota Ligustrum vulgare Rhus canadensis Ribes alpinum Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus radicans and varieties
Fagus americana
Hedera helix
Kalmia latifolia
Amelanchier in variety

Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza opiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans acutus
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

*Rhus typhina

Robinia pseudacacia *Rosa setigera *Rosa wichuraiana *Rubus odoratus Salix caprea Salix ciscolor Salix incana *Symphoricarpus vulgaris Vinca minor

Vitis vulpina

Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-2	4"		 		 	\$.35
2-	3'		 		 		.45
3-	4'		 		 		.60
4-	5'		 		 		.95
5-	6'		 		 		1.20
							Diamete of Ball
6- 8'	Shrubs	1			\$	1.65	16"
1"	Shrubs Trees	∫ .	 	• •	 .ψ	1.00	10
8-10'	Shrubs	1				2.50	18"
1 1/4"	Trees	<i>\)</i>	 	• •	 •	2.00	10
1½"	Trees		 			3.25	20"
1 3/4 "	66		 			4.50	22"
2"	66		 			5.50	24"
2½"	"		 			8.50	30"
3"	"		 			11.00	36"
3½"	"		 			16.50	42"
4"	66		 		 . :	22.00	48"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

. 30.00

. 42.00

54"

60"

41/2"

5"





